General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)



NASA CR-160310

Lyndon B. Johnson Space Center

Houston. Texas 77058

JSC-14915

AU 1979

PROGRAM DOCUMENTATION FOR THE SPACE ENVIRONMENT
TEST DIVISION POST-TEST DATA REDUCTION PROGRAM
(GNFLEX)

Job Order 83-337

(NASA-CR-160310) PROGRAM EOCUMENTATION FOR N79-30956
THE SPACE ENVIRONMENT TEST DIVISION
POST-TEST DATA REDUCTION PROGRAM (GNFLEX)
(Computer Sciences Corp., Houston, Tex.) Unclas
157 p HC A08/MF A01 CSCL 09B G3/61 31834

Prepared By

Computer Sciences Corporation Applied Technology Division Houston, Texas

Under Contract NAS 9-15700

For

INSTITUTIONAL DATA SYSTEMS DIVISION

June 1979



PROGRAM DOCUMENTATION FOR THE SPACE ENVIRONMENT TEST DIVISION POST-TEST DATA REDUCTION PROGRAM (GNFLEX)

Job Order 83-337

PREPARED BY

Senior Engineer Data Requirements and Data Management Section

CSC NASA

M. L. Wentz, Manager Data Requirements and Data Management Section

Test Data Reduction Section

Engineering Development Department

C. R. Huss, Chief

Institutional Data Systems Divis

Prepared By

Computer Sciences Corporation Applied Technology Division. Houston, Texas

Under Contract NAS 9-15700

For

INSTITUTIONAL DATA SYSTEMS DIVISION

June 1979

CONTENTS

Section																					Page
1.0		IDEN	rificati	ON							•			•	•		•				1-1
2.0		DESCI	RIPTION				•				-		•				-				2-1
3.0		HISTO	ORY	•			•				•			-		•			•		3-1
4.0		ANAL	YSIS	•		•	•	•				•						•		•	4-1
5.0		INPU	r DESCRI	PTI	ONS	A1	ID.	FC	RM	ΑT	S	•			-	•	-				5-1
6.0		OUTPU	JT DESCE	IPI	TON	S A	MI	F	OR	МА	TS		•						•		6-1
		6.1	OUTLAW	TAE	BULA	TIC	NC	FI	LE	l I	•		r,								6-1
			6.1.1	Con	iten	ts															6-1
			6.1.2	<u>For</u>	mat	<u>.</u>															6-2
		6.2	FIXED S	AMI	LE-	RAT	Œ	OU	TP	UT	T	ΆP	E								6-2
7.0		REST	RICTIONS	<u>.</u>		•	•														7-1
8.0		FACI	LITY USA	GE	REÇ	UII	REN	ŒN	ITS	<u> </u>											8-1
		8.1	CORE SI	ORA	AGE	•		•													8-1
		8.2	MASS ST	ORA	\GE	DEV	/IC	Œ	US	AG	Œ			•							8-1
		8.3	PERIPHE	RAI			•														8-1
		8.4	LABELS,	. SÆ	\VE	TA!	ES	5,	AN	D	ΟÜ	TF	ΤŪΊ	' E	IS	SPC	os:	(T)	10:	J.	8-1
9.0		RUNN	ING TIME	2				•													9-1
10.0		NONS	TANDARD	- SYS	STEM	I RI	ZQI	JIE	REM	ŒN	ITS	;									10-1
11.0			RENCES				_~_			_			_								11-1
APPENDIX /	Δ			י ומיינו	RIICH	יד זרי	15	Ĭ	_						_						A1
APPENDIX :													•	-	-	•	Ť	-	•	•	B-1
													•	•	•	•	•	•	•	•	C-1
APPENDIX APPENDIX													•	•	•	•	•	•	•	•	D-1
APPENDIX								•	•	•	•	•	•	•	•	•	•	•	•	•	E-1
A DESCRIPTION OF	ш.		AVIDALLE" INDI	J1 1'1'									_	_						-	r. → I

Section																				Page
APPENDIX	F	_	SAMPLE	OUTP	. TU	•				•	•		•	•	-		•		•	F-1
APPENDIX	G	-	PROGRAM	4 LIS	ring			•	•	•							•	•	•	G-1
APPENDIX	H	-	FLOWCH	ART .		-		•	•		•				•	-	•		•	H-1
APPENDIX	T		CORRESE	ONDE	NCE		_	_	_	_	_	_	_		_				_	1-1

FIGURES

Figure		Page
6-1	Tabulation tape sample format	. 6-3
6-2	Line count file sample format	. 6-4
6-3	Header file sample format	. 6-5
6-4	Data record sample format	. 6-6

ACRONYMS

FIXSR FIXED SAMPLE RATE

FIXSRT fixed sample rate output tape

FLEX Flexible Data System

SEEL Space Environment Effects Laboratory

SESL Space Environment Simulation Laboratory

SETD Space Environment Test Division

TA Task Agreement

THT test history tape

1.0 IDENTIFICATION

Title: Program Documentation for the Space Environ-

ment Test Division Post-Test Data Reduction

Program

Acronym: GNFLEX

Program number: JSC-14915

Author: L. D. Jones

Date: June 1979

Installation: Lyndon B. Johnson Space Center (JSC), Houston,

Texas

Authorization: Contract NAS 9-15700

Source language: FORTRAN V and Assembly language

Computer: UNIVAC 1108 and 1110

Operating system: EXEC 8

Program listings: To be maintained by the Engineering

Development Department

2.0 DESCRIPTION

The Flexible Data System (FLEX) Tabulation Tape and the Space Environment Test Division (SETD) Post-Test Data Reduction Program (GNFLEX) operates as a driver program to the compressed data retrieval programs. Having passed basic information, GNFLEX initializes arrays, retrieves and stores data from test history tapes (THT's), and outputs data to an OUTLAW formatted tape if requested. PFLEX outputs a fixed sample rate (FIXSR) tape if requested. The FIXSR tape contains data for subsequent input to other programs such as X8PLOT. The OUTLAW tape contains data for input to the program OUTLAW which tabulates its data.

3.0 HISTORY

The Space Environment Test Division of JSC is developing a new data acquisition and control system to support thermal vacuum testing in the Space Environment Simulation Laboratory (SESL), and eventually, in the Space Environment Effects Laboratory (SEEL). The new system FLEX will provide a record of all sensor measurements and calculated values in engineering units and bit-coded information for events and radiation intensity measurement positioning information on magnetic tape.

A program called the Space Environment Test Division Post-Test Data Reduction Program (GNFLEX) was written to process the FLEX data. It produces output tapes containing the tabulation of selected measurements for a specified time period and the information required for plotting selected measurements over a specified time period.

The GNFLEX program was authorized by Job Order 83-337, Task Agreement (TA), and reference 1 (sec. 11.0). When applicable, the design for the GNFLEX program is modular and uses existing subroutines since the requested output products are the same as for the previous program (GNDACS).

4.0 ANALYSIS

GNFLEX reads a test history tape (THT) in compressed data format, checks time on the tape with output time specified by lead cards and either builds time to output with retrieved data or sorts retrieved data for output at a requested time. Output products include a tape in an FIXSR format and/or a tape in print format for tabulation.

GNFLEX reads and interprets the first lead cards to determine what subsequent processing will be performed.

The general processing scheme specifies GNFLEX to call the initialization subroutine IFLEX for each set of data base records to be
processed. Data base records contain the item directory conversion file, item capture file, and process link file. The item
directory is read and parallel tables are made to store item
index numbers for measurement identification names as requested
from lead cards. Descriptive information files are optionally
printed and a data table is constructed and printed for all
initial data values selected from the capture file. Status bits
are used to determine whether the data is represented as floating
point or digital data defined as setpoints. Status bits are
also used to check for data quality and output format.

The retrieval subroutine RFLEX is called next to read periodic data records which include only data for measurements which have changed. Thus the format is generally considered to be compressed rather than at full rate.

The periodic data records are expected to follow the data base records and are identified by a physical tape record containing the periodic data indicator and time, followed by logical records for data items containing the item index status bits and data. Data is retrieved and stored in parallel arrays with time constructed as necessary for output to a fixed sample rate tape. The

data sequence written on the fixed sample rate tape, FIXSR, is in the same order as by lead card occurrence.

5.0 INPUT DESCRIPTIONS AND FORMATS

Input descriptions and formats may be obtained from Flexible
Data System Basic Test software, magnetic tape format Space
Environment Test Division (specifications, to be published).
Reference 1 (sec. 11.0) contains the formats used for the GNFLEX program.

6.0 OUTPUT DESCRIPTIONS AND FORMATS

Driver program GNFLEX optionally specifies an OUTLAW tabulation and/or an FIXSR tape for output by subprogram RFLEX. Each output tape is described below.

6.1 OUTLAW TABULATION TAPE

The OUTLAW tabulation tape will be a 7-track, 800bpi, odd-parity tape. It will contain major and minor headers and data (including time) in a format compatible with the requirements of the general-purpose tabulation program, OUTLAW. General information on this tape is discussed in the following sections.

6.1.1 Contents

The tabulation tape will consist of three files:

- a. Line count file;
- b. Header file:
- c. Data file.

The line count file, the first file of the tape, will consist of one 4095-word binary record with a count of the number of data lines in file 3 (the data file) that belong to particular tabulation group minor headers and a count of several dummy records of unspecified length.

The header file, the second file of the tape, will consist of several variable-length records (345 words per record maximum; one header per record). The records must appear in the order in which they will be tabulated. Major headers consist of as many as 15 lines of 22 words each and appear at the top of every page. They are used to label a major tabulation group. Major headers are followed by one or more minor headers that contain as many as 15 lines of five words each.

The data file, the last file of information on the tape, consists of an unlimited number of 1150-word records.* Each record contains 6-word unsorted output lines. One word contains the tabulation identification (ID) followed by five words of Fieldata ready for printing. One output line does not span two records.

6.1.2 Format

The format of the tabulation tape is presented in figure 6-1. Figures 6-2 through 6-4 present the specific file formats of the line count file, the header file, and the data file, respectively.

6.2 FIXED SAMPLE-RATE OUTPUT TAPE

The fixed sample-rate output tape (FIXSRT) contains data sampled at fixed intervals and time words corresponding to the periods at which the data were sampled. It is input to the general-purpose plot program (X8PLOT) which display the following general characteristics:

- a. Standard seven-track digital magnetic tape.
- b. 800bpi packing density.
- c. Odd parity (binary mode).
- d. Buffered tape (non-FORTRAN-compatible).
- e. Fixed record length. **
- f. End-of-file tape terminator.

^{*}The last record may contain fewer than 1150 words.

^{**}The record length is fixed after a run has begun but may vary for each separate execution. It should be computed as RL = NP + 1, where RL is the record length and NP is the number of floating point parameters to output for this run. One integer millisecond time word will be used for each record.




Figure 6-1.- Tabulation tape sample format (ref. 2).





Figure 6-2.- Line count file sample format (ref. 2).



- A The identification tag associated with this report.

 All data lines for this report are tagged with
 this number.
- B Type of output option:
 - 2 = minor heading
 - 3 = major heading
- C Number of header lines in this report. MAX = 15.

Note: Major or minor header record length must equal $1+~(^{22}_{5})~*~(\text{no. of lines});~\text{i.e., 22 for major; 5 for minor.}$

Figure 6-3. - Header file sample format (ref. 2).




Figure 6-4.- Data record sample format (ref. 2).

7.0 RESTRICTIONS

GNFLEX is limited to processing FLEX system THT's.

8.0 FACILITY USAGE REQUIREMENTS

The GNFLEX program runs on the UNIVAC 1108/1110 and EXEC 8 system and requires no overlay.

8.1 CORE STORAGE

For the instructions and the data banks, 14678_{10} and 29329_{10} words of core storage are required, respectively.

8.2 MASS STORAGE DEVICE USAGE

Two "F" type FASTRAND mass storage devices are dynamically assigned by the program using system default granularity.

8.3 PERIPHERAL

One 9-track drive and two 7-track tape drives are required.

8.4 LABELS, SAVE TAPES, AND OUTPUT DISPOSITION

The tabulation tape is saved for input to the general OUTLAW program. The FIXSR tape is saved to input to the plot programs which can read FIXSR data.

9.0 RUNNING TIME

Output of tabulation and FIXSR tapes for 100 measurements will take approximately 20 minutes per input test history tape.

10.0 <u>NONSTANDARD SYSTEM REQUIREMENTS</u>
The MSC*LOCALIB file is used for MREAD.

11.0 REFERENCES

- 1. Hefner, H. D.: Detailed Requirements Document for the Space Environment Test Division Postest Data Reduction Program GNFLEX. LEC-10564 (rev. A). April 1977.
- 2. Kinney, Larry L.: Program Documentation DACS Initialization and Reconstruction Subprograms (XDACS). LEC-0840; April 1974.

APPENDIX A RUNNING INSTRUCTIONS

CONTENTS

Section		Page
A-1.0	OBTAIN TEST HISTORY TAPE (THT)	A-5
A-2.0	COPY TO AN X BIN TAPE	A-5
A-3.0	SET UP LEAD CARDS	A-5
	A-3.1 GROUP I	A-5
•	A-3.2 GROUP II	A-6
A-4.0	PROGRAM EXECUTION	A-6
A-5.0	EXPECTED OUTPUT	A-6
A-6.0	OUTPUT SUMMARY	A-7
A-7.0	GUIDELINES FOR DATA ANALYSIS	A-7

PRECEDING PAGE BLANK NOT FILMED

A-1.0 OBTAIN TEST HISTORY TAPE (THT)

Confirm track size.

A-2.0 COPY TO AN X BIN TAPE

Dump first and last 10 records.

Record length should be 1024 16-bit words.

(456 36-bit words).

Input tape should have an end-of-file.

A-3.0 SET UP LEAD CARDS

Determine which options to exercise for test case. Lead cards consist of two groups. Group one contains four mandatory cards. Default values are supplied by the program where possible and for all items for lead cards 1 and 2.

A-3.1 GROUP I

a. Card 1

Normally leave blank. The exception is for short test tape for card columns 33-42. The delta time between the FIXSR output is defaulted to 600 seconds.

b. Card 2

Normally leave blank.

c. Card 3

Used to assign output tapes. Normally use 7-track and 800bpi.

d. Card 4

Used to assign input THT's.

e. Card 5

Optional and used only if THT's nine and ten are required.

A-3.2 GROUP II

Prepare major heading card and major heading end card. Prepare measurement cards selecting six character measurement names (MID's) from the test data tape.

NOTE: The last measurement card will have a "1" punched in card column 80 followed by a card with YYYYYY denoting that this is the last measurement.

A-4.0 PROGRAM EXECUTION

Determine current program tape and @XQT name. Initially the execute name is: @XQT GNFLEX/ABS1.

A-5.0 EXPECTED OUTPUT

EXECUTE NAME SHOULD BE: GNFLEX/ABS1.

Listing of Group One lead cards

Dynamic assignment of tapes

Listing of all Group Two measurement lead cards

Data base records should provide:

- a. Listing of item directory.
- b. Listing of item definition file.
- c. Listing of the conversions file.

Listing of initial time on THT followed by MID's, item indexes, statuses, and item values should occur after reading the last data base record.

The data base listing sequence will repeat if additional data base records are read either from the same tape or an additional tape.

A listing of changes in data condition will follow as the data condition checks occur.

The tabulation tape and/or the fixed sample rate tape will be written as periodic data records are processed.

A-6.0 OUTPUT SUMMARY

Line printer output (listings) will contain start/stop time, THT record counts, and record counts for the output tapes.

A-7.0 GUIDELINES FOR DATA ANALYSIS

Since data storage and output requirements differ between tabulations and plot tape (FIXSR), item status words are independently checked to determine whether the data item for a given MID is good, out of range, high or low, or whether a "Bad Data" value replaces any previous data value. Data displayed as "Bad" for plots may be output and flagged with an alpha character or event data. Therefore, data value differences may be observed for the same MID at the same point in time. The listing of the data base initial conditions just prior to reading the periodic data contains status flags which may be used for cross-checking data items.

APPENDIX B LEAD CARD SETUPS

The lead card setups for Groups I and II of the GNFLEX program are presented on the following pages.

PRECEDING PAGE BLANK NOT FILMED

CARD	
	-

GROUP I LEAD CARD SET UP JOB . PAGE NO.___OF_ NAME GNELEX

NAME	GNPLE			PROGRAMMERDATE
FIELD 1. D	CARD COLUMNS	FORMAT	SYMBOLIC NAME	IDENTIFICATION
	1-2	2X		
	3-4	12	DIDMP	0=List Item Directory, default value
ļ			<u> </u>	1=Additionally list Item Definition
 				File
				2=Additionally list Conversion File
				3=List options 0, 1, and 2
		8X		
	13-14	ĭ2. ·	NTHTS	The number of THT's to be input,
<u> </u>		•	<u> </u>	default is one
ļ <u>-</u>	15-16	12	TYP01	Outlaw tape generation indicator
				0=yes, default value
				1=no
				2=Selective tab groups
	17-18	I 2	TYP02	Fixed sample rate tape indicator
				0=yes, default value
	<u> </u>			1=no
	19-20	12	PARITY	Tape Parity processing indicator
	-			O=stop on Tape Parity error, default
				value
-			· · · · · · · · · · · · · · · · · · ·	1=process tapes ignoring Parity errors,
i	1	1	i <u></u>	if possible

COMMENTS	··		

CARD	•	
NO	1	
108 _	4104	
NAME	GNFLEX	

GROUP I

LEAD CARD SET UP PAGE NO.__OF_

NAME	GNELEX			PROGRAMMERDATE
FIELD	CARD COLUMNS	FORMAT	SYMBOLIC NAME	IDENTIFICATION
	21-22	[2	LUIT	Logical Unit associated with each FLEX
				THT input tape, default is 8
	23-24	12	LUTAB	Logical Unit associated with the
				OUTLAW tape, default is 4
	25-26	<u>r 2</u>	LUFXSR	Logical Unit associated with FIXSR
				tape, default is 7
	27-28	I 2	I.P	Logical Unit associated for standard
				output message, default is 6
	29-30	I 2 .	DEBUG	Special debug output option
				0=no, default
		-	· .	1=yes
-	31-32	2X		
	33-42	F10.0	FXSDEL	Delta time of FIXSR tape in seconds
	<u> </u>	 	· · · · · · · · · · · · · · · · · · ·	Default=600
<u> </u>	43-52	F10.0	TARDEL.	Minimum delta time between tabulation
}				outputs, Default=1.0
-			<u> </u>	<u>'</u>
				· · · · · · · · · · · · · · · · · · ·
-	<u> </u>			,
-				

COMMENTS Do not assign any logical units greater than ten.

4SD 061

NO _2 JOB _4104

GROUP I

LEAD CARD SET UP

PAGE NO.___OF___

	GNFLEX			LEAD CARD SET UP PAGE NOOF_ PROGRAMMER DATE
FIELD I. D	CARD COLUMNS	FORMAT	SYMBOLIC	IDENTIFICATION
	1-4	14	IBDAY	Daws portion of start time
	5-7	13	I BHR	Hours portion of start time
	8-10	13	IBMIN	Minutes portion of start time
	11-20	110	IBSEC	Seconds portion of start time
		5X		
	26-29	<u>I 4</u>	IFDAY.	Days portion of stop time
	30-32	<u> 13</u>	IFHR	Hours portion of stop time
	33-35	I3 -	IFMIN	Minutes portion of stop time
	36-45	110	IFSEC	Seconds portion of stop time
		6 X		
	52	A1	TSIGN	A blank or a plus for positive
· · · · · ·			(1)	additive bias, a minus for negative
·	53-56	I 4		Days portion of additive bias
	57-59	13		Hours portion of additive bias
	60-62	13	(3) ADBIAS (4)	Minutes portion of additive hias
	63-72	I10		Seconds portion of additive bias
	73-80	F8.0	ZTBIAS	Multiplicative bias
			· · · · · · · · · · · · · · · · · · ·	NOTE: If stop time is zero, the
				stop time is set to 366 days.
1	!			

COMMENTS	 	 	

ASD 061

CARD			
NO	_3		
—	4 +	<u>~</u>	

GROUP I

NO	_3			GROUP I
JOB _	4104 GNFLEX			LEAD CARD SET UP PAGE NOOF
	CARD		SYMBOLIC	PROGRAMMER DATE DATE
I. D.	согимиѕ	FORMAT	NAME	IDENTIFICATION
	1-6	A6	OUT1(1)	Reel number for tabulation tape
	7-8	12	OUT1(2)	1 = 7 track
	·			2 = 9 track
	9-10	12	OUT1(3)	Tape suboption for dynamically assigne
				tape
! !				4 = S type for new save tape
				2 = W type for old tape
		2 <u>X</u>		
	13-36	4A6	DESO1	Description for tabulation output tape
				save label
	37-42	A6.	OUT2(1)	Reel number for fixed sample rate
				tape (FIXSR)
- · -	43-44	12	OUT2(2)	1 = 7 track
				2 = 9 track
	45-46	12	OUTZ(3)	Tape suboption for FIXSR dynamically
				assigned tape
				4 = S type for new save tape
				2 = W type for old tape
		2X		
	49-72	446	DESO2	Description for FIXSR output save
l	1	[•	label

COMMENTS			
	,	•	

				:
CARD NO JOB	4 4104			GROUP I LEAD CARD SET UP PAGE NOOF
	GNFLEX			PROGRAMMERDATE
FIELD I. D.	CARD COLUMNS	FORMAT	SYMBOLIC NAME	IDENTIFICATION
	1-6	A6	THT (1)	Reel number for input THT tape
	7-8	I 2	THT (2)	Track specifications
		<u>.</u>		1 = 7 track
				2 = 9 track (default value)
	9-10	12	THT (3)	Tape suboption for dynamically
				assigned tape
				1 = F type
				3 ≔ R type (default value)
	11-20			Same as columns 1-10 if required for
			•	input tape 2
	21-30			Same for tape 3
	31-40			Same for tape 4
	41-50			Same for tape 5
	51-60			Same for tape 6
	61-70			Same for tape 7
	71-80			Same for tape 8

HASD OGI

COMMENTS ____

CARD NO _	<u> 5</u>			GROUP I
JOB _				LEAD CARD SET UP PAGE NOOF PROGRAMMERDATE
FIELD L D	CARD COLUMNS	FORMAT	SYMBOLIC NAME	IDENTIFICATION
	1-6	<u>A6</u>	THT(1)	Reel number for THT tape number 9,
				if required
	7-8	IZ	THT(2)	Track specifications
				1 = 7 track
				2 = 9 track
	9-10	12	THT (3)	Tape suboption for dynamically
				assigned tape
				1. = F type
		·		3 = R type
	11-20	<u> </u>		Same as columns 1-10 if required for
	<u> </u>			input tape 10
ļ	 			
ļ				•
			<u> </u>	
-	<u> </u>			
-				
				<u> </u>

COMMENTS

CARD NO _	6			GROUP II
JOB _	4104 GNFLEX			LEAD CARD SET UP PAGE NOOF PROGRAMMERDATE
FIELD I. D	CARD COLUMNS	FORMAT	SYMBOLIC NAME	IDENTIFICATION
	1-80	1346.	CRDMAJ	Major tabulation group heading - a
		A2		maximum of 15 cards may be included
	·			in any major heading. Terminate the
ļ				major heading cards with a subsequent
	ļ <u>-</u>			card containing END in columns 1
	ļ	 		through 3.
-	ļ			NOTE: Each major heading card
	<u> </u>			represents one line of heading.
	<u> </u>	ļ	<u> </u>	
		ļ <u>.</u>	<u> </u>	<u>.</u>
·				

COMMENTS	

ASD 061

CARD NO _	7		•	GROUP II
NAME	41C4 GNF: EX			LEAD CARD SET UP PAGE NOOF PROGRAMMERDATE
FIELD I. D	CARD COLUMNS	FORMAI	SYMBOLIC NAME	IDENTIFICATION
1	1-6	_A6	CRDMAJ(1	LENDTAB for end of tabulation output
				selections.
		•		
				This card must follow a card with
				YYYYYY and precede the next major
				heading card.
		•		The last card READ for a Group II
				measurement lead card must contain
				YYYYYY for MEAS1(1).
				·

COMMENTS .	ENDTAB	optionally	provides	selection	of_	tabulated	
output b	group.	•	·				

45D 06I

NO	8	_				
JOB	4104	_				

GROUP II

LEAD CARD SET UP PROGRAMMER

PAGE	NO	.OF
_		

	GNFLEX			LEAD CARD SET UP PAGE NOOF PROGRAMMER
FIELD 1 D	CARD COLUMNS	CORMAT	SYMHOLIC NAME	IDENTIFICATION
	1-6	_A6	MEAS1	The six character Measurement
				Identification (2 alpha, 4 numbers,
			•	i.e. 7L1023)
	7-12	6X		
	13-18	F6.0	BPDATA	Bandpass for tabulation and plot
				output, default is zero
	19-24	F6.0	ZSCALE	Scale factor for Engineering Units
		·		conversion, default is one.
	25-54	5A6	CRDMIN	Default is all blanks. Minor heading
			-	to supplement the one automatically
			· - · · · ·	constructed. Successive minor heading
-	-			lines may be input on cards immediately
				following in columns 25 through 54 by
				leaving the MEAS1 field blank. A
				maximum of 12 additional minor heading
	-			cards may be input. The first non-
				blank MEAS1 field terminates any
				supplemental minor heading.
	55-79	25X		
	80	.11	LSNTRY	Last measurement,
L				0 = no, default value

COMMENTS	 	 		

CARD NO _	88			GROUP II
JOB 4104 NAME GNFLEX				LEAD CARD SET UP PAGE NO, OF DATE
FIELD 1 D	CARD COLUMNS	FORMAT	SYMBOLIC NAME	IDENTIFICATION
				1 = vcs
				NOTE: If MEAS1(1) = YYYYYY, another
				tabulation header (major heading) is
			:	expected to immediately follow this
			·	card, unless LSNTRY = 1 indicating
				this is the last measurement.
· .				
 				
ļ			<u> </u>	·
	<u> </u>			

ASD 06!

APPENDIX C

DECK SETUP

The deck setup for program GNFLEX is as follows.

PRECEDING PAGE BLANK NOT FILMED

(Front of deck)

1.1

APPENDIX D DIAGNOSTIC MESSAGES

PROGRAM IS STILL TRYING TO READ LEAD CARDS. THE LAST MEASUREMENT IS PROBABLY NOT FLAGGED. TOO MANY MAJOR HEADING INPUT CARDS TOO MANY MINOR HEADING INPUT CARDS **LEAD CARD ERROR** CARD HAS DUPLICATE MID OF . CARD IGNORED.. PTR2 INFO WILL BE USED FOR FIXSR TAPE OUTPUT. TAB OUTPUT IS SUPPRESSED THE FOLLOWING ANALOGS ARE NOT IN THE MID INDEX (FATAL ERROR) PARITY ERROR IN DATA BASE RECORD . INCORRECT INDICATOR FOR ITEM CAPTURE . INCORRECT INDICATOR ON FIRST RECORD _____. INCORRECT INDICATOR FOR ITEM STATUS ____. HEADER RECORD IS ____. TAPE RECORD IS ____. INDEX FOR PLOT MID ____ IS > 2047 INDEX FOR TAB MID IS > 2303 INDEX NOT FOUND FOR MID ____. ILLEGAL STATUS B FOR MID ____. ILLEGAL STATUS A FOR MID _____. JOB ABORTED DUE TO FATAL ERROR PREVIOUSLY NOTED .. RUN IS TERMINATED DUE TO ERRORS NOTED ABOVE INCORRECT INDICATOR ____ IN PERIODIC DATA RECORD ____ . LAST GOOD TIME IS ____. FLEX SYS RESTART TIME IS > PLOT TAPE DELTA TIME TAKEN FROM LEAD CARD. FIXED SAMPLE RATE TAPE WILL HAVE "BAD" DATA FILL INDICATOR TYPE ____ IS NOT ON REQ LIST

PRECEDING PAGE SLANK NOT FILMED

APPENDIX E

SAMPLE INPUT

A dump of a first test history tape record is provided as follows. Lead card values used for input are included in the sample output section since information from lead cards is echoed and interpreted prior to reading the input test history tape.

PRECEDING PAGE BLANK NOT FILMED

١	PĦ	PEROPA	NUMBER	

LH#	1	خ	3	d	5	6	. 7	8	9	10	11	12	13	14	15	16
1	177774	0357 :2	000332	943185	051522	850440	802461	0B1665	802515	084142	044120	001751	000100	944129	001752	000101
2	944130	881753	000102	044128	001754	999193	944120	601756	999194	044120	CO1757	600102	844120	001761	000106	044120
3 4	081762 630114	000107 044120	044120 001772	001764 000115	000110	044120	081766	000111	044120	901767	000112	044120	001770	989113 044120	044126 081776	001771 000121
5	044120	001777	000122	044120	044129 002066	001773 000123	000116 044120	044120 002001	001774 000124	000117 044128	944120 902092	001775 000125	900120 944120	002093	000126	044120
6	002004	000127	844120	892005	030130	000123	044120	002001	044120	992997	002002	844128	082010	002003	044120	002011
7	000134	840129	602612	600135	044120	002013	000136	044120	602614	002007 000137	0±4120	092015	000140	044120	002016	668141
ā	644126	002017	000142	044120	693020	002013	044120	092021	002014	044120	062022	000145	044120	002023	002016	044130
-			6-0-0-1-12	044120	002020	0.00143	0-1-11-10	002021	000144	044150	002022	000143	0-1-11-0	002023	000140	0-1
9	002024	686147	044120	002025	000150	044120	002026	000151.	044!20	002027	000152	044120	002030	000153	044120	002031
10	999154	044126	902032	060155	044120	002033	060156	044120	002034	Đ90157	844129	002035	091660	044120	002036	600161
11	924130	002937	600162	044129	ნტვე⊿ე	000163	044120	092041	006164	044120	902942	000165	044120	892843	000166	044120
13	हेते 13 व य	000167	E 44120	002045	900170	944130	002646		. 044150	002047	000172	944120	002050	600173	044128	002251
13	868174	044129	003052	008175	644150	002053	000175	044120	692654	900177	044120	002055	656266	944120	092056	ç0020 <u>:</u>
1-1	044150	602057	000002	044120	002060	000203	044120	002061	000204	844150	002062	000205	044120	802063	006286	044130
15	662664	000287	044120	062865	000210	044120	802066	090211	944120	002067	000212	044120	002070	000213	044120	002071
16	000014	044120	002072	000215	044120	002073	000216	044128	802074	000217	044120	002075	009220	044120	002076	000221
17	9:4.20	002077	600222	044126	002100	000223	044120	002101	000224	044120	092102	068225	844120	882103	000226	044120
16	062194	000327	044120	002105	030230	644120	802106	000231	644120	002107	002182	044120	002110	000233	044128	693:11
.19	000234	044120	002112	000235	044120	002113	000236	044120	002114	000237	044120	993721	008243	044120	003722	000241
20	044120	003723	000242	044120	003725	050243	044120	003727	000244	044120	003731	000245	044120	003733	060246	044120
21	033735	000247	044120	003736	000250	044120	003737	600251	044120	903740	000252	044120	003741	000253	044120	003742
33	868254	844130	003743	000255	044120	003744	000256	044120	003745	000257	044120	003746	000260.		003747	000261
23	044.20	893750	800262	044129	003751	000263	044120	003752	600264	044120	003753	000265	044120	003754	000266	044120
24	003755	666367	944126	003756	000270	044120	003757	000271	044120	003760	000272	044120	903761	000273	044120	603752
56	A5-2 5-1															
25 26	066274 844129	044120 003770	003763	000275	044120	003764	900276	044128	003765	000277	044120	003766	000300	044120	003767	000301 944120
27		003770	000302 044120	044120 003776	003771 000310	000303 044120	044120 003777	603772 000311	000304 044120	844120 004060	003773 000312	006305 044120	044120 004001	003774 000313	000396 044120	604093
28	0003714	044120	044120	000315	044120	004004	000316	044120	004005	000317	044120	004006	000328	044120	094007	000331
29	044120	904010	000322	644126	094011	000323	844138	004012	000324	044120	004913	009325	044120	004014	008326	644138
30	QU-015	000327	04-1120	004016	000330	044120	004017	000331	044120	004020	000332	044120	004021	000333	044120	004022
31	690334	044120	004023	000335	044120	004024	000336	044120	004025	000337	044120	904026	000340	044120	004027	000341
30	044120	004030	000342	044120	004031	000343	044126	004032	000344	044120	904033	000345	044120	004034	000346	044120
	:				-	· -		-								
33	004035	000347	044120	004036	000350	044120	004037	000351	044120	004040	000352	044120	004041	000353	044120	004842
34	000354	044120	004043	000355	944120	994944	000356	044120	084845	000357	044120	004946	000360	044120	004047	000361
35	044120	004650	000362	044120	00405 i	000363	04:1120	004052	000364	044120	804053	800365	044120	004054	000366	044130
36	004055	000367	944120	004056	000370	044120	004057	006371	044120	004060	909372	944120	004061	000373	044120	004062
	000374	044130	004063	000375	044120	004064	000376	044120	005671	000377	044120	005672	000400	044120	005673	999491
36 39	044120 1005705	005674	000402	044120	005676	000403	044120	005700	000404	044120	005702	000405	044120	005704	000406	044120 005712
-18	005705 000414	000407 044120	044120 005713	005706	000410	044120	905797 909416	000411	044120	005710	000412	944128 99571 <i>5</i>	005711	000413	044120 005717	000712
-10	202414	044140	anat 12	000415	044128	005714	000416	044120	005715	000417	044120	005716	000420	044120	999,11	040441
41	044120	005720	000422	044120	005721	000423	044120	005722	000424	044120	905723	000425	044120	005724	008426	044120
42	005725	000427	844120	005726	000430	044120	005727	000431	044120	005730	000432	044120	005731	000433	044120	005732
43	000434	044128	005733	000435	044120	005734	990436	044120	005735	000437	044120	005736	000440	044120	005737	900441

王-4

OF POOR QUALITY

44 43 47 49	044170 005745 000454 044120 005765	005740 000447 044120 005760 000467	000442 044120 005753 000462 044120	044128 005746 000455 044128 005766	085741 000450 044120 085761 000470	000443 044120 005754 000463 044120	044128 005747 000456 044120 005767	005742 000451 044120 005762 000471	000444 044120 005755 000464 044120	044120 085750 060457 044120 005770	005743 000452 044120 005763 000472	008445 844120 805756 008465 044120	844129 085751 088460 844128 885771	005744 000453 044128 005764 000473	000446 044120 005757 080466 044120	044120 005752 000461 044120 005772
3 5 4 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	008474 644120 085305 090514 644120 806025 800534 844120	644126 606869 609567 644126 606028 609527 644128 610018	005773 000502 044120 006013 000522 044120 006833 000542	000475 044120 006006 000515 044120 006026 000535	044128 086081 006516 044128 086821 080538 044120	805774 060583 044120 006014 000523 044120 006034 000543	000476 044120 006007 000516 044120 006027 000536 044120	044120 006002 000511 044120 006022 000531 044120 010012	005775 000584 044120 006015 080524 844120 810805	900477 944129 696019 696517 944129 996930 990537	044120 006003 000512 044120 006023 000532 044120 010013	005776 000505 044120 006016 000525 044120 010006	090500 044120 006811 600520 044120 006031 060540 044120	044120 095004 900513 044120 006024 009533 044120 010014	005777 000506 044120 006017 000526 044120 016007 080546	000501 844120 066012 060521 844120 606632 600541 644130
55 59 58 61 62 64	010015 000754 044126 010161 000574 044120 010325 000614	686547 644120 616154 666557 644126 619326 606607 644120	044120 010024 000562 044120 010176 000602 044120 010334	610016 680555 644120 616162 600575 644126 616326.	090550 044120 010155 060570 044120 010321 000610	044120 010025 000563 044120 010171 000603 044120	010017 000556 044120 010163 000576 044120 010327 800616	060551 044120 010.156 060571 044120 010322 080611 044120	644120 016151 000564 .044120 610315 600604 644120 866455	010020 000557 044120 010164 000577 044120 010330	000552 044120 010157 000572 044120 010323 000612 044128	044120 010152 000565 044120 010316 000605 044120	010021 000560 044120 010165 000660 044120 010331 000620	000553 044120 016160 806573 044120 010324 600613	044120 010153 000566 044120 010317 000606 044120 011612	018023 080561 044120 010157 080501 044120 010333 600621

APPENDIX F

SAMPLE OUTPUT

Lead card values used for input are included in this appendix.

PRECEDING PAGE BLANK NOT FILMED

파 4

)7	-1750364	TPF\$1	0)	ELS	MENT	TABLE					· · · · · · · · · · · · · · · · · · ·	6 ~1110FILTP*******	********		**************			
	MAKE		VERSI	ON		TYPE			DATE		. TIME	SEO #	517	E-PRE.TEXT	Levels	Vabri	PSRMODE .	Incett
	11024					SYMBOLIC	;	09	NOV	77	05:40:42	1		- 1,000	5	0 1	* *************************************	17
	ASSECS.					SYMBOLIC	;	09	NOV	77	05:40:52	2		10		0 1		17
	CONVER					SYMBOLIC		09	NOV	77	05:41:11	3			5	Ö i		iB
	CCPSed					FOR SYMB	1	23	FEB	77	02:05:01	4		3	5	0 1		18
	DASCE					SYMBOL10	;	09	NOV	77	05:41:17	5		i	5	0 1		18
	CFRLIA					SYMBOLIC	*******	09	MOA	77	D5:41:22	6		, 	S 5	. 0 1		10
	DEPLET					SYMBOLIC			VON		05:41:28	7		f	5	Di		10
	IPSIAT					SYMBOLIC			NOV		05:41:51	• 8		13	5	0 1		18
	115141				·	SYMBOLIC			Nov		05:41:58	9			···5 · ··	. Ö t	·	16
	PITEPS					SYMBOLIC			VON		05:42:02	10		ţ	i ' 5	0 1	5.0	18
•	PROGN					SYMBOLIC			иол		05:42:06	11		- ' t(5	0 t		. 18
	PROLUT					SYMBOLIC			NOV			12			- 5 -	0 1		16
	PAC-102					ELT SYMB			HOV		[4:21:05	13		· · ·	5	0 1		19
	rect p					SYMBOLLO			HOV		05:42:22	14			5	0 1		18
	SIAICK			144	•	SYMBOLIC SYMBOLIC			NOV		05:42:27	- 15		411	m = 5 =	0 1		1D
	214164					SYMBOLIC			HOV		05:43:31	16		16	5	0 1	• •	18
	111175	•				SYMBOLIC			NOA		05:43:34	17			5	0 1		19
	TWALL					ASM SYME		-	NOV	•	05:43:38	18			· 5 ··	0 1		19
	ULTER					SYMBOLIC		_	MAY		11:06:09	19		, *	5	0 1		19
	COPYGNEL	E v							NOV		05:43:46	20		3	5	O t		19
	00714.					ELT SYMB			NOV			21			·5	-1.:2		19
	FORCHFLE	·v				ABSOLUTE			OCT		12:53:01	55		518			SET	19
	ASCII				,	ELT SYMB			MAR		10:11:43	23		14		4 9		54
	ASGRES		4 - 1 Passengo 242 - 144 1			RELOCATA			NUU NUU		11:50:27	2424 25		. † (24
	CONTER					RELOCATA			งบห หปัง		11:50:36 11:50:45	25 26		2 19				24
	CORDYN					RELOCATA			JUN			27			_			24
	DASGE					PELOGATA			NUG		11:50:48	28		·] ··································			***************************************	25
	DERCER					RELOCATA			NUU		11:50:54	29 29		2			.	25
	DERRET					RELOCATA			JUN		11:50:54	30		2 (•			25
	IPSTAT					RELOCATA			JUN			31		2	·	·		25
	ITSTAT					RELOCATA			นยห		11:51:21	32		1				25
	PITCHS					RELOCATA			JUN		11:51:29	32		1	f •			25
	PRCON					RELOCATA			JUN		11:51:35	34		. 3	·			25
	PROUCH					RELOCATA			JUN		11:51:48	35		2		ŧ		25
	PR2502					RELOCATA			JUN		11:52:04	36		1				25
	READTA					RELOCATA			SUN			37		- 1				25
	RECAP					RELOCATA			MUL		11:52:19			2			*	25
	STATCA .					RELOCATA			JUN		11:52:25	. 38 39		2 !				25
	SZOAY					RELOCATA					11:52:59	39 40			,			25
	7115"3					RELOCATA			JUN		11:53:04	41		2	,			25
	ThatT		. transcen		·	RELOCATA			ีนบท เหมู่น		11:53:18	41		Z .				25
	ひんさじる					RELOCATA			JUN		11:53:18	43		- 7 · `	·			
	MAPUNELE	x				MAP SYME			JUN		09:40:09	44		•	,			26 85
	ASST79					ELT SYME			JUN		09:42:24	۰۰۰ 45			5	2 3		26
	ASG179	,	,			RELOCATA			JUN		09:42:24	. 40				- J (2)		- 26
	IFL. A					ELT 5 YMS			100			. 40		2 3				. 25
	IFLEX					RELOCATA			บบท เกมน					11!		14 5	i .	26
	GNELEX					ELT SYME					09:56:46			·3 86				<u>-</u> 27
	GNELEX								JUN		09:13:17	49		191		5 5	5	28
	PROUE -					RELOCATA ELT SYNE			JUN		09:13:38 09:19:22-	80		4 169	-			30

PROCE RELEX RELEX CRELEX CRELEX ABSI NEXT AVAILABLE LOCATION-	RELOCATABLE FOR SYMB RELOCATABLE ABSOLUTE	22 JUN 78	09:19:52 09:34:03 .09:34:25 .09:36:48	52 53 54 55	2 21 177 5 145 734	5 21	5 SET .	3274 3297 3474 3624 4358
ASSEMBLER PROCEDURE TABLE EMPT	Υ	dien berg besperringspale at the pr			· · · · · · · · · · · · · · · · · · ·			4008 .
COBOL PROCEDURE TABLE EMPTY	، میشند کی مصحور در بروی و مستورد					· · · · · · · · · · · · · · · · · · ·		
FORTRAM PROCEDURE TABLE EMPTY					•			
ENTRY POINT TABLE EMPTY	po 479886. addina 1 41-9 299 224 Bernesaniya <u>45</u> 4442-2 ₉ 000 sa		, , , , , , , , , , , , , , , , , , , 	*		**************************************		
PREWIND PUR.		····································		ray d Salaman dda 188 0dwyl frago 22g an g i ar sy				***************************************
OFREE PUR.	the safe or other age throughput the	1) o Palain erroma e ambienen megant da ju men	, , , , , , , , , , , , , , , , , , , 	emperatus no desautom op e	- संयुक्तिक स्थापना राज्यक्ता -	. Be begger to the contract		m parametra mengeri den grade in in ada
EXECUTE NAME SHOULD BE ; GN	LFLEX/ABS1		ang in palaming and an ang an	4-19- 1 по по 14 дв. Тогово 18- 14 до доценувачи 1 по 18- 1 по 18- 18- 18- 18- 18- 18- 18- 18- 18- 18-				
		**************************************	8					
S. S. P. C.		an i ta a 17 de a 17 de a 18 de a 19 de a 18 de a 19 de a 19 de a 18 de a 19 d		e T Tibban e pro cris dissilantes paperssa plan		reme ^{r St} orogram by them by the opposite	· · · · · · · · · · · · · · · · · · ·	-
				•	·	·		
	*			e di menden gag kama mang 11 <u>majahan</u> san				
					·	•		
	···	·				·		
		The second se						
- : 	, <u>, , , , , , , , , , , , , , , , , , </u>			Maring 18 kalendayada a kamaraya				

. 					villediteriteration contents propper special	H-196ch-B ordebbickers sometype gyr	10 E24 F F - 1 <u>242</u> vol b - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 	<u>;</u>		
	EMENT LEAD				•					
CARD NO.	1234567890	1111111	11222222;	2 2223333333333 33333	14444444445555 1012345678901234	55555566566666666666666666666666666666	6677777777778	·	·····	· · · · · · · · · · · · · · · · · · ·
1 2	* 3						8901534997890		• *	•.
. 4				105-12-56						
END O	F TYPE 1 CA	RD5		agail de graf 1988 de lite de la Managado - ao gas nos cons ao s		7-My g-1 17 1944 4-, 4				
···· • ,,	d-r - 100 11 00 210 110,	*** ***** **********	····					, , , , , , , , , , , , , , , , , , ,		
						•				
		1.3				**************************************				
· • ·									· · · · · · · · · · · · · · · · · · ·	
							•			
		-	***		animaterindelpite in 11 mart - Aggregate meder					
					•		•			
			* * * * * * * * * * * * * * * * * * * *		en constant un constant constant punt un ser e		en et l'ambre des dérem des métages de la T			·
							•			
							• •			
	antonia in a			··		.	·		·	
			•	•	-					
				1 6 5 5 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5	***************************************	# 100 http://www.com.appen				
								•	. :	
		••					mak di kuju Madanda i sa sangsa ayan ng d			
	···					·				
					·	8				•
	· · Pana more and					-			· · · · · · · · · · · · · · · · · · ·	
								•		
D										
	Back sa		4- 10 11							
								•		
							1 19			·
									* 10 7 10	
									•	
	4		-		W-1				· · · · · · · · · · · · · · · · · · ·	

	_		_	LEAD CARDS FOR GNFLEX
	111		L LEAD C	ARD VALUES TO BE USED INCLUDING DEFAULT VALUES
	- AMD 1		3	DATA BASE DIRECTORY DUMP LIST ITEM DIRECTORY ONLY *0 LIST ITEM DEFINITION FILE *1 LIST CONVERSIONS FILE *2 LIST OPTIONS 0.1, AND 2 *3 NO DIRECTORY DUMP *4
	NTHTS	B 1000	- f	NUMBER OF TEST HISTORY INPUT TAPES
	TYPOI	*	0	TABULATION OUTPUT: O FOR YES. 1 FOR NO. 2 FOR SELECT
	TYPO2	*	0	FIXED SAMPLE RATE TAPE OUTPUT: O FOR YES
	PARITY	.*	1	TAPE PARITY PROCESSING INDICATOR: - DEFAULT IS O TO ABORT RUN: - 1 FOR PROCESSING PERIODIC DATA
•	LUIT	'*	-8	LOGICAL UNIT FOR THT. INPUT TAPE
	LUTAB	•	4	LOGICAL UNIT FOR TABULATION TAPE
	LUFXSR	*	7	LOGICAL UNIT FOR FIXED SAMPLE RATE TAPE
	LP DE BUG		8 0 ··	OUTPUT DEVICE FOR PRINT DEFAULT IS PRINTER DEBUG FLAG FOR MAXIMUN PRINTED OUTPUT
	TEST	H	0	TYPE OF TAPE USED, O FOR FLEX
	FXSDEL	*	600	. DELTA TIME FOR FIXSR IN SECONDS
	TABDEL		. 1	. MINIMUM DELTA TIME BETWEEN TABULATIONS
-				
-			Method on the 1-gal -241.0-1	
-		:		
		·		

8 1

REEL ** @A5G.TJ	4.8C92	DYNAMICALLY ASSIG	NED TO LOGICAL UNIT	4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
DYNAMIC OF FASTPAND OASG 22	CONTROL SEQUENCE LOGICAL UNIT 22	NO. 2 HAS BEEN DYNAMICA	LLY ASSIGNED .			: :		•
FASTRAND	CONTROL SEQUENCE	HAS BEEN DYNAMICA		• • • • • • • • • • • • • • • • • • •				
-								
	- Alabama (1911)				v.		4 2	
				***************************************	***************************************			
AMAZINI PARA SAN SAN SAN SAN SAN SAN SAN SAN SAN SA					1			
**************************************		• • • • • • • • • • • • • • • • • • • •						
				- 21				To the last
				- 2:				

1 2 3	*F00442 *DATA PROS	1111111112222222222333333334444444445555555 0123456789012345678901234567890123456789012345678 .ex/gnflex cross checks JCED DURING CHECKOUT OF FLEX/GNFLEX INTERFACE/ANWIE PROJECT NO. 4205	9012345678901234567890	
5 6	*\$\$0063 *\$\$0062 *XP0316		•	
. 8	*XP1004 *SH0005		*	
11 12	*FN0009 *HT3213 *610904			
14 15	*FW1008 *FN0007 *FW1005			
17 18	*EHOD 10 *FNOGC8 *FN1GO3	a we you do suppressed that the control of the cont	The state of the s	
20 21	*£H0020 *FH0012 *FR0603	The second secon		
23 24	*F1:0004 *EW0021 *EW0016	e pro-tre de la manufacture de la companya de la co		
26 27	-E10005 -FN2002 -E10015		ا ، دهندهن آسترین و در دست با ادبار <u>و سازت و دست بدر دودا و دست و رو در سر بر</u> ا	,
- 29 30	*FN2005 *ET1001 *EH1001			
32 33	*011601 *011002 *011005	The second state of the second	. A second control of the second control of	·
35 36	*DT1008 *ST1011 *SH1003		. 4. <u> </u>	
38	*DT1004 *DT1006 *DT1003		•	
- 41 42	*DT1007 -			
44 43	*2V1014 *2V1001 *2V2006			*
47	*2V1003 *251056 *270203			
50 51	*ZT0206 *ZT0209 *ZT0213			* · · · · · · · · · · · · · · · · · · ·
	·2T0216			• • • • • • • • • • • • • • • • • • •

 54 *270219	•
55 *750012 55 *270253 57 *200001 58 *270317 59 *550054	
61 *XP1003 62 *XP1005 63 *DT0005 64 *HT3211 65 *ZV0316	
END OF HEADING AND	MEASUREMENT CARDS
: !	

F-12

The second of th

MEASUREMENT	UODO DRAD (ON DIM	RRENCE PTR1	PTR2	BAND PASS	(BPDATA)	SCALE FACTOR	(ZSCALE)	_
\$\$0063	4, 20 11				.000000		100000+01	
\$\$0932		2	. ā	.**	.000000		100000+01	
XPC316		.,	4		.0000000		100000+01	
XP1004		4	5		,000000		100000+01	•
DHC005		5	6		.000000		100000+01	
D1 C001		6 .	7		000000	··	101000101	
F40009		7	8	•	,000000		10.000+01	
HT 3213		8	9	-	.000000		100000+01	
D72024	4	9	10	***************************************	.000000	* q	1000000+01	
FW 1 000		10	11		.000000		.1000000+01	
FNCGG7		11	12		.000000		10+000001	•
F81005		12	13	·	.000000		1000000+01	
EH0010		13	. 14		.000000		.1000000+01	
FN:0059	•	14	15	•	.000000		.1000000+01	
FM1003		15		*****************************	.000000		100000+01	والمناولين والمناول القاول والمستها والمنافل وال
EHC030		16	17	•	.000000		100000+01	•
FNS012		17	. 18		.000000		.100000+01	
FN0003		18	19		.000000		100000+01	
F110054		19	20		.000000		.160000+01	
EACG21		20	21	-	.000000		10+00000+01	•
Enco15		21	22 -	ه دو بسمبوست میتود شدود .	.000000		.100000+01	
E10035		22	23		.000000		.100000+01	•
F112002		23	24		,000000		,100000+01	
E10015		24 -	25		.000000		.100000+01	
FN 2 305		25	26		.000000		100000+01	
ET 1001		26	27		.000000		.100000+01	
Est (55)		27		*******************	.000000		.100000+01·	· · · · · · · · · · · · · · · · · · ·
DT ICG:	•	20	29		,000000		.100000+01	
DT 1002		29	30	•	.000000		.100000+01	
.DT1005		30	·····		.000000		.100000+01	
BC0110		31	32		.000000		.100000+01	
D1 1011		32	33		.000000		100000+01	
D41003		33			.000000		.100000+01	
DT1004 -		34	35		.000000		.100000+01	,
DT 1006		35	36		.000000		.100000+01	
DT 1 CC3		36	37		.000000		.100000+01	
DT 1007		37	38		.0000000		.100000+01	•
DT 1003		38	39		.000000		.100000+01	
DT1012 /		39 -	40		.000000		10+000001.	***************************************
DT 1014		40	41		.000000		.100000+01	
ZV 1001		41	42		.000000		.100000+01	
ZV2005		42	43		.000000		.100000+01	
ZV1003		43	44	. :	.000000		.100000+01	
Z51056		44	45		.000000 .		.100000+01	
Z102G3		45 -	46 .	····	.000000		.100000+01	
ZT0235		46	47		,000000		.100000+01	
Z16269		47	48		.000000		.100000+01	
ZTG213		48			.000000		.100000+01	All of the second
210216		49	50		.000000		.100000+01	
ZT0219		50	51		,000000	-	.1000000+01	

. 5

MEASUREMENT	MID NO	RENCE PTR1	PTR2	BAND PASS		SCALE FACTOR	(ZSCALE)	
Z5G012 ZTC253 ZCC0G1 ZP3317 \$5CC54		51 52 53 - 54 55	52 53 54 - 55 56 57		.000000 .000000 .000000 .000000 .000000		.100000+01 .100000+01 .100000+01 .100000+01 .100000+01	
XP0217		50 50 50 60	59 59 60 61 62		.000000 .000000 .000000		.100000+01 .100000+01 .100000+01 .100000+01	
e de la communicación de l	19 A Managama ay and - 1915 Character			•				
	an recording							
	a dala maga da sa da sa san sangan dalam sangan da sa		:					
							-	
						•		
	-							

F-16

HP3049

HP2CE4

HP3059

299

304

309

HP3050

HP3055

HP3060

300

305

310.

ITEM DIRECTORY. DATA BASE NAME IS FESTO IND -4 DAY= 165 HR= 12 MIN= 44 SEC= 2. ENTRIES= 1329 J= 949 K= 1357 L* 2148 MID 1TEM INDEX MID . ITEM INDEX. .. MID ITEM INDEX ... -- MID ITEM INDEX ---MID ... ITEM INDEX HP 1 CO1 64 HP1002 65 HP1003 66 HP1004 67 HP1006 68 HP1007 - 69 HP1009 70 HPIOIO 71 HP1012 72 HP1014 73 HP1015 74 HP1016 75 HP1017 76 HP1018 77 78 HP1019 HP 1020 79 HP1022 81 HP1021 00 HP1023 82 **HP1024** EB HP1025 84 **HP1028** 85 HP1027 86 HP (O2B 87 88 HP1029 HP 1030 89 HP1031 90 HP1032 91 HP1033 92 HP1034 93 HP1035 94 HP1036 95 HP1037 96 HP1038 97 HP1039 98 HP (640 HP1042 101 HP10a4 99 HP1041 100 HP1043 102 103 HP1645 HP1047 106 HP 104B 107 HP1049 104 HP1046 105 - 108 HP 1055 HP1051 110 HP1052 111 HP1053 112 HP1054 109 113 HP 1055 HP1057 116 114 HP1056 115 HP1058 117 HP1059 --- 110 HP 1050 HP1062 121 120 HP1063 122 HP1064 119 HP1061 123 HP1CC5 124 HP1066 125 HP1067 126 HP1068 127 HP1069 128 HP1070 130 HP1072 131 HP1073 129 HP1071 132 HP1074 133 HP1077 HP : 075 134 HP1076 135 136 **HP1078** 137 HP1079 138 140 HP1082 141 HP1C53 139 RPIOBI HP1003 142 HP1084 143 HP1087 HP 1015 144 HP1006 145 146 HP1088 147 HP1089 148 HP1092 HP10:3 149 12019H 150 151 HP1093 152 HP1094 153 HP1055 HP1098 155 HP1097 156 HP1098 157 HP1099 158 154 RP1100 160 HP2002 161 HP2003 162 HP2005 163 159 HP2001 HP2017 HP2011 HP2013 167 154 **HP2009** 165 166 HP2014 168 HP2015 HP2016 170 HP2017 171 HP2018 172 **HP2019** 173 169 HP2022 HPT510 17.1 HP2021 175 176 HP2023 - 177 HP2024 . 178 HP2C:5 179 HP2026 180 HP2027 181 HP2028 182 HP2029 183 HP2032 166 HP2033 187 HP2034 188 HP2030 104 HP2031 185 HP2033 HP2037 191 HP2038 192 **HP2039** 193 109 HP2036 190 H22040 HP2042 196 **RP2043** 197 HP2044 198 194 HP2041 195 200 HP2047 201 H#2048 202 HP2049 203 HP:10-5 159 HP2046 207 HP: CLO 204 HP2051 205 HP2052 206 HP2053 HP2054 208 HP7C55 209 HP2056 210 HP2057 211 HP2058 212 HP2059 213 **HP2062** 216 **HP2063** 217 HP2064 218 Hr2C.5 214 HP2061 215 HP2067 HP2535 HP2066 220 221 HP#068 222 HP2069 223 219 HP2072 RPIDIO 224 HP2071 225 226 HF2073 227 HP2074 228 HP2077 HP2675 229 **HP2076** 230 231 HP2078 232 HP2079 233 HP2082 HR2080 234 HP2081 ...-235 236 **HP20B3** 237 14P20B4 238 241 HP2086 HP2087 HP2088 242 HP2089 243 HP2085 239 240 247 HP2092 HP2000 HP2091 245 248 HP2093 HP2094 248 244 HP2099 HP2096 250 HP2097 251 HP2098 252 253 **PP2005** 249 77-8 HP2160 254 HP3001 255 **HP3D02** 256 HP3003 257 HP3004 HPEC16 259 HP300B 260 HP3010 261 **HP3012** 262 HP3013 203 HPSS:4 HP3015 265 HP2016 266 HP3017 267 HP3018 268 264 HP3020 270 HP3021 271 **RP3022** 272 HP3023 273 HPBUIS 269 HF3024 HP3025 275 HP3026 276 HP3027 277 **HP3028** 278 274 HF 3029 279 HP3030 280 LEDEAH 281 HP3032 --- 282 **Е**ЕОЕЧН 283 285 **HP3C34** 294 HP3035 **HP3036** 286 HP3037 287 HP3038 208 289 HP3040 290 FIF3041 291 HP3042 292 HP3043 293 HESGES HP3046 296 HP3047 297 HP 35/44 294 RP3045 295 HP3048 298

HP3051

HP3056

HP3061

301

306

311.

HP2052

HP3057

HP3062

302

307

312.

HP3053

HP305B

HP3063

303

308

MID	ITEM INDEX	(MID	ITEM	INDEX	MID.	ITEM	INDE	X :	MID	ITEM IND	EX	MID	ITEM	INDEX	·····	
HP3064	314		нр3065		315	HP3066	•	316		HP3067	317		HP3068	3	18		
HP 100 9			HP3070		320	HP3071		321		HP3072	322		HP3073		23		
HP 3074	324		HP3075		325	HP3076		326		HP3077	327		HP3078		28		
HF 3079	329		HP3080		330	. HP3081		331 .		HP3082	332		HP3083		33		
HF3C84	334		HP3085		335	HP3086		336		HP3087	337	•	HPJ08B		38		
HF 3063	339		HP3090		340	HP3091	. :	341		HP3092	342		HP3093		43		
HP3094	344		HP3095		345	_ HP3098		346		HP3097	347		HP3098	3	48		
HP 3 099	349		HP3100		350	HP4101	1	351	•	HP4102	352		HP4103	3	53		
HP-1104			HP4105		355	HP4 108		356		HP4107	357	•	HP4108		58	• "	
HP = 155			HP4110		360	HP4 11 t		361		HP4112	362 .		HP4113		63		
HF4115			HP4116		365	HP4117		366		HP4201	367		HP4202		5 B		
RP4200			HP4204		370	HP4205		371		HP4206	372	-	HP4207		73		
HP4 206		**********	HP4209		375	HP4210		376		HP4211	377 .		HP4212		78		
HP4213			HP4215		380	HP4216		381		HP4217	382		HP4301		83		
H24303			HP4303		385	HP4304		386		HP4305	387		HP4306		0.8		
HP 4307		******	HP4308		390	не4309		391		HP4310	392		HP4311		93		
HP4312			HP4313		395 .	HP4315		396		HP4316	397		HP4317		98		
HP530			HP5001		400	HP5002	:	401		HP5004	402		HP5101		03		
HP6251			HP5301		405	_ HP5401		106 .		HP5501	407		HP1101		08		
HP2151 HP2550			HP3101		410 415	HP4125		411 416		HP4225	412		HP4325		13		
FA 13 1			FM1201		420	FM2201		421		FM3201	417		FMODOI		18		
FA . 31 (FM0303		425	_ FM0200 1R1002		421 426		FM5100	422 427		FM4201		23		,
FA : 400 [R:1005			181001		430	182001		431		ECOLUL	432		IR1004		28		
180555			1R2005		435	_ 1R2006		436 .		IR2002 IR3001	437	•	. I R2003		33 38		
IRCCCC			183004		440	1R3005		441		183006	442		183002 10001		30 43		
DF 1100			DP0003		445	DP0004		446		AP0004	447		AP0005		48	_	•
XFLCOI			XP6002		450	DHOOO!		451		DH0002	452		DH0003		53 —	-	
DH (364			DH0005		455	DH0006		456		DH0007	457		DH0008		53 — 58		
DI-0509		-	DH0010		460	DH0011		461		DH0012	462		DH0013		53		
DHCG1			DH0015		465	DHOO18		466		DH0017			DH0020		68		
D: C71			D1:0022		470	DH0023		471		100EHH	472	······································	HH3101		73		
H-1330			HH3002		475	нн3102		476		нн3302	477		нн3003		78		
HH3151			нн3303		400	ннэро4		481		HH3104	482		HH3304		83		<u>:.</u>
HH . 10			HH3105		485	HH3006		486		HH3105	487		HH3007		88		
HH510			HH3008		490	нн3009		491		HH3010	492		HH3201		93		-
H:5222			HH3203		495	. HH3204		496		HH3205	497		1413206		98		
hin : z = 1			HI13268		500	HH3209		501		HH3210	502		EH0001		03		
Exit 0.00			EH0003		505	EH0004		506		EH0005	507		EH0006		08		
EH 1500			EH0008		510	EHUQOS		511		EH0010			EHCOIL		13		·*****
EH 2011	514		EH0013		515	EH0014	ļ	516		EH0015	517		EH0016	5	18		
EHCO:	7 519		EH0018	l	520	EH0019		521		EH0020			EH0021	5	23		
EH 192:			EH0023		525	ЕНОО24		526		EH1001	527 .		DH1001		20		
DH 1 GI			DH1003		530	DH 1 0 D4		531	·	DH1005	532	_	010001		33		
D1 0000			DT0003		535	DT0004		536		DT0005			D10006		30		
DICCO.			. DT0008		540	010009		541		D10010			D10011		43		
DICOL			DT0021		545	DT0022		546		DT0023			010078		48 -		
DTGG7			070024		550	010029		551		D70026			DT0027		53		
DT GG2			DT0029		555	атоозо		556		DT0031	557		010032		58		
DT (103)			010034		560	D70035		561		950010			DT0047		63		
DTCC4	3 564		DT0049		565	D70050	J	566		080010	567		D10051	ुः इ	68 "	LITTE 🕏	<u></u>

MID	I TEM	INDEX		MID	ITEM IND	EX	MID	ITEM IN	DEX	MID	ITEM IND	<u></u>	MID	ITEM :	NDEX		
DT 0052		559		DT0053	570		DT0054	571		. Ntaoss	572		DT0056	: 57			•
DT 0057		574		DT0058	575		D10059	576		010060	577		DT0051	57			
DT0052		579		010063	580		DT0074	581		D10075	582	1.	010076	50			
D16077		584		DT0081	585		010013			DTOD14			DT0015				
010016		589		D10017	590		DT0018	591		DT0019	592	•	D10020	59			-
ETICSI		594		DT1001	595		DT1002	596		DT1003	597		DT1004	59			
DT1C25		599		011006	600 -		DT1007			DT 1008			DT1009				
DTISTO		604		DT1011	605		DT1012	608		DT1013	607		DT1014	60			
ETOCOL		609		ET0002	610		E10003	611		ETOD04	612		E10005	61			
ETOGOS	٠.	614		ET0007	615 -		E10008	•		E10009	617		ET0010				
ETCOLT		619		ET0012	620		ET0013	621		ET0014	622		E10015	6:			
E10018		624		E70017	625		ETOOIS	628		ET0019	627		E10020				
ETGC21		629		ET0022	630		E10023			ET0024			SF0001	63		·	
\$50002		634		\$F0003	635		SF0004	636		SF0005	637		SF0006	6:			
\$50507		639		SF0008	640		HT3011	641		H13111	642		HT3012	64		•	•
HT3112		644 -		HT3013	645		HT3113			HT3014		·	HT3114				
HT3015		649		HT3115	650		HT3016	651		HT3116	652		HT3017	65	_		
H13117		654		HT3317	655		HT3018	656		HT3118	657		HT3318	65			
H13019		659		HT3119	66D -		H13319			H13020		···	HT3120				
HT 3320		6G4	•	HT3021	665		HT3121	660		HT3321	667		HT3022	50			
HT3122		669		HT3322	670		HT3023	671		HT3123	672		HT3323				٠,
HT 3024		674		HT3025	675		HT3026			H13027	673		HT3028			· · · · · · · · · · · · · · · · · · ·	
HT 3029		679		HT3030	680		HT3031	68		HT3211	682		HT3212	61			
H13213		604		HT3214	685		HT3215	686		HT3216	687		HT3217	60			
HT 3218		689		HT3219	690		HT3220			- HT3221			HT3222	69			
HT3223		694		·HT3224	695		HT3225	696		HT3226	697		HT3227	69			•
H1322B		699		HT3229	700		HT3230	701		HT3231	702		FW0001	70		•	٠.
FWG002		704		FW0003	705		FWC004			- FW0005	•		FW0006				·
FW0CQ7		709		FW0008	710		FW0009	711		FWODIO	712		FW0011	71			
FXC012		714		FW0013	715	•	FW0014	710		FW0015	717		FW0016	7			
Fw1005		719 -		FW1006	720		FW1007			FW1008			FNODOI	75			
FH1012		724		FN0003	725	•	FN0004	726		FN0005			FN0006				
FN7007		729		FN0008	730		FN0009	73		FNODIO	732		FR0011	7		. :	•
FNCO12		734		FNOOIS	735		FN0014			FN0015		<u> </u>	FN0016			·	
FHC 017		739		.FN0018	740		FN0019	741		FN0020	742		FN0021	77			
FR1 501		744		FN1002	745		FN1003			FN1004	747		FN2001	7.			
FN2022	-	749		FN2003	750	- 	FN2004			FN2005			CETODI	Ý:			
CETUS		754		CE1003	755	. •	CE1004	756		CE1005	757	7	CE1006	79			
CE 11 57		759		CE1008	760		CE 1009			CE1010			CEIGII		3		
CE 1012		764		CE1013	765		GE1014			CE1015			CEIDIE				
CE 10:7		769		CE1018	770		CE1019	77		CE1020	772	-	CE1021	7			
CE 1022		774		CE1023	775		CE1024	778		CE 1025			FW1001		18		
FW1002		779 •		FW1003	780-		FW1004			- FW4001	782		RP0301				
RF0J02		784		RP0303	. 785		RP0304	786		RP0305			RP0306		18		
RP0317		789		RP0308	790		RP0309			RP0310	792		XP0300		3		
XP03:5		794		XP0317	795		RP0320			001002		41.474.7	QD1003) 8 	<u> </u>	
051334		799		001005	800		XD1006			QD1002	802		001003		13		
6216.5	•	804		001011	805		XD1013	808		QD1014	807	•	QD1009		18		
001015		809		001017	B10 -		002002			002003			.002004				
000000		B14		XD2006	815	,	002008			902009	817		002010		B 🥙		
QD20:1		819		QD2014	820		QD2015			002009		· , , - , - , - , -	QD2010		23 - 2	A	
										- 40K010		<u> </u>	404017	0,	rm	rant.	

G 1	ITEM IND	EX	WID	ITEM INDEX	MID .	ITEM IND	EX WÎD	ITEM INDEX	MID	ITEM INDEX
03002	- B24		gp3003	825	pD3004	826 .	QD3005	827	On3on8	B28
92000	829		003010	830	003011	831	001001	832	001007	833
1:0:2	834		002001	835	0D2007	836	002012		903001	838
13007	839		RP0319	840	EW0012				EW0013	
10010	844		£ W0009	845	6M0008	846	EW0007	847	EW0006	. 848
,0005	849		EW0004	850	EW0003	851	EVI0002	852	EWOOOT	853
CCS4	854	**********	EW0033	855	EW0032	B56	Ew0031	857	EW0030	
0015	859		EWOD14	860	3E00W3	861	EW0027	862	EW0026	863
0029	E64		EW0025		EV0024	866	EW0023	867	£w0022	
5521	669		- EW0020		EM0018		EW0018	872	EWDO17	873
C016	874		EW0029		EW0035		Ew0037	877	EW0038	878
CO.5	879		EW0041	980	EW0042	Get	NT4917		. NT4918	803
4919	694		- HT4920		NT4921		NT4922		NT4923	B88
4534	659		NT4925		NT4926	891	NT4927		NT4920	. 853
4009	894		NT4930		550007	896	550001	897	S50002	898
0003	899		550004		550005		SS0006		EG0101	903
C102	904		EG0103		• EG0104	906	EG0201	907	EG0202	908
0203	909		EG0204		EG0301	911	EG0302		EG0303	912
0304	914		HE0001		НЕООО2		HE0003		HE0004	91B
C::5	919		HE0006		HE0007	921	HE0008		HE0009	923
0:23	924		HE0011	925	HE0012	925	HE0013		HE0014	928
CD15	929		HE4917		нЕ4918				HE4920	933
4921	934		HE4922		HE4923	936	HE4924		HE4925	938
45.0	939 034		HE4927		HE4928	941	HE4929		HE4930	943
11053	944 949		XP1004		BP1001				BP1002	948
6205	1028		210201 220001	1024 1029	210202 200002		270203		210204	1027
QUUS.	1033		2 P0006		2P0002		220003		ZP0004	1032
(110	1038		ZP0101	1039	2P0102		2P0008		ZP0009	
0165	1043	•	ZP0108		ZP0102	1045	ZP0103		ZP0104	1042
0110	1048		- ZP0201		ZP0107		ZP0108		ZP0109	1047
1351	1053		Z51355		210001	1055	ZS1155		Z51255	
02.6	1058		210207		210208		270101		270111	1057
0211	1063		210212		ZT0213	1865	210209		Z10210	1062
2216	1068		210212		210213		ZT0214		770215	
1056	1073		Z51156		251256		210219		210220	1072
0112	1078		ZS1053		25105 5		270002		210102	1077
0011	1 083		ZP0012		ZP0013	1085	Z51356 ZP0014		251366	
(5:6	1 688		ZP0012		ZP0018				ZP0015	1087
ÇC21	1093		ZP0022		ZP0023		ZP0019		Z POO20	1092
Ç026	1098		ZP0027		ZP0028	1100	ZP0024 ZP0029		ZP0025	1097
CG31	1103		ZH3001		ZH3002				ZP0030	1102
30.5	1 (08		- ZH3006		ZH3007		ZH3DO3		ZH3004	1107
3013	1113		ZH3014		ZH3015		ZH3011 ZH3016		ZH2012	
3010	1118		ZH3019		ZH3020		ZH3016 ZH3021		ZH3017 ZH3022	1117 1122
1923	1123		ZPO111		ZP0112		ZP0113			
6115	1128		ZP0116		ZP0117		ZP0118		ZP0114 · ZP0119	1132
0120	1133		200121	1134	ZP0122		ZP0118		ZP0119	1137
C125	1138		ZP0126		ZP0127		ZF0123		ZP0124 ZP0129	
0130	1143		ZP0131		ZP0202		ZP0222		ZW0201	1147
0202	1148		ZW0203		2W0204		210251		Z10252	1152

MID	ITEM INDEX		MID	ITEM INDEX	MID	ITEM IND	EX ·	MID	ITEM INC	EX	MID	ITEM INC	EX
ZT0253	1153		ZT0254	1154	z10051	1155		ZTOD52			- ZW0001	1157	·····
ZWQCC2	1158		ZW0003	1159	ZW0004	1160		ZW0101	1161		ZW0102	1162	
ZNG193	1163		ZW0104	1164	ZF2001	1165	•	ZF2002		•	ZF2003	1167	
ZF 2054	1168		ZF2005	1169	201101	1170		- ZQ1102	1171		ZQ1103	1172	مستند بسند بسنده
ZEGSOI	1173 .		ZE0002	1174	ZE0003	1175		ZE0004	1176	•	ZE0005	1177	•
ZECCIS	1178		Z00001	. 1179	200002	1180		Z00003	1181		ZQ0101	-1182	
200102	f183 -		200103	1184	Z10010	1185		- ZR0001	1186		Z10020	† 1B7	
250011	1 188		250012	1189	200001	1190		ZP0314	1191		ZP0317	1192	
ZVC 213	1 1 9 3		ZV0316	1194	ZV1006	1195		ZV1013	1196		ZV2006	1197	•
ZV:00!	1198		ZV1002		ZV1003	1200		- ZP1103	· ····· 1201		ZP1104	1202	
ZPIICG	1203		ZP1108	1204	ZP1113			ZP1114	1206		ZP9115	1207	
ZP1116			2P1119	1209	ZP1120			ZP1121	1211		ZP1122	1212	
ZP1123			*ZP1124	1214	ZPI 126			. 2P1129			ZP1130		
ZPEGGI	1218		ZP6002	1219	ZD1015			ZD 1020			ZD1027	1222	
ZDIÇ31	1 223		201035	1224	ZD1039		· -,	ZD1043			ZD1050	1227	
201054			ZD1058		ZD1062			ZD1066		,	ZD1016		
291632			ZD1040	1234	ZD1055			ZD1063			ZD1024	1237	_
201047			ZD1070	1239	ZD1029			ZD1037			ZD1052	1242	• •
20:000			201001	1244	ZD1085		. 400	ZDIOBB			ZD1090		
201074	1218		ZD1075	1249	201076			· 20107B	1251		20100i	1252	
201201	1 253		201101	1254	ZD4103			ZD4110			ZD4112	1257	•
ZD4116			204101	1259			**********	ZD4125		*** ******	ZD2015		
207010			202027	1264	· 2D2031	1265		702035			202039	1267	
ZD2043			ZD2050	1269	ZD2054			202058			ZD2062	1272	
Z07056			ZD2016	1274	ZD2032			ZD2040			- 202055		
Z52063			ZD2024	1279	ZD2047			202070			ZD2029	1282	
202637			ZD2052	1204	202060		•	202081	1286	• • •	202085	1287	•
Z020.3			ZD2090		202074			ZD2075			ZD2076		
ZE 2 CO1	1293		-ZD2201	1294	ZD2101	1295		ZD2078			ZD4203	1297	
Z04210			ZD4212	1299	ZD4213			ZD4216			ZD4201	1302	
255352		** ********	ZD4225					ZD3020		· 14 - 14 - 14 - 14 - 14 - 14 - 14 - 14	ZD3027		
203031	1308		ZD3035	1309	ZD3039			ZD3043			203050		
Z03054			ZD3058	1314	ZD3062			Z03066			ZD3016		
203052			ZD3040		ZD3055			- 203063			· ZD3024		
ZD3647			ZD3070	1324	ZD3029			.ZD3037			Z03052	1327	
2030-0			Z03081	1329	Z03085			ZD300B			ZD3090	1332	
ZD3074			ZD3075		ZD3076		***************************************	Z03078			ZD3001		
ZD0201			ZD3101		ZD4303	1340 1345		ZD4310			ZD4312	1342	
204313			204316		ZD4301		•	ZD0303			2D4325		
ZF5100 ZF3201			ZF0300	1349 1354	ZF0200		***************************************	- ZF1201		b	· ZF2201	1352	
			ZF4201		2F0801			ZF0302			ZF0303	1357	
\$50054			\$\$0055		\$\$0056			\$\$0057			\$50050	58	
\$5606J			\$\$0050	60			······	\$\$0062			- \$\$0063		
KKO151 KKO166			KK0102 KK0107		KN0103			KKO104			KK0105		
KKÖ111			KK0112		KK0113			KK0109 KK0114 -			KKO110		
KKOTTI KKOTTI			KKO112		KKO118						KK0115		
KK0121			KK0201	2069	KK0202			KKQ119			KK0120		
KKO2SS			KK0206		KK0207			KK0203 KK0208			KK0204		
KK5213			1tK0211	2079	KK0212						- KKO209		25 370 00 -
KK0215			KK0218		KK0217		•	KK0213			KK0214 KK0219		25 m. 58
PV0513	2003		7,70210		NAU217			KK0218	2000	1	KKUX 15	2087	Francisco (Constitution of the Constitution of

MID	ITEM INDEX	MID :	ITEM INDEX	MID	TTEM INDE	X	MID	ITEM INDEX	MID II	EM INDEX
KK0220 KK0235 KK0235 KK0235 KK0240 KK0304 KK0503 KK0506 KK0661	2 ; 38	KK0241 KK0401 KK0504 - KK0509 KK0602 KK0607 KK0612	2094 2099 2104 2109 2114 2119 2124 2129		2095 2100 2105 2110 2115 2120 2125 2130 2135 2140		KKD228 KKD233 KKO238 KKO302 KKO501 KKO506 KKO511 KKO604	2091 2096 2101 2105 2111 2116 2121 2126 2131 2136 2141	KK0229 - KK0234 KK0239 KK0303 KK0502	2092 2097 2102 2107 2117 2117 2122 2127 2137 2142
KK0701	2143	ККО702	2144	KK0703	2145	·	KK****	2146		
	m makes on the contract of the	<u>.</u>	1						,	
										•
•					·		·			
		· · · · · · · · · · · · · · · · · · ·								· · · · · · · · · · · · · · · · · · ·
	The second of the second of the second	· 			,					
**********	ta anamakakakanan arang alamas anama					· .	· .		<u> </u>	
		•								
					>					
man									 .	
					(2	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
		· .			i,		· · · · · · · · · · · · · · · · · · ·			
						•				
		· .								
					- }		-,	····	<u></u>	
		· 				· · · · · · · · · · · · · · · · · · ·				Jacque de la companya della companya
			79.65 8 - 27.75		·					
										•

•			•								•	
1 TEM		,			•••			·	AMPLE	Sample	11	
INDEX, SYS.	FMT	ITEM DESCRIPTION	UPPER LIMIT	LOWER LIMIT	UNITS	APERTURE	TYPE DEV.	CHANL	SLOT	RATE	WORD 24	
	-											
104 003	001	HEAT PIPE-SEVEN	150000+03	250000+03	DEGN- E	400000-01		125			- 015473	
165 003	0.01	HEAT PIPE-SEVEN	.150000+03	-,250000+03	DEGR-F	.400000-01	00 04	126	014	036	015473	100
166 003	100	HEAT RIPE-SEVEN	.150000+03	250000+03	DEGR · F	.400000-01	00 04	127		036	015473	
107 003	001	HEAT PIPE-SEVEN		.250000+03	DEGR-F	.400000-01	00 04	··· 130 ····			DI5473	
108 003	COT	HEAT PIPE-SEVEN-COND	.150000+03	250000+03	DEGR-F	400000-01	00 04	131	017	036	015473	e i e e e e e e e
109 003	001	HEAT PIPE-EIGHT-EVAP	.150000+03	250000+03	DEGR-F	.400000-01	00 04	132	020	036	015473	•
110 003	001	HEAT PIPE-EIGHT		250000+03	DECR-F	4000000-01	00 04		021		015473	
111 003	001	HEAT PIPE-EIGHT	,150000+03	250000+03	DEGR-F	.400000-01	00 04	134	022	036	015473	
112 003	100	HEAT PIPE EIGHT-COND	,150000+03	250000+03	DEGR-F	.400000-01	.00 04	135	023	036	015473	
113 003	001	HEAT RIPE-NINE-EVAP			DEGR-F.	4000000-01	. 00 04				015473	
114 003	001	HEAT PIPE-NINE	. 150000+03	250000+03	DEGR-F	.400000-01	00 04	137	025	036	015473	
115 003	001	HEAT PIPE-NINE	150000+03	-,250000+03	DEGR- F	.400000-01	00 04	140	026	036	015473	* - *
116 003	CC1	HEAT PIPE-COND	150000+03	250000+03	DEGR-F	.400000-01	00 - 04	- 141 ···			015473	
117 003	001	HEAT PIPE-TEN-EVAP	.150000+05	250000+03	DEGR-F	.400000-01	00 04	142	030	036	015473	
118 003	001	HEAT PIPE-TEN	.150000+03	2500co+o3	DEGR+F	.400000-01	00 04	143	031	036	015473	
119 003	001	HEAT PIPE-TEN	, 150000+03	250000+03	DEGR-F	400000-01	00 04		032	- 036	015473	-
120 CO3	001	HEAT PIPE-TEN-COND	.150000+03	-,250000+03.	. DEGR-F	.400000-01		145	033	· 036	015473	400
121 003	001	HEAT PIPE-ELEVEN-EVA	150000+03	250000+03	DEGN-F	.400000-01	00 04	147	034	036	015473	
122 003	001			250000+03	DEGR-F	. ,400000-01	DD 04	150	- 035 -	036	015473	
123 003	COI	HEAT PIPE-ELEVEN 2	150000+03	250000+03	DEGR-F	.400000-01	00 g4	151	036	036	015473	
124 003	001	HEAT PIPE-ELEVEN-CON	150000+03	.,250000+03	DEGR-F	400000-01	00 04	152	001	036	015473	
125 CO3	001	HEAT PIPE-TWELVE-EVA		250000+03	DEGR-F	400000-013	- 00 04	153	002	— 03 6-	015473	
126 003	001	HEAT PIPE-TWELVE	150000+03	250000+03	DEGR+F	.400000-01	00 04	154	003	036	015473	
127 003	001	HEAT PIPE-TWELVE	150000+03		DEGR-F	.400000-01	00 04	155	004	036	015473	
128 003	COI	HEAT PIPE-TWELVE		250000+03	DEGR-F	400000 - 01	00 04	156	··· 005···	036	015473	
129 003	001	HEAT PIPE-TWELVE	.150000+03	•.250000+03	DEGR-F	.400000-01	00 p4	157	006	036	015473	
130 GD3	100	HEAT PIPE-TWELVE	.150000+03	250000+03	DEGR . F	.400000-01	00 04	160	007	036	015473	
151 603	001	HEAT PIPE-TWELVE-CON		250000+03		4000000-01	.00 . 04	161	- 010 -	036	015473	
132 003	GOI	FIN - COND SIDE HP 1	.150000+03	250000+03	DEGR-F	.400000-01		162	011	036	015473	
133 003	001	FIN - COND SIDE HP 3	150000+03	250000+03	DEGR-F	.400000-01	00 04	163	012	036	015473	
134 003	001	FIN - COND SIDE HP S	150000+03	250000+03	DEGR-F		00 - 04	164	Ö13 -	036	015473	
135 003	001	FIN - COND SIDE HP 7	150000+03	-,250000+03	DEGR-F	.400000-01	00 04	165	014	036	015473	
135 003	601	FIN - COND SIDE HP B	.150000+03	250000+03	DEGR-F	.400000-01	00 04	166	015	036	015479	
	001	FIN - COND SIDE HPIO		250000+03	DEGR-F	400000-01	00 04	- 167		-∴ 036	· 015473	
	001	FIN - COND SIDE HP11	.150000+03	2500c0+03	DEGR-F	400000-01	00 04	170	017	036	015473	
	001	FIN - MIDWAY HP 1	.150000+03		DEGR+F	.400000-01		171	020	036	015473	
	001		. 150000+03 150000+D3 ,		DEGR-F	.400000-01				036	015473	
140 003 141 003	-001	FIN - MIDWAY HP 3	.150000+03		DEGR-F	.400000-01	00 04	173	022	036	015473	
	001	FIN - MIDWAY HP 4	.150000+03		DEGR-F		00 04	174	023	036	015473	
,	001	FIN - MIDWAY HP 5	.150000+03			400000-01					015473	
	100	FIN - MIDWAY HP 6	.150000+03		DEGR-F	.400000 - Ot	-		025	036	015473	
	001	FIN - MIDWAY HP 7	150000+03	*	DEGR-F	.400000-01			026	036	015473	
	60t	FIN - MIDWAY HP 8	150000+03		DEGR-F	.400000-01	- II I			036	015473	
			.150000+03		DEGR-F	.400000-01			030	036	015473	
147 003	CO1		.150000+03		DEGR-F	.400000-01			031	036	015473	
148, 003	C01				DEGR-F	.400000-01				- 036	015473	
143 CO3	CO1		.150000+03		DEGR-F				033	036	015473	
150 003	COI	FIN -EVAP SIDE HP 1			DEGR-F	.4000000-01	- II - YI		034	. 036	015473	
151 C03	001	FIN -EVAP SIDE HP 4	150000+03		DEGR F					036 036	015473	
152 CO3	GO1	FIN -EVAP SIDE HP 6-	150000+03		DEGR-F			_	036	036	*, * *	
153 003	001	FIN -EVAP SIDE HP 7	.150000+03	-,250000703	հենս. Ի	*********	au Ua	.001	050	030	0.5474	7
									·	3		

ITEM OFFINITION - REAL AND PSEUDO MEASUREMENT INDEXES

			•	
· ITEM			ti in the discharge transmitten in the state of Spatial and the Spatial and th	SAMPLE SAMPLE
INDEX	SYS.	FMT	ITEM DESCRIPTION . UPPER LIMIT LOWER LIMIT !	UNITS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
				•
154	003	001		EGR-F400000-01 00 05 010 - 001 - 036 - 015473 -
155	003	001		EGR-F .400000-01 00 05 011 002 036 015473
156	003	001	FIN-TEMP DISTRIB .150000+03250000+03 DI	EGR-F ,400000-01 00 05 012 003 036 015473
157	003	Ó01	FIN-TEMP DISTRIB, 150000+03250000+03 DI	EGR-F
158	603	001	FIN-TEMP DISTRIB .150000+03250000+03 DI	EGR-F .400000-01 00 05 014 005 036 015473
159	053	001	FIN-TEMP DISTRIB .150000+03250000+03 DI	EGR-F ,400000-01 00 05 015 006 036 015473
160	003	001	INLET - PANEL #2 160000+03 180000+03 D	EGR-F
161	003	001		EGR-F .160000+00 00 01 102 010 036 015766
t 62	003	001		EGR-F .400000-01 00 05 016 011 036 015473
163	603	001		EGR-F:400000-01 0005020012036015473
164	003	001		EGR-F .400000-01 00 05 022 013 036 015473
165	003	001		EGR-F .400000-01 00 05 024 014 035 015473 .
166	603	001	THE BIT THE REGION OF THE PERSON OF THE PERS	EGR-F .400000-01 00 05 026 015 036 015473
157	003	001		EGR-F .400000-01 00 05 030 016 036 015473
168	003	001		EGR-F ,400000-01 00 05 031 017 036 015473
169	003	001		EGR-F400000-01 '00 " 05 ' 032 - 020 - 036 ' 015473
170	CO3	001		EGR-F .400000-01 00 05 033 021 036 015473
171	663	001		EGR-F ,400000-01 00 05 034 022 036 015473
172	603	001		EGR-F .400000-01 00 05 035 - 023 036 015473
	003	001		EGR-F ,400000-01 00 05 036 024 036 015473
173				EGR-F .400000-01 00 05 037 025 036 015473
174	003	001	THE THE PLANT THE PARTY OF THE	EGR+F ,400000-01 00 05 040 026 036 015473
175	06.3	100		EGR-F .400000-01 00 05 041 027 036 015473
176	003	100		
177	003	001	7 27 27 27 27 27 27 27 27 27 27 27 27 27	
178	063.	001	The state of the s	40. 1 1.04004 4
179	003	001		EGR-F .400000-01 00 05 044 032 036 015473
120	003	001	MENT TOTAL THE BONE TOTAL TOTAL TENTES TO THE	EGR-F .400000-01 00 05 045 033 036 015473 .
101	003	001		EGR-F 400000-01 00 05 048 034 036 015473
182	003	100		EGR-F .400000-01 00 05 047 035 036 015473
163	003	100		EGR-F .400000-01 00 05 050 036 036 015473
184	C 03	001	HEAT PIPE-THREE-CONDO150000+032500Q0+03 D	EGR-F 400000-01 00 05 05 051 001 036 015473
185	003	001	HEAT PIPE-FOUR-EVAP .150000+03250000+03 D	EGR-F .400000-01 00 05 052 002 036 015473
185	003	001		DEGR-F .400000-01 00 05 053 003 036 015473
187	003	001		PEGR-F .400000-01 00 05 055 004 036 0015473
198	003	001		DEGR-F .400000-01 00 05 056 005 036 015473
189	003	001		DEGR-F 400000-01 00 05 057 006 038 015473
	003	001		DEGR-F400000-01 00 02 140 007 035 015473
190	003	100	11000	DEGR-F .400000-01 00 02 141 010 036 015473
191		001		DEGR-F .400000-01 00 02 142 011 036 015473
192	003	001	The state of the s	DEGR-F 400000 - 01 - 00 - 02 143 012 036 015473 23
- 193				DEGR-F 400000-01 D0 D2 144 013 D36 D15473
194	663	001		DEGR-F 400000-01 00 02 145 014 036 015473
195	003	001		DEGR-F400000-01 00 - 02 - 146 - 015 - 036 - 015473
196	Ćυ3	001	The state with the state of the	
197	003	601		200 1 100000 01 44 02 141 01
198	003	100		
- 199	C03	001	The state of the s	
200	00.3	001		The state of the s
201	CO3	100	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10.1
202	003	100	t trans take better transite in this is the contract of th	DEGR-F,400000-01-00-02-154
263	003	001	HEAT PIPE-SEVEN-COND	DEGR-F .400000-01 00 02 155 024 036 015473

			ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES
I TEM INDEX	SYS.	FAIT	THEM DESCRIPTION UPPER LIMIT LOWER LIMIT UNITS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
211067			THE PERSON AND THE PARTY PARTY COME. COME WITHOUT THE DEST PRINGE SEGI. WHE MANN SA
204	003	001	HEAT PIPE-EIGHT-EVAP
205	633	001.	
206	003	001	HEAT PIPE-EIGHT .150000+03250000+03 DEGR-F .400000-01 00 02 160 027 036 015473
207	003	100	HEAT PIPE-EIGHT-COND
208	003	001	HEAT PIPE-NINE-EVAP .150000+03250000+03 DEGR-F .400000-01 OD 02 162 031 035 015473
209	003	001	HEAT PIPE-NINE .150000+03250000+03 DEGR-F .400000-01 00 02 163 032 036 015473
210	003	001	HEAT PIPE-NINE150000+03250000+03 DEGR-F400000-01 00 02164 033 036 015473
211	Ç03	100	HEAT PIPE-NINE-COND .150000+03250000+03 DEGR-F .400000-01 00 02 165 034 036 015473
212	C03	001	NEXT DIDE TEN EUAD
213	003	001	HEAT PIRE-TEN 150000+03 -250000+03 DEGR-F 400000-01 00 02 167 036 015473 HEAT PIRE-TEN 150000+03 -250000+03 DEGR-F 400000-01 00 02 170 001 036 015473
214	CC 3	100	HEAT PIPE-TEN .150000+03250000+03 DEGR-F .400000-01 00 02 170 001 036 015473
2:5	COT	001	HEAT PIPE-TEN-COND .150000+03250000+03 DEGN-F .400000-01 00 02 171 002 036 015473
216	003	001	HEAT PIPE-ELEVEN-EVA
217	003	001	HEAT PIPE-ELEVEN .150000+03250000+03 DEGR-F .400000-01 00 02 173 004 .036 015473
218	CD3	001	HEAT PIPE-ELEVEN . 150000+03250000+03 DEGR-F .400000-01 00 02 174 005 036 015473
219	033	001	HEAT PIPE-ELEVEN-CON 150000+03250000+03 DEGR-F400000-01 00 - 02 - 175 006 036 015473
220	C03	001	HEAT PIPE-TWELVE-EVA150000+03250000+03 DEGR-F .400000-01 00 02 176 007 036 015473 %
221	C33	001	HEAT PIPE-TWELVE .150000+03250000+03 DEGR-F .400000-01 DO 02 .177 010 D36 015473
222	G33	001	HEAT PIPE-TWELVE150000+03250000+03 DEGR-F .400000-D1 D0 .03 .000011
223	003	001	HEAT PIPE-TWELVE .150000+03250000+03 DEGR-F .400000-01 00 03 001 012 036 015473
224	003	001	HEAT PIPE-TWELVE .150000+03250000+03 DEGR-F .400000-01 00 03 002 013 036 015473
225	003	001	HEAT PIPE-TWELVE150000+03250000+03 DEGR-F400000-01 0003
226	063		HEAT PIPE-TWELVE-COND .150000+03250000+03 DEGR-F .400000-01 00 03 004 015 036 015473
227	003 003	001	FIN - COND SIDE HP 1 .150000+03 +.250000+03 DEGR-F .400000-01 00 03 005 016 036 015473
228 229	003	001	FIN - COND SIDE HP 3
230	603	001	
231	CO3	001	
232	003	001	The state of the s
233	003	001	714
234	003	001	
235	033	001	The first is a state of the sta
236	003	001	- II. Living to the contract of the contract o
237	003	001	
238	603	001	
239	603	001	
249	003	001	FIN - MIDWAY HP 6 .150000+03250000+03 DEGR-F .400000-01 00 03 D21 032 036 015473 FIN - MIDWAY HP 7150000+03250000+03 DEGR-F150000+03250000+03 DEGR-F
241	003	001	FIN - MIDWAY HP 8 .150000+03250000+03 DEGR-F .400000-01 00 03 023 034 036 D15473
242	003	001	FIN - MIDWAY HP 9 .150000+03250000+03 DEGR-F .400000-01 00 03 024 035 036 015473
243	603	100	FIN - MIDWAY HP 10150000+03250000+03 DEGR-F400000-0103025036036015473
244	003	001	FIN - MIDWAY HP 11 .150000+03250000+03 DEGR-F .400000-01 DO 03 026 001 035 015473
245	COB	001	FIN -EVAP SIDE HP 1 .150000+03250000+03 DEGR-F .400000-01 00 03 027 002 036 015473
246	COB	001	FIN -EVAP SIDE HP 4
247	633	001	FIN -EVAP SIDE HP 6 .150000+03250000+03 DEGR-F .400000-01 00 03 031 0D4 035 015473
2-18	603	001	FIN -EVAP SIDE HP 7 .150000+03250000+03 DEGR-F .400000-01 00 03 032 005 036 015473
249	603	001	FIN -EVAP SIDE HP 9 150000+03+ 250000+03 DEGR-E 400000-01 00 03 033 006 026
250	CO3	001	FIN -EVAP SIDE HP 11 150000+03 250000+03 DEGR-F .400000-01 00 03 D34 007 036 015473
251	603	001	FIN-TEMP DISTRIB .150000+03250000+03 DEGR-F .400000+01 00 03 035 010 036 015473
252	CC3	100	FIN-TEMP DISTRIB150000+03250000+03 DEGR-F400000-01 _ 00 _ 03 _ 036011 036015473
253	603	001	FIN-TEMP DISTRIB .150000+03250000+03 DEGR-F .400000-01 00 04 041 012 036 015473

ITEM					
	SYS.	FAIT	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT	UNITS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24	- .
• • -			TI TO BEGON II I SOUTH TO SEE SEEL SEEL SEEL SEEL SEEL SEEL SEEL	UNITS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24	
254	003	001	FIN-TEMP DISTRIB	DEGR-F 400000-01 00 04 042 013 036 015473	
255	003	001	INLET - PANEL #3 .160000+03180000+03	DEGR-F .160000+00 00 01 104 014 036 015766	
255	003	001	OUTLET - PANEL-#3 ,160000+03180000+03	DEGR-F .160000+00 00 01 105 015 036 015766	
257	CO3	COL	FREON HEADER-HP 1 150000+03250000+03	DEGR-F 1400000-01 00 04 045 016 036 015473	
259	003	001	FREON HEADER-HP 2 .150000+03250000+03	DEGR-F .400000-01 00 04 044 017 036 015473	
259	003	001	FREON HEADER-HP 4 .150000+03250000+03	DEGR-F .400000-01 00 04 046 020 036 015473	
260	003	100	FREON HEADER-HP 6	DEGR-F400000-01 - 00 04 050 021 036 015473	_
261	003	001	FREON HEADER-HP 8 .150000+03250000+03	DEGR-F .400000-01 00 04 052 022 036 015473	
262	603	100	FREON HEADER-HP 10 .150000+03250000+03	DEGR-F .400000-01 00 04 054 023 036 015473	
263	003.	100	FREON HEADER-HP 11 150000+03250000+03	DEGR-F400000-01- 00 04 055 024 036 015473	-
264	003	001	FREDN HEADER-HP 12 .150000+03250000+03	DEGR-F .400000-01 00 04 056 025 036 015473	
26.5	003	001	HEAT PIPE-ONE-EVAP .150000+03250000+03	DEGR-F .400000-01 00 04 057 026 036 015473	
205	003	100	HEAT PIPE-ONE150000+03250000+03	7557	-
267	003	001	HEAT PIPE-ONE .150000+03 +.250000+03	DEGR-F .400000-01 00 04 061 030 038 015473	
268	003	001	HEAT PIPE-ONE .150000+03250000+03	DEGR-F .400000-01 00 04 062 031 036 015473	
259 270	CO3	100	HEAT PIPE-ONE CORD150000+03250000+03	DEGR-F .400000-01 00 .04 . 063 032 036 015473	-
271	003	100	HEAT PIPE-TWO-SVAP .150000+03250000+03 HEAT PIPE-TWO .150000+03250000+03	DEGR-F .400000-01 00 04 064 033 036 015473	
272	G03	001		DEGR-F .400000-01 00 04 065 034 1 036 015473	
273	003	001		1111 12200 d. 11 d. obo Doo op 010410 .	-
274	003	001		DEGR-F .400000-01 00 04 067 036 036 015473	
275	003	001	HEAT PIPE-1WO-EVAP .150000+03250000+03 HEAT PIPE-1WO 150000+03250000+03	DEGR-F .400000°01 00 03 037 001 036 015473	
275	603	100			-
277	003	001	HEAT PIPE-TWO-COND .150000+03250000+03 HEAT PIPE-THREE-EVAP .150000+03250000+03	DEGR-F .400000-01 00 04 071 003 036 015473	
278	CO3.	001		- 1247 4	
279	003	001	HEAT PIPE-THREE	DEGR- F400000-01 00 04 073 005 036 015473	-
253	003	CO1	HEAT PIPE-THREE-COND .150000+03250000+03		
281	003	601	HEAT PIPE-FOUR-EVAP		
282	003	100	HEAT PIPE-FOUR .150000+03250000+03		•
283	003	001	PEAT PIPE-FOUR .150000+03250000+03	1221 1 12244 41 42 41 11 11 000 410440	
264	003	001	HEAT PIPE-FOUR-COND 150000+03250000+03	DEGR-F .400000-01 00 04 100 012 036 015473 DEGR-F .400000-01 00 04 101 - 013 - 036 0 015473	
285	003	100	HEAT PIPE-FIVE-EVAP ,150000+03 -,250000+03		-
206	003	100	HEAT PIPE-FIVE .150000+03250000+03	DEGR-F .400000-01 00 04 102 014 036 015473 DEGR-F .400000-01 00 04 103 015 036 015473	
257	003	001	HEAT PIPE-FIVE		
230	CO3	001	HEAT PIPE-FIVE-COND ,150000+03250000+03		-
243	500	100	HEAT PIPE-SIX-EVAP .150000+03250000+03	The state of the s	
250	003	100	HEAT PIPE-SIX		
291	003	601	HEAT PIPE-SIX .150000+03250000+03	The state of the s	-
292	003	100	HEAT PIPE-51X-COND .150000+03250000+03	122 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
293	G03	001	HEAT PIPE-SEVEN-EVAP		
294	003	001	HEAT PIPE-SEVEN .150000+03250000+03	The second of th	-
295	603	001	HEAT PIPE-SEVEN .150000+03250000+03.		•
293	003	001	HEAT PIPE-SEVEN		_
257	603	100	HEAT PIPE-SEVEN .150000+03250000+03		
253	663	COT	HEAT PIPE-SEVEN .150000+03250000+03		
259	. 303	001	HEAT PIPE-SEVEN-COND 150000+03250000+03		_
350	003	001	HEAT PIPE-EIGHT-EVAP .150000+03250000+03	, ,,,,,,,,, ,, ,, ,, ,,, ,,, ,,,,,,,	_
301	003	001	HEAT PIPE-EIGHT .150000+03250000+03		
503	003	001	HEAT PIPE-EIGHT 150000+03250000+03		_
303	003	001	HEAT PIPE-EIGHT-COND .150000+03250000+03		
				to topon at we he that her name attacks	

ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES

ITEM			general und engenenantententen en general de delenante	
INDEX	SYS.			HITS , APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
304	003	100		SR-F400000-01 00 - 03 125 001 036 015473
365	003	001		GR-F .400000-01 00 03 126 002 036 015473
308	003	001		in-F .400000-01 00 03 127 003 036 015473
307	003,	ព០៖		SR-F
. 305	003	00 t		SR-F .400000-01 00 03 131 005 036 015473
369	003	001		3R-F .400000-01 00 03 132 006 036 015473
310	003	001		3R-F
311	003	001		3R-F .400000-01 00 03 134 010 036 015473
312	003	100		GR-F .400000-01 00 03 135 011 036 015473
313	003	001		38-F
3.14 315	503 003	001 001		GR-F .400000-01 00 03 137 013 036 015473 GR-F .400000-01 00 03 140 014 036 015473
316	003	100		38-F .400000-01 00 03 140 014 036 015473 38-F .400000-01 00 03 141 015 036 015473
317	003	001		
318	003	001		GR-F .400000-01 00 03 142 016 036 015473 GR-F .400000-01 00 03 143 017 036 015473
319	003	001		GR-F .400000 01 00 - 03 - 144 020 036 015473
320	603	001		GR-F .400000-01 00 03 145 021 . 036 015473
321	005	COL	,	3N·F 400000·01 00 03 146 022 036 015473
322	003	001		GR-F .400000-01 00 - 03 147 - 023 - 036 - 015473
323	003	001		GR-F .400000-01 00 03 151 024 D36 015473
324	003	001	FIN - COND SIDE HP 3 .150000+03250000+03 DEG	58-F .400000-01 00 03 152 025 036 015473
325	003	001	FIN - COND SIDE HP 5150000+03250000+03 DEG	GR-F400000-01- 00 03 153 026 036 015473
326	003	100		GR-F .400000-01 00 03 154 027 036 015473
327	003	001	FIN - COND SIDE HP B 1 .150000+03250000+03 DEG	GR-F400000-01 00 03 155 030 036 015473
325	003	001	FIN - COND SIDE HP10150000+03250000+03 DEC	SR-F
329	003			GR-F .400000-01 00 03 157 032 036 015473
330	003	001		GR-F .400000-01 00 03 160 033 036 015473
331	003	001		GR-F 400000-01- 00 03 161 034 036 015473
332	CO3	001		GR-F400000-01 00 03 162 035 036 015173
333	603	001		GR-F .400000-01 00 03 163 036 036 016473
334	003	001		GR-F400000-01 00 03 164 001 036 015473
315	003	001		GR-F .400G00-01 00 03 165 002 036 015473
355	003	COL		GR-F .400000-01 00 03 166 003 036 015473
337	003	001		GR-F400000-01 00 03 167 004 036 015473
. 339	003	001		GR-F .400000-01 00 03 170 005 036 015473
333	603	001		GR-F .400000-01 00 03 171 006 036 015473
3-3	003	001		GR-F 400000-01 00 03 172 007 036 015473
341	003	001		GR-F .400000-01 00 03 173 010 036 015473 GR-F .400000-01 00 03 174 011 036 015473
342 - 343	003 003	001		GR-F .400000-01 00 03 174 011 036 015473 GR-F:400000-010003175012036015473
344	CO3	001		GR-F .400000-01 00 03 176 013 036 015473
345	003	001		GR-F .400000-01 00 03 177 014 036 015473
346	003	100		GR-F400000-01 - 00 01 000 015 036 015473
347	603	601	· · · · · · · · · · · · · · · · · · ·	GR-F .400000-01 00 01 001 016 036 015473
345	003	001		GR-F .400000-01 00 01 002 017 036 015473
349	COS	601		GR-F400000-01 00 01 003 020 036 015473
350	003	001		GR-F .400000-01 00 01 004 021 036 015473
351	003	001		GR-F .160000+00 00 01 112 022 036 015766
352	603	001		GR-F 160000+00 - 00 - 01 - 113 - 023 - 036 015766
353	003	001		GR-F .400000-01 00 06 144 024 036 015473

					de un altre et un attitue et
ITEM	run	-44-	TYELL BEST TOTAL TOTAL TOTAL	0	UNITS APERTURE TYPE DEV. CHANG SLOT RATE WORD 24
INDEX	515.	FMI	ITEM DESCRIPTION UPPER LIMIT LOWE	R LIMIT	UNITS APERTURE TYPE DEV. CHANG SLOT RATE WORD 24
				000000	
354	003	100		00000+03	DEGR-F .400000-01 00 06 125 026 036 015473
355	003	001	11011	00000+03	
355	603	001		0000+03	DEGR-F .400000-01 00 06 126 027 036 015473
357	603	001		0000+03	DEGR-F 400000-01 00 06 127 030 015473
359	C 23	001	THE TOTAL TERM FROM THE TERM THE TERM FROM THE TERM FROM THE TERM THE TERM FROM THE TE	0000+03	DEGR-F .400000-01 DO 06 130 031 036 015473
359	C23	001		0000+03	DEGR-F .400000-01 00 06 147 032 036 015473
360	CO 3	001		0000+03	DEGR-F400000-01-0005025033036015473
361	0.33	001		0000+03	DEGR-F .400000-01 00 01 171 034 036 015473
362	£03	CO1		90000+03	DEGR-F .400000-01 00 06 150 035 036 015473
. 363	503	001	HEAT PIPE MIDPT		DEGR-F : 400000-0100 05 027 036 036 015473
364	003	CQ1		10000+03	DEGR-F .400000-01 DD 05 135 001 036 015473
365	CC 3	CO1	HEAT PIPE MIDPT \$.150000+0325	50+0000+	DEGR-F .400000-01 00 04 045 002 036 015473
366	C03	001		EQ+00003	DEGR-F400000-01 00 - 01 174 003 036 015473
367	333	100	INLET - ELEMENT #2 .160000+03 +.16	100000+03	DEGR-F .160000+00 00 01 114 004 036 015766
368	003	100		£0+0000	DEGR-F .160000+00 00 01 115 005 036 015766
359	003	001	HEAT PIPE VAPOR	50000+03	DEGR-F400000-01 00 - 08 - 145 006 036 015473
376	303	100	HEAT PIPE TUBE-EVAP 150000+03 25	500000+03	DEGR-F .400000-01 00 06 131 007 036 015473
371	503	Ç01	HEAT PIPE TUBE .150000+0325	50000+03	DEGR-F .400000-01 00 06 132 010 035 015473
372	003	COI	HEAT PIPE TUBE150000+0325	50000+03	DEGR-F .400000-01 00 06 133 011 036 015473
373	003	001	HEAT PIPE TUBE .150000+0329	50000+03	DEGR-F .400000-01 00 06 134 012 036 015473
374	603	001		50000+03	DEGR-F .400000-01 00 06 135 013 036 015473
375	E00	eat		50000+03	DEGR-F. ,400000-01 00 05 - 140 - 014 - 036 - 015473
376	003	001		50000+D3	DEGR-F .400000-01 00 04 047 015 036 015473
377	003	001		EQ+00 005	DEGR-F .400000-01 00 01 172 016 036 015473
378	603	COL		50000+03	DEGR-F
379	003	001		50000+03	DEGR-F .400000-01 00 04 051 020 036 015473
350	003	001		50000+03	DEGR-F .400000-01 00 05 145 021 036 015473
	553 553	001		50000+03	DEGR-F 400000-01 - 00 04 053 022 036 015473
381		001	- · · · · · · · · · · · · · · · · · · ·	50000+03	DEGR-F .400000-01 '00 01 175 023 036 015473
382	603			30000403	
383	603	001			
284	693	001		80000+03	The state of the s
365	003	100		50000+03	DEGR-F .400000-01 00 06 146 026 036 015473
365	C03	001		50000+03	DEGR-F .400000-01 00 06 136 027 036 015473
287	003	100		50000+03	DEGR-F 400000-01- 00 06 137 030 035 015473
553	C) 3	001		50000+03	DEGR-F .400000-01 00 06 141 031 036 015473
363	C03	001		50000+03	DEGR. F .400000-01 00 06 142 032 036 015473
390	COB	601			DEGR-F 4000000-01 00 06 143 033 015473
391	603	COT		50000+03	DEGR-F .400000-01 00 05 017 034 036 015473
392	603	001		50000+03	DEGR-F .400000-01 00 01 177 035 036 015473
353	CO 3	001	HEAT PIPE EDGE		DEGR-F,400000-010001173036035015473
394	603	001		50000+03	DEGR-F .400000-01 00 05 021 001 026 015473
395	003	001	FIN MID-POINT .150000+03 -,2	500000+03	DEGR-F .400000-01 0D D1 015 002 036 015473
355	603	601	HEAT PIPE ROOT	50000+03	DEGR-F 400000-01 00 - 05 023 003 036 015473
397	003	001	114 WIR-50141 . 100000403 - 2	50000403	DEGR-F .400000-01 00 pt 017 004 036 015473
365	003	COL	HEAT PIPE EDGE .160000+032	50000+03	DEGR-F .400000-01 DD 01 176 005 036 015473
399	663	001		00000	DEGR-F310000-01 00 - 01 157 006 036 014773
400	003	001		00000	DEGR-F .160000+00 00 01 107 007 036 015767
401	003	001		00000	DEGR-F .160000+00 00 01 110 010 D36 015767
402	003	001			DEGR-F
403	603	001	• •	00000	DEGR-F .310000-01 00 01 163 012 036 -014773

ITEM			SAMPLE SAMPLE	
INCEX	SYS.	FMT	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT UNITS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24	
-				
404	003	CG1	MIXED OUTLET TEMP	,
405	003	001	MIX TEMP RCV BACKUP .10000 00 000000 DEGR-F .310000-01 00 01 170 014 036 014775	
466	003	001	CART CUTLET-PANEL SYS . 160000-03 .000000 DEGR-F .310000-01 00 01 164 015 036 014773	
407	003	001	F A GALLIAN DIN MAN AND AND AND AND AND AND AND AND AND A	
468	003	001		
403	603	001	the contract of the contract o	
	003	601	DELTA T PANEL #2 .500000+02600000+02 DEGR-F .800000-01 00 01 100 020, 036 015770	
410			DELTA T - PANEL #3	
411	00.3	001	DELTA T - ELEMENT #1 .2500D0+02250000+02 DEGR-F .400000-01 DD 03 112 022 036 015771	
412	003	001	DELTA T - ELEMENT #2 250000+02 - 250000+02 DEGR-F 400000-01 00 03 113 023 036 015771	
413	003	001	DELTA T - ELEMENT #3	
414	003	001	DELTA T-PANEL SYSTEM .200000+03200000+03 DEGR-F .160000+00 .00 01 106 025 036 015766	
415	C03	601	PAMEL #1 MID FLOW .160000+04 .000000 LB/HR .500000+00 071 026 035 002061	
416	00.3	001	PANEL #2 MID FLOW	
417	C03	ÖDI	PANEL #3 MID FLOW .160000+04 .000000 LB/HR .250000+0. DO 01 073 030 036 002262	
418	003	001	ELEMENT #1 .800000+03 .0000G0 LB/HR .250060+01 00 01 075 03; 036 00:562	
419	G03	001	ELEMENT #2	
420	053	001	ELEMENT #3 .00000+03 .000000 LB/HR .250000+01 00 01 077 033 036 001762	
421	603	100	PANEL SYSTEM FLOW .160000+04 .000000 LB/HR .250000+01 00 01 124 034 036 001262	
422	003	001	SY TOT FLOW TO HP-FIN320000+04 .000000 LB/HR .125000+01 00 - 01 126 035 036 001363	
423	003	001	SYSTEM BYPASS FLOW .160000+04 .000000 LB/HE .250000+01 00 01 074 036 036 002362	
424	003	001	RSD SYSTEM LEG FLOW .250000+04 .000000 LB/HR .250000+01 00 01 125 001 036 001262	
425	006	600	FLUID PANEL 1 T/C 1	
426	006	000	FLUID PANEL 1 T/C 2 .150000+03350000+03 DEGR+F .400000-01 00 04 006 003 005 015473	
427	006	000		
428	006	000		
			The state of the s	
429	006	000	FLUID PANEL 1 T/C 5 .150000+03 .350000+03 DEGR-F .400000-01 00 04 011 001 005 015473	
436	COS	000	FLUID PANEL 1 T/C 6 .150000+03350000+03 DEGR-F .400000-01 00 04 012 002 005 015473	
431	006	000	FLUID PANEL 2 T/C 1150000+03 350000+03 DEGR-F 400000-01 00 04 015 003 005 015473	
432	636	000	FLUID PANEL 2 T/C 2 .150000+03350000+03 DEGR-F .400000-01 00 04 016 004 005 015473	
433	656	000	FLUID PANEL 2 T/C 3 .150000+03350000+03 DEGR-F .400000-01 DO 04 D17 005 005 015473	
434	5 06	000	FLUID PANEL 2 T/C 4 150000+03 -350000+03 DEGR-F .400000-01 00 D4 D20 - DD1 - DD5 - C15473	
435	CC6	000	FLUID PANEL 2 T/C 5 .150000+03350000+03 DEGR-F .400000-01 00 04 021 002 005 015473	
436	006	000	FLUID PANEL 2 T/C 6 .150000+03350000+03 DEGR-F .400000-01 00 04 022 003 005 0:5473	
437	626	000	FLUID PANEL 3 T/C 1 150000+03350000+03 DEGR-F .400000-01 00 04 025 004 005 015473	
433	606	COD	FLUID PANEL 3 T/C 2 .150000+03350000+03 DEGR-F .400000-01 00 04 026 005 005 015473	
439	Sea	000	FLUID PANEL 3 T/C 3 .150000+03350000+03 PEGR-F .400000-01 DO 04 027 001 005 015473	
440	006	000	FLUID PANEL 3 7/C 4 150000+03 -1350000+03 DEGR-F 400000-01 00 -04 -030 002 005 015473	
441	CCa	000	FLUID PANEL 3 T/C 5 .150000+03350000+03 DEGR-F .400000-01 00 04 031 003 005 015473	
442	006	000		
443	653	000		
	603	COI	and the control of th	
444		_		
445	603	001	ACROSS HEADER #3 .250000+02 .000000 PSIO .250000+01 00 03 102 012 036 003462	
446	003	601	ACROSS SYSTEM (IN/OUT) 750000+02 .000000 PSID .250000+01 00 03 103 013 036 003362	
447	603	001	003261 003 107 107 107 109 10+000000 PSIA .50000 107 00 17 03 00 003261	
448	p03	001	132500 620 020 127 10 00 10+000000 PSIA .500000 127 020 020 020 03261	
449	003	010		
450	003	010	ULTEK ION GAGE #6 .000000 .000000 EVENT .00000 01 00 007 025 036 000001	
451	601	G01	DLCT UPS H(A-1) TOP .30000+03 .000000 DEGR-F .310000-01 00 06 001 001 003 014573	
462	031	001	DUCT UPS H(A-1) BOT 400000+03 000000 DEGR-F 310000-01 00 06 002 003 014573	
453	001	001	1ST BEND INS H(A-2) .300000+03 .000000 DEGR-F .310000-01 00 06 003 003 014573	

ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES

ITEM	54.5		SAMPLE SAMPLE	
INDEX	575.	FMI	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT UNITS ,APERTURE TYPE DEV. CHANL SLOT RATE WORD 24	
45.4	004	001	CHTRL PAD BASE H(A-2)	
454 455	09 t 00 t	001		-
456	001	001	CNTRL PAD DWN H(A-2) .400000+03 .000000 DEGR-F .310000-01 00 06 005 003 003 014573	
457	601	001	CNTRL PAD UPS H(B-1)	_
457	001	001	CNIRL PAD DWN H(B-1) .400000+03 .000000 DEGR-F .310000-01 00 06 010 002 003 014573	_
459	001	100	2HD BEND INS H(B-1) .300000+03 .000000 DEGR-F .310000-01 00 06 D11 001 012 014573	•
450	601	001	BELLWS H(C-1) TOP-1 400000+03 000000 DEGR-F 310000-01 00 012 012 014573	
461	001	001	BELLWS H(C-1) TOP-2 .400000+03 .000000 DEGR-F .310000-01 00 05 013 003 012 014573	
452	001	001	BELLWS H(C-1) TOP-3 .400000+03 .000000 DEGR-F .310000-01 00 06 014 004 012 014573	
. 453	001	002	BELLWS H(C-1) TOP-4	_
464	601	002	BELLWS H(C-1) BOT-1 .400000+03 .000000 DEGR-F .310000-01 00 06 015 006 012 014573	_
465	631	001	BELLWS H(C-1) BOT-2 .400000+03 .000000 DEGR-F .310000-01 00 06 017 007 012 014573	
466	001	COI	BELLWS H(C-1) BOT-3400000 DEGR-f310000-01 00 06 020 - 010 012 014573	-
467	001	001	BELLWS N(C-1) BOT-4 .400000+03 .00000 DEGR-F .310000-01 00 06 021 011 012 014573	
46B	001	002	NGZ UPS H(C-1) TOP .400000+03 .000000 DEGR-F .310000-01 00 06 022 003 003 014573	
469	100	002	**OZ UPS H(C-1) BOT 400000+03 .000000 DEGR-F 310000-01 00 - 05 - 023 001 003 014573	
479	001	002	ROZ DWN N(C-1) TOP .350000+03 .000000 DEGR-F .310000-01 00 06 024 005 012 014573	
471		- 003	NOZ DWN H[C-1] BOT 4. 400000+03 .000000 DEGR-F .310000-01 00 05 .025 012 012 014573	
472	001	002	HTR H(A) PRI -11 10000402 .00000 AMPS25000+01 00 - 02 050 001 012 004362	
473	001	002	HTR H(A) PRI 12 .100000+02 .000000 AMPS .25000+01 00 02 051 002 012 00362	
474	001	002	HTR H(A) PRI 13 .100000+02 .000000 AMPS .250000+01 00 02 052 003 012 004362	
475	CO:	002	HTR H(A) SEC 11	
476	001	002	HTR H(A) SEC 12 .100900+02 .000000 AMPS .2500R0+01 00 02 054 005 012 004362	
477	001	002	HTR H(A) SEC 13 100000+02 .000000 AMPS .250000+01 00 02 055 006 012 004362	
479	001	002	HTR H(A-1) TER 11	
479	601	002	HTR H(A-1) TER 12 .100000+02 .000000 AMPS .250000+01 00 02 057 002 003 004362	
480	001	002	MTR H(A-1) TER [3 .100000+02 .000000 AMPS .250000+01 00 02 060 003 003 004362 .	
481	GO 1	002	HIR H(A-2) TER II	
482	001	002	HIR HIA-21 TER 12 .100000+02 .000000 AMPS .250000+01 00 02 D62 001 001 004362	
493	C51	002	HTR H(A-2) TER I3 .100000+02 .000000 AMPS .250000+01 00 02 063 001 001 004362	
494	COL	002	HTR H(B) PRI I1	
465	GC 1	002	HIR H(B) PRI 12 .100000+02 .000000 AMPS .250000+01 00 02 065 010 012 004562	
495	CSI	002	нтя н(в) SEC 11 ,100000+02 .000000 AMPS .250000+01 00 02 066 001 001 004362	
487	001	002	HTR H(B) SEC 12	
468	531	002	HTR H(B) TER I1 .10000402 .000000 AMPS .250000+01 00 02 070 011 012 004362	-
489	001	002	HTR H(B) TER 12 .100008-02 .000000 AMPS .250000-01 00 02 071 012 012 004362	
490	601	002	HTR H(C) PRI	
491	001	002	NTR H(C) SEC .100000+02 .000000 AMP5 .250000+01 00 02 036 001 012 004362	
492	001	002	HTR H(C) TER .100000+02 .000000 AMPS .250000+01 00 02 037 002 012 004362	
433	001	602	HTR H(A) PRI	
494	931	002	HTR H(A) SEC	
495	001	002	HTR H(A-1) TER 3.150000+02 .000000 VOLTS .25000+01 00 03 042 001 001 011062	
496	601	002	HTR H(A-2) TER	-
497	CO 1	002	920010 210 200 404 00 10+00000 VOLTS 25000+01 00 03 044 005 012 010062	
499	CC 1	002	HTR H(B) SEC .32000 +02 .000000 VOLTS .25000+01 00 03 045 001 001 010262	
499	G0 1	002	HTR H(B) TER	_
500	931	002	HTR H(C) PRI	
501	001	002	HTR H(C) SEC .320000+02 .000000 VOLTS .250000+01 00 03 050 007 012 007762	
- 502	651 -	002	HTR H(C) TER	-
503	001	002	H/L EVAP V/P 0 DEG-1 .150000+03 .000000 DEGR-F .310000-01 00 07 073 D11 012 014774	

1 LEM			SAMPLE SAMPLE	ښ.
INDEX	SYS.	FMT	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT UNITS APERTURE TYPE DEV. CHARL SLOT RATE WORD 24	
5G4	100	002	H/L EVAP V/P 0 DEG-2 150000+03 000000 DEGR-F 310000+01 00 07 074 012 012 014774	
505	001	002	H/L EVAP V/P 120 DEG-1 .150000+03 .000D0D DEGR-F .310000-01 00 07 075 001 012 014774	
506	CO 1	002	H/L EVAP V/P 120 DEG-2 .150000+03 .000000 DEGR-F .310000-01 00 07 075 002 012 014774	
507	COI	002	H/L EVAP V/P 340 DEG-1 150000+03000000 DEGR-F310000-01 00 07 073 012 014774	
508	001	002	H/L EVAP V/P 240 DEG-2 .150000+03 .000000 DEGR-F .310000-01 00 07 100 004 012 014774	
509	001	002	H/L EVAP CORE 0 DEG-1 .150000+03 .000000 PEGR-F .3:0000-01 00 07 101 005 012 014774	
510	661	002	H/L EVAP CORE 0 DEG-2 150000+03 000000 DEGR-F 310000-01 00 07 102 005 012 014774	
511	GOI	002	H/L EVAP CORE 0 DEG-3 .150000+03 .000000 DEGR-F .310000-01 00 07 103 007 012 014774	
512	CO	002	H/L EVAP CORE 0 DEG-4 .150000+03 .000000 DEGR-F .310000-01 00 07 105 010 012 014774	•
513	100	002	H/L EVAP CORE 0 DEG-5 150000+03 000000 DEGR-F 310000-01 00 07 106 011 012 014774	
514	011	002	HL EVAP CORE 120 DEG-1 ,150000+03 .000000 DEGR-F ,310000-01 DO 07 107 012 012 014774	•
515	COI	002	HL EVAP CORE 120 DEG-2 .150000+03 .000000 DEGR-F .310000-01 00 07 110 001 012 014774	
516	Gut	002	HL EVAP CORE 120 DEG-3 150000+03 000000 DEGR-F 310000-01 00 07 - 111 002 012 014774	
517	00 t	002		
	001	062		
518	601	002	The service was tree to the service and the se	
519			and the second of the second o	7
520	001	002	HL EVAP CORE 240 DEG-2 .150000+03 .000000 DEGR-F .310000-01 00 07 115 006 012 014774	
521	CO.1	002	HL EVAP CORE 240 DEG-3 .150000+03 .000000 DEGR-F .310000-01 00 07 116 007 012 014774	
522	601	GG2	HL EVAP CORE 240 DEG-4150000+03 .000000 DEGR-F .310000-01 00 07 -117 010 012 014774	~
523	001	002	HL EVAP CORE 240 DEG-5 .150000+03 .000000 DEGR-F .310000-01 00 03 111 011 012 014774	
£24	001	002	H/L EVAP BOT 0 DEG 150000+03 000000 DEGR-F .310000-01 00 07 121 012 012 014774	
525	CCI	002	H/L EVAP BOT 120 DEG 150000+03 -000000 - DEGR-F - 310000-01 00 07 122 001 012 014774	_
525	001	002	H/L EVAP BOT 240 DEG .150000+03 .000000 DEGR-F .310000-01 00 07 123 002 012 014774	
527	601	004	H/L 501LER P .100000+02 .000000 TORR-A .500000+01 00 01 135 002 003 006761	
528	001	DO4	H/L DUCT INLT P-1	_
529	001	004	H/L DUCT 1NLT P-2 .100000+02 .000000 TORR-A .000000 00 01 137 001 003 004562	•
530	1 00	004	H/L DUCT DELT P-1 .100000. 10+00000 .000000 .00 01 146 002 003 004661	
531	60 (004	H/L DUCT DELT P-2	
502	C-D 1	004	H/L NOZ INLT P .100000+02 .000000 TORPA .000000 00 01 136 001 003 005061	
533	001	001	OUCT UPS T(D-1) TOP .300000+03 .000000 DEGR-F .310000-01 00 06 026 002 003 014573	
534	001	001	DUCT UPS T(D-1) BOT	_
535	COI	001	1ST BEND IN T(D-2) .300000+03 .000000 DEGR-F .310000-01 00 GE 030 001 003 014573	
536	001	001	CNTRL PAD UPS T(D-2) .400000+03 .000000 DEGR-F .310000-01 00 D6 031 002 003 014573	
537	COI	001	CNTRL BASE DWN T(D-2)400000+03 .000000 DEGR-F .310000-01 00 .05 032003003 014573	_
538	001	001	CNTRL BASE UPS T(D-2) .400000+03 .000000 DEGR.F .310000-01 00 06 033 001 003 014573	
	GÖ 1	001		
539			The transfer was the second of	
5-10	601	100		
541	001	001		
542	001	.001	DUCT MID T(D-3) 807 .400000+03 .000000 DEGR-F .310000-01 00 06 037 002 003 014573	
543	004	001	DUCT NID T(D-4) TOP	-
544	001	001	DUCT MID T(D-4) BOT .400000+03 .000000 DEGR-F .310000-01 00 05 041 001 003 014573	
545	CO 1	001	CNTRL PAD UPS T(E-1) .400000+03 .000000 DEGR-F .310000-01 00 06 042 002 003 014573	
546	001	001	CNTRL PAD DWN T(E-1) 400000+03 000000 DEGR-F 310000-01 00 06 043 003 014573	
547	021	100	M10 Y C/L T(E-1) .400000+03 .000000 DEGR-F .310000-01 00 06 044 003 D12 014573	
548	COI	001	014573 014 015 045 06 06 01-00000 DEGR-F 310000-01 00 06 045 004 012 014573	
549	CO 1	COL	HIGH FLUX CUT(D-4) 807	
550	CO 1	001	Y LEFT TL(E-1) TOP .300000+03 .000000 DEGR-F .310000-01 00 06 047 007 012 .014573	
551	COI	001	Y LEFT TL(E-2) BOT .400000+03 .000000 DEGR-F .31000-01 00 06 050 010 012 014573	
- 552	601	001	DUCT UPS TL(E-2)	
553	CD1	001	DUCT DWN TL(E-2) .300000+03 .000000 DEGR-F .310000-01 00 06 052 002 003 Q14573	
				-

			TIEM DELINITION . NEW T WAD BEAD WEVENEU! INDEXER
I TEM			Cault F. Calint F.
INDEX	SYS.	ERIT	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT UNITS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
ANDEN	3.0.	1 40 1	Tien pegodition Other simil roads cimit Divis Nation Lies Dis. CHart Sion Kate Moun 54
554	001	001	DUCT MID TL(E-3) TOP
555	001	001	DUCT MID TL(E-3) BOT .40000+03 .000000 DEGR-F .310000-01 00 06 054 001 003 014573
556	001	001	BEND 71(H-1) 709 .300000+03 .000000 DEGR-F .310000-01 00 06 055 005 012 014573
557	001	100	CNTRL PAD UPS TL(H-1) 400000+03 000000 DEGR-F 310000-01 -00 056 001 003 014573
550	001	001	CNTRL PAD DWN TL(H-1) .400000+03 .000000 DEGR-F .310000-01 00 06 057 .002 003 014573
559	001	001	DUCT MID TL(H-2) IN .300000+03 .000000 DEGR-F .310000-01 00 06 050 011 012 014573
560	001	100	DUCT MID TL(H-2) OUT
561	CO 1	001	BEND TL(F-3) OUT .400000+03 .000000 DEGR-F .310000-01 00 06 062 001 012 014573
562	001	001	BEND TL(F-3) IN .300000+03 .000000 DEGR-F .310000-01 00 06 063 002 .012 014573
563	COt	001	NOZ UPS TL(1-1) TOP
564	100	001	NOZ UPS TL(1-1) BOT .400000+03 .000000 DEGR-F .310000-01 00 06 065 002 003 014573
565	001	601	NOZ DWN TL(I-1) TOP .300000+03 .000000 DEGR-F .310000-01 00 06 067 003 012 014573
566	001	001	NOZ DWR TL(I-1) BOT400000+03 -000000' DEGR-F - 310000-01 00 05 070 004 012 014573
567	001	001	HIGH FLUX OUT (E-3) .350000+03 .000000 DEGR-F310000-01 00 06 071 006 012 014573
563	001	001	Y RIGHT TR(E-1) TOP .30000+03 .0000CO DEGR-F .310000-01 00 06 072 007 012 014573 .
569	001	001	Y RIGHT TR(E-1) BOT
570	100	001	DUCT UPS TR(E-4) .40000+03 .000000 DEGR-F .310000-01 60 06 074 003 003 014573
571 573	C 71 CO 1	001 001	DUCT DWN TR(E-4) .300000+03 .000000 DEGR-F .310000-01 00 06 075 001 003 014573
573	601	001	DUCT MID TR(E-5) TOP400000+03 .000000 DEGR+F .310000-01 00 06 076 002 003 014573
574	CQ1	001	
575	001	001	
575	100	001	- Initian 195 (
577	001	100	CNIRL PAD DWN TR(F-1) .400000+D3 .000000 DEGR-F .310000-01 00 06 102 002 003 014573 DUCT MID TR(F-2) IN .300000+O3 .000000 DEGR-F .310000-01 00 06 103 012 012 014573
578	001	001	DUCT MID TR[F-2] OUT
579	001	001	DEND TR[H-3] GUT .400000+03 .600000 DEGR-F .310000-01 GD 06 105 002 012 014573 .
580	50 t	001	BEND TR(H-3) INS .3000000 BC0000 DEGR-F .310000-01 00 06 106 .003 012 014573
561	COt	001	NOZ UPS TR[G-1] TOP
562	CO 1	001	NOZ UPS TR(G-1) BOT .400000+03 .000000 DEGR-F .310000-01 00 06 110 001 003 014573
583	100	001	NOZ DWN TR[G-1] TOP .300000-03 .000000 DEGR+F .310000-01 00 05 111 005 012 014573
5E4	CO 1	001	NOZ DEN TR(G-1) BOT
565	CO 1	001	HICH FLUX OUT (E-5) .350000+03 .000000 DEGR-F ! .310000-01 00 06 113 005 012 014573
586	CO 1	001	BELLOWS T(D-4) TOP -1 .400000+03 .000000 DEGR-F .310000-01 00 06 114 006 D12 014573
587	COL	100	BELLOWS T(0-4) TOP -2400000+03000000 DEGR-F310000-01 00 06 115 007 012 014573
588	001	001	BELLOWS T(0-4) TOP -3 .400000+03 .000000 DEGR-F .310000-01 DD 06 116 010 D12 014973
589	001	001	BELLOWS T(D-4) TOP -4 .400000+03 .000000 DEGR-F .310000-01 00 06 117 011 012 014573
590	CD1	001	BELLOWS T(D-4) BOT -1
591	CD 1	001 001	BELLOWS T[0-4] BOT -2 .400000+03 .000000 DEGR-F !.310000-01 00 06 121 001 012 014573 BELLOWS T[0-4] BOT -3 .400000+03 .000000 DEGR-F .310000-01 00 06 122 002 012 014573
592 593	001	001	
593 594	103	004	BELLOWS T(D-4) BOT -4 400000+03 000000 DEGR-F 310000-01 00 123 003 012 014573 7 F BOILER P .100000+02 .000000 TORR-A .500000 01 134 002 003 007061
595	COI	004	T DUCT INLT P -1 .100000+02 .000000 TORR+A .250000+01 00 01 141 001 005162
596	001	004	T DUCT INLT P -2
597	GO 1	004	7 6 1N DUCT DELT P +1 .100000+01 .000000 TORR-D .500000+01 00 01 152 001 001 00361
558		004	
503	COI	CO4	
600	001	004	
601	GC 1	004	TY DELT P -R .100000+0: .000000 TORR-D .500000+0: 00 01 153 00: 001 00576:
EG2	CO1	004	
603	001	004	TL 4 IN DUCT DELT P .100000+01 .000000 TORRO .500000+01 00 01 154 001 001 006161

									V 14 (B) 11 - 11 -				•
ITEM			A CONTRACTOR OF THE PROPERTY O		919941112 r - 1 4189					SAMPLE SA	Wate "		
INDEX	SYS.	FMT	ITEM DESCRIPTION UP	PER LIMIT	LOWER LIMIT	UNITS	APERTURE	TYPE DEV.	CHANL	SLOT F	ATE	KORD 24	
									-				
604	QQ 1	004		100000+02	0000000.		.500000+01		- 132		003 ~		
605	CO 1	004		100000+02	,000000	TORR-A	.5000000+01	00 01	145	001	001	006361	
606	00 t	004		1000000+01	.000000	TORR-D	.5000000+01	00 01	155	001	001	006461	
607	901.	004		100000+02		TORR-A	10+000003.				003		
608	1 00	004		100000+00	.000000	TORR-D	.5000000+01	00 01	156	001	001	006661	
6C 9	001	100		150000+03	.000000	DEGR-F	.3100000-01	ao os	151		012	014774	
6:0	CO 1	100		150000+03			.310000-01			005		- 014774 ·	
611	001	100		150000+03	.000000	DEGR-F	.310000-01	00 06	153	006	012	014774	
612	001	001		150000+03	.000000	DEGR-F	.3100000-01	00 06	154	007	012	014774	
613	001	001	T EVAP V/P 240 DEG 1		000000		.310000-01,		155 ·-	010 ·		- 014774 -	
614	001	001		150000+03	.000000	DEGR-F	.310000-01	00 06	156	011	012	014774	
615	100	001		150000+03	.000000	DEGR-F	.3100000-01	00 06	157	012	012	014774	•
616	001	100		150000+03	000000 -		.310000-01	00 06	- 160	001		014774	
617	001	100		150000+03	.000000 000000	DEGR-F	.3100000-01	00 06	161	003	012	014774	
618	100	001 001		150000+03		DEGR-F	.310000-01	80 00	162	003	012	014774	
613	001 001	601		150000+03	.000000		.3100000-81	20 00				- 014774 -	
629	001.	100		150000+03	.000000	DEGR-F	.3100000-01	80 06 80 00	164	005	012	014774 014774	- '
621	001	001		150000+03	.000000	DEGR-F DEGR-F	.3100000-01	00 06 00 06	165	. 007	012 ~		·
622				150000+03	.000000	DEGR-F	.3100000-01	00 06	166	010	012	014774	
623	001	001		150000+03	.0000000	DEGR-F	.310000-01	80 - 00.	157 170	011	012	014774	
624	801	100		150000+03	000000		310000-01		171	012·		- 014774	
675	CO 1	001		150000+03	.000000	DEGR-F	310000-01	00 06	172	001	012	014774	
625 627	COI	COL		150000+03	.000000	DEGR-F	.310000-01	80 00	173	005	012	014774	•
	001	100	T EVAP CORE 240 DEG -4					- 00 06	174 -	003		014774 -	
623 629	CO 1	001		150000+03	000000	DEGR-F	.310000-01	00 06	175	004	012	014774	
650	100	601		150000+03	.000000	DEGR-F	.310000-01	80 00		005	012	014774	
631	001	001	T EVAP BOT 120 DEG				.3100000-01	00 06	175	008		- 014774	
632	631	801		150000+03	.000000	DEGR-F		00 07	000	007	012	014774	•
633	601	001		200000+03	200000+03	DEGR-F	.310000-01	00 07	100	036	036	015174	
634	COI	001		2000000+03		DEGR-F-		00 07	002 -	010	036 -	·· 015174	
635	001	601		2000000+03	200000+03	DEGR-F	.210000-01	00 - 07	003	011	036	015174	
633	COI	001		200000103	200000+03	DEGR-F	.210000-01	00 07	003	022	036	015174	
637	COI	601		200000+03		DEGR-F		. 00 07		024 ···		015174 ·	
633	001	001		200000+03	-,200000+03	DEGR-F	.210000-01	00 07	005	032	036	C15174	
630	001	601		200000+03	-,200000+03	DEGR-F	.210000-01	00 07	000	035	036	015174	
640	631	(-01			200000+03	DEGR-F	.210000-01	00 - 07	D10 -	035 		015174-	
641	001	002		100000+02	.000000	AMPS	.250000+01	00 02	072	010	012	004362	
642	100	002		100000+02	.000000	AMPS	.250000+01	00 02	073	011	012	004362	
673	001	002					250000+01			012- -	012	004362	
544	631	002		100000+02	.000000	AMP5	.250000+01	00 02	075	001	012	004362	
645	001	002		100000102	.000000	AMPS	,250000+01	00 02	076	002	003	004352	
- 546	601	002			0000000	AMPS	.250000+01	- 00 02	077 -		003 -	004352	
6 - 7	601	502	·	100000102	.000000	AMPS	.250000+01	00 02		001	003	004362	
648	001	092		100000+02	.000000	AMPS	.250000+01	00 02	101	002	003	004362	
649	COI	002			000000	AMPS	250000+01			003	003	004362	
656	001	002		100000+02		AMPS	.250000+01	00 02	103	001	003	004362	•
651	cai	002		100000+02	.000000	AMPS	.250000+01	00 02	104	002	003	004362	
653	. 001	002				AMPS	250000+01			003	003	004362	
653		002		100000+02		AMPS	.250000+01	_	105	002	012	004362	
			= - • ·· • · · · · ·			•		_		-	•		
	•					•							

. ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES

			•	-			,					
1764						***	M	ما المناسع دوره و المال معلولين المالية من المالية عنها		LE-SAMPLE		
INDEX	SYS.	FMT	ITEM DESCRIPTION	UPPER LIMIT	LOWER LIMIT	UNITS	APERTURE	TYPE DEV.	CHANL SLO	T RATE	WORD 24	•
	001	002		100000+02	000000	AMPS	.250000+01	00 02	107 00	3 012	004362	
	001	002	HTR AMPS T (E) PRI 13	.100000+02	.000000	AMPS	.250000+01	00 03	110 00	4 012	004362	
655	1 90	002	HTR AMPS T (E) SEC I1	.100000+02	.000000	AMPS	.250000+01	00 02	111 00	6 012	004362	
	CG 1	003	HTR AMPS T (E) SEC 12	:100000+02	000000	AMPS	250000+01	·· 00 ··· 02 ···	712 00	7 012	004362	
	1 00	002	HTR AMPS'T (E) SEC 13	.100000+02	.000000	AMP5	.250000+0f	00 02	113 00	1 012	004362	· ·
	001	002	HIR AMPS T(E-1) TER II	100000+02	.000000	AMPS .	.260000+01	00 02	114 00	1 003	004362	
660	001	C02	HTR AMPS T(E-1) TER 12	100000+02	···· 000000 ····	. AMPS	.250000+01	. 00 02	"115 """ 00		··· 004352 ·	
	CO 1	002	HTR AMPS T(E-1) TER IS	100000+02	.000000	AMPS	.250000+01	00 02	116 00	3 003	004362	
	00 f	002	HIR AMP TL(E-2) TER 11	,100000+02	.000000	AMPS	.250000+01	00 02	117 00	1 003	004362	
	0.01	002	HTR AMP TL(E-2) TER 12		0000000	· AMPS	2500q0+01	··· 00 ···· 02 ···	120 00	2 003	004362	
	100	CC2	HTR AMP TL(E-2) TER 13		.000000	AMP5	.250000+01	00 02	121 00	3 003	004352	
	00 1	002	HTR AMP TL(E-3) TER 11		.000000	AMPS	.250000+01	00 02	122 00	1 003	004362	•
	001	002	HIR AMP TL(E-3) TER 12			AMPS	.250000+01	00 02 ***	123 00		004362	
	091	002	HTR AMP TL(E-3) TER 13		.000000	AMPS	.250000+01	00 02	124 . 00		004362	
	001	GD2	HIR AMP TRIE-4) TER II		.000000	AMPS	.250000+01	00 02	125 00	1 003	004362	
	001	002	HTR AMP TR(E-4) TER 12		.000000	AMP5	.250000+01	Ö0 03	126 00		001365	
-	001	002	HIR AMP TR(E-4) TER 13		.000000	AMP5	.250000+01	00 02	127 00	3 003	004362	
	001	003	HIR AMP TR(E-5) TER 11		.000000	AMPS	.250000+01	00 02	130 00		004362	
	1159	005	HIR AMP TR(E-5) TER 12		.000000	AMP5	.2500p0+n1	00 02	131 00	5 003	004362	*****
	071	002	HTR AMP TR(E-5) TER IS		.000000	AMPS	.250000+61	CO 02	132 ,00	3 003	004362	
	001	002	HIR AMPS TR (F) PRI	.600000+01	.000000	amps	.250000+01	00 02	040 ,00	1 003	007562	
	001	003	/// (1 / 524	10+000003,	.000000	AMP5	.250000+01	.00 - 02 -	" Q41 ····· 00		007562	
	001	002	HIR AMPS TR (G) PRI	.600000+01	.000000	AMPS	.250000+01	00 02	042 00	2 003	007562	
	001	Ç02	HTR MMPS TR (G) SEC	.600000+01	.000000	AMPS	.250000+01	00 02	043 00		007562	•
	001	C02	HIR AMPS TL (H) PRI	.600000+01	000000	AMP5	250000+01		" D44 00		···· 007562	
	CC I	002	HTR AMPS TL (H) SEC	600000+01	.000000	AMPS	.250000+01	00 02	045 00	3 003	007562	
	001	002	HTR AMPS TE (1) PRI	,600000+01	.000000	AMP5	.250000+01	00 02	046 00		007562	
	CJI	002	HTR AMPS TL (1) SEC -			· AMPS · ·······	.250000+01		. 047 nt		007562	
	001	002	HTR AMPS TL (D) PRI	.320000+02	.000000	VOLTS	.250000+01	00 03	052 01		010162	: ,
	001	002	HIR VOLTS T (D) SEC	.320000+02	.000000	VOLTS	.250000+01	00 03	053 01		010062	. •
	021	002	HTR VOLTS T (D-1) TER		.000000	VOLTS	.250000+01		054 - 00		- 011252	
	031	002	HTR VOLTS T (U-2) TER	.150000+02	.000000	VOLTS	.250000+01		05500		011062	
	G0 1	002	HIR VOLIS T (D-3; TER	.150000+02	.000000	VOLTS	-250000+01	00 03	056 00		011162	
	001	002	HTR VOLTS T (D-4) TER		000000		· .250000+01	•	057 00		010762	
	COI	002	HTR VOLTS T (E) PRI	.320000+02	.000000	VOLTS	.250000+21	00 03	060 00		010362	
	001	002	HTR VOLTS T (E) SEC	.320000+02	.000000	VOLTS	.250000+D1	00 03	061 00		010662	
	COT	002	HTR VOLTS T (E-1) TER		000000	*UL.3	250000+01	00 03	065 00		011052	
	001	002	HTR VOLTS TL (E-2) TER		.000000	VOLTS	.250000+01	00 03	063 00		011362	
	001	002	HIR VOLTS TL (E-3) TER		.000000	VOLIS	.250000+01	00 03	064 00		011162	
	001	002	HTR VOLTS TR (E-4) TER				250000+01		- 065 00		011362	
	001	002	HTR VOLTS TR (E-5) TER		.000000	VOLTS .	.250000+01	00 03	006 00		011162	
	001	002	HTR VOLTS (R (F) PRI	.320000+02	.000000	VOLTS	.250000+01		067 00		010162	
	001	002	HTR VOLTS TR (F) SEC-	320000+02	000000	104.0	. 2500000+01	00 03	070 00		010462	
	631	002	HTR VOLTS TR (G) PRI	.320000+02	.000000	VOLIS	.250000+01		071 00		010162	
	100	002	HTR VOLTS TR (G) SEC	.320000+02	.000000	VOLTS	.250000+01		072 00		010562	
	001	002		.320000+02	.000000	10410	250000+01	00 03	073 00		007762	
	1:00	002	HTR VOLTS TL(H) SEC	.320000+02	.000000	VOLTS	.250000+01	00 03	074 00		007662	
	001	002	HIR VOLTS TE(1) PRI	_320000+02	.00000	VOLTS	.250000+01	00 03	075 00		010162	
	G01	002	HTR VOLTS TIELD SEC -	320000+02		+ O p	250000+01		- 076 00		010362	
703	001	002	T PRI FAW LINE -1	.150000#03	.000000	DEGR-F	.310000-01	00 07	011 00	3 003	014774	
			_									-

t ten 1ndex	SYS.	FMT	ITEM DESCRIPTION UPPER LIMIT	FOMES FIWIT		TYPE DEV. CHANL	SAMPLE S.		D 24
704	001	002	T PRI F/W LINE +2 19000+03		DEGR-F310000-01	00 07 - 012	·- 001	003 01-	4774
705	001	002	T SEC FYW LINE - 1 .150000+03		DEGR-F .310000.01	00 07 013	002	003 01	4774
706	001	002	T SEC FIN LINE -2 . 150000+00		DEGR-F .310000-01	00 07 014	003		4774
707	601	005	H/L PRI F/W LINE -1150000+03		DEGR-F .310000-01	- 0	001		
758	C21	002	H/L PRI F/W LINE -2 ,150000+03		DEGR+F 310000-01	00 07 016	002		4774
709	601	002	H/L SEC F/H LINE -1 .150000+03		DEGR-F .310000-01	00 07 017	003		4774
710	501 501	002 002	H/L SEC F/W LINe -2		DEGR-F 310000-01	00 - 07 020 -			
711 712	601	002	H/L PRI F/W VLV .150000+03 H/L SEC F/W VLV .150000+03		DEGR+F .310000-01	00 07 021 00 07 022	005		4774
713	001	0G2	T PRI F/W VLV 150000+03		DEGR-F		010		4774
714	COI	002	7 SEC F/W VLV .150000+03		DEGR-F .310000-01	00 07 024	010		4774
715	001	002	F/W F1010 10LT PRI -1 .150000+03		DEGR-F .320000+00		012		5767
716	001	005	F/W FLUID INLT SEC -1150000+03		DEGR+F .320000+00		016		5767
717	601	002	F/W FLUID INLT PRI -2 .150000+03		DEGR-F .400000+01	00 01 056	017		3662
718	CO 1	002	F/W FLUID INLT SEC -2 .150000+03		DEGR-F .400000+01	00 01 057	021		7162
719	501	001	F/W PRI INLT P -1400000+03		PSIA .150000-01		002		4071
720	201	001	F/W PRI INLT P -2 .400000+03	.000000	PS1A .150000-01	00 01 041	003		3771
721	ا ناز	001	F/W SEC INLT P -3 . 400000+03	.000000	PSIA .150000-01	00 01 042	001	003 00	4171
722	001	001	F/H SEC THAT P -4400000+03	•	PSIA .150000-01	00 " 01" 043	- 002	003 00	1271
723	COI	001	F-21 MID PT SURF -1 .150000+03		DEGR-F .310000-01	00 07 025	603		4774
724	cor	001	F-21 MID PT SURF -2 .1500C0+03		DEGR-F .310000.01	00 07 026	001		4774
725	001	002	F-21 MID PRI 150000+03		DEGR+F500000+01	00 01 063 -	001	-00101	
726	601	005	F-21 MID SEC		DEGR-F .500000+01	00 01 064	001		6362
727 728	יםם 1 60	002 002	F-21 PRI INLT .150000+03		DEGR-F .160000+00		100	-	6167
729	001	002	F-21 PR1 OUTLT .150000+03		DEGR-F 160000+00 DEGR-F .160000+00		001		6167
730	C31	002	F-21 SEC 007LT .150000+03		DEGR-F .160000+00		100		5767
731	031	602	F-21 PRI OUTL SURF T/C 150000+03		DEGR-F310000-01		~ 002 ~	• •	4774
732	COI	002	F-21 SEC OUTL SURF Y/C .150000+03		DEGR-F .310000-01	00 07 030	002		4774
733	103	002	F-21 PRI DELTA T .120000+03		DEGR-F .160000+00		001		5767
734	(0)	002	F-21 SEC DELTA T120000+03	-,120000+03	DEGR-F .150000+00		002		5767
735	CO1	002	F-21 PRI FLWMTR .150000+03		DEGR-F ,500000-02		003		4674
736	COT	002	F-21 SEC FLWMTR .150000+03	000000	DEGR-F .500000-02		100		4674
737	50 t	002	F-21 TOT CART FLWMTR 150000+03	000000	DEGR-F .500000-02	00 01 160	~·· 002 ···	003 01	4674
738	ÇO I	002	F-21 OUT TEMP BLK -1 .150000+03		DEGR-F .500000-02		603	003 01	4674
739	501	062	F-21 OUT TEMP BLK -2 .150000+03		DEGR. F .500000-02		001		4674
740	COL	062	F-21 PRI CART FLUMTR150000+03		DEGR-F .500000-02		002	000 0.	4674
741	103	602	F-21 SEC CART FLWMTR .150000+03	•	DEGR-F .500000 · 02		603		4674
742 743	CO1	002 002	F-21 FAST RAMP-PRI .150000+03 F-21 FAST RAMP-SEC150000+03		DEGR-F .500000-02		001 002		4674
744	CO:	001	F-21 PRI INLT .500000+03		9514 .450600-02 9514 .450600-01		003		4674
745	001	001	F-21 SEC INLET .500000+03		PS1A .450000 01		601		13171
746	601	001	F-21 PRI EVP DELTA250000+02		PS1D .250000+01		- 005		1462
747	601	GO:	F-21 SEC EVP DELTA .250000+02		PS10 .250900+01		003		1562
748	GD 1	601	F-21 PRI RETURN FLOW .300000+04		LS/HR .500000+01		100		1662
749	COL	601	F-21 SEC RETURN FLOW300000+04		LB/HR .500000+01		002		1762
750	193	001	F-21 TOT CART FLOW .600000+04		LB/HR .500000+01	00 01 122	003	003 01	2062
751	160	001	F-21 PRI CART FLOW .300000+04		LB/HR .500000+01		ტ01	003 01	2152
752	001	001	F-21 SEC CART FLOW300000+04		יםיםפססטני יייוקטיי		002		2262
753	001	001	CH ENVR ZONE A-1 .200000+03	300000+03	DEGR-F .150000-01	,00 07 040	022	036 - 01	15473

			, =	71	- Nice - Bone Blinding Elibert Po	
ITEM			* According to the control of the co			
INDEX		EMT	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT	UNITS	S APERTURE TYPE DEV. CHANL SLOT. RATE WORD 24	
2,100.			The production . About gintle fourte fills.	014712	a beginge tive deat chuic 2001. Hate woun 54.	
754	001	001	CH ENVR ZONE A-2	Deeb. c	F 150000+01 00 - 07 - 041 023 038 015473	
755	001	001				
					i cincura di come a mana ante come ante come di come di come a come di come a come di come a come di come a	
7.56	100	001	CH ENVR ZONE C-1 .200000+03300000+03			
757	1 00	001	CH ENVR ZONE D-1200000+03300000+03	DEGA-F	F150000-01 00 - 07 044033 036 015473	
756	COI	001	CH ENVR ZONE D-2 .200000+03300000+03	DEGN-F	F .150000-01 00 07 045 034 036 015473 .	•
759	DØ 1	ODI	CH ENVR ZONE D-3 .200000+03300000+03	DEGR-F		
. 760	001	100	CH ENVR ZONE D-4 :200000+03300000+03		F 150000 • D1 - 00 07 047 003 636 015473	
761	001	001	CH ENVR ZONE E-1 .200000+03300000+03			
762	00 t	001	CH ENVR ZONE E-2 .200000+03300000+03			
·· 763	601	001	CH CHUR ZONE E'Z COOCONICO COOCONICO			
	401		CH ENVR ZONE E-3		F 150000-01 00 07 052 007 036 015473	
764		001	CH ENVR ZONE E-4 .200000+03300000+03		i company as an amount of the second	
765	501	001	CH ENVR ZONE E-5 .200000+03300000+03			, ·
766	601	003	CH ENVR ZONE F-1 200000+03 300000+03			•
767	GO 1	001	CH ENVR ZONE F-2 .200000+03300000+03			
7 68	00 t	001	CH ENVR ZONE F-3 ,200000+03300000+03	DECK-F	F .150000-01 00 07 057 020 036 015473	
769	COI	100	CH ENVR ZONE G-1200000+03300000+03	DEGR-F		
770	1 CD	001	CH ENVR ZONE H-1 .200000+03300000+03	DEGR-F		
771	CO 1	001	CH ENVR ZONE H-2 .200000+03300000+03			. 1
772	CD 1	001	CH ENVR ZONE H-3200000+03300000+03			
773	COI	001	CH ENVR ZONE I-1 .200000+03300000+03	•		•
774	100	001	CH ENVR ZONE H/L-1 .200000+D3300000+D3		== 0, 00= 00. 000 010.15	
775	601	001	CH ENVR ZORE H/L-2 200000+03 300000+03		F	
776	COt	001	CH ENVR ZONE TOPP-1 .200000+03300000+03	DEGR-F	F 150000-01 00 07 067 033 036 015473	
777	1 00	100	CH ENVR ZONE TOPP-2 200000+03300000±03	DEGR-F	F .150000-01 00 07 070 034 036 015473	٠.
· 778	COT	1000	F/W TANK 1(1)	·· PSIA ··		
779	GG 1	001	F/W TANK 2(1) .600000+02 .000000	PSIA	.500000+01 00 01 067 002 003 002562	
780	601	001	F/W TANK 1(2) .150000+03 .000000	PSIA	.500000+01 00 01 070 003 003 002462	
781	CO 1	001	F/W TANK 2(2)		.500000+01 - 00 01 130 001 003 002462	
752	GOI	002	F/W VLV FRED .500000+01 .000000	HERZ		•
783	ÇOS	100	ROTATIONAL BOOM TEMP 1 .150000+03300000+03		,	
784	005	001	ROTATIONAL BOOM TEMP 2: 150000+03300000+03			***************************************
765	CO 5	100	SENSOR PLATE TEMP .150000+03300000+03	DEGR-F	F 500000-02 00 05 122 005 017 015473	
786	00%	001	ION GAGE TUBE TEMP .150000+03300000+03	DEGN-F	F .500000-02 00 05 123 006 017 015473	
787	005	001	54RATRON SENSOR TEMP150000+03300000+03	DEGR-P	F500000-D2 00 05 124 010 017 045473	
728	C35	001	MASS SPECTRO ELECTRNC .150000+03300000+03	•	t therefore an on the time with the contract of	
769	005	001	MASS SMECTRO TUBULTN ; .150000+03 +.300000+0			
799	COS	001	RPMS QCM ELECTRONICS 150000+03 300000+03		•	
791	005	001	RPMS QCM CRYSTAL TEMP .150000+03300000+03			
7.92	COS	001	RPM'S QCM CAP TEMP .150000+03300000+03			
·· 793	005	010	RPMS ION GAGE PRESS			
794	005	0.10	RPMS BARATRON PRESS W1 .000000 .000000	EVENT		
795	005	010	RPWS BARATRON PRESS W2 : .000000 .000000	.EVENT	.000000 01 00 005 003 003 000001 "	
796	COS	001	RPFM ROTATION ANGLE 180000+03 180000+01			فحنة
797	005	001	QCM #1 CAP TEMP .150000+03300000+03			
799	005	001	OCM #1 ELECTRNCS TEMP .150000+03300000+03			
	005	001				<u> </u>
- 799			HEAT EXCHANGER 1 INLET :: 150000+03300000+0			
800	COS	001	HEAT EXCHANGER 1 OUTLY . 150000+03300000+0			
801	CD5	010	ION GAGE #1 PRESSURE .000000 .000000	EVENT		
- 503	025	001	QCM #2 CAF TEMP :150000+03 :300000+0			
803	C05	001	OCM #2 ELECTRNCS TEMP .150000+03300000+0	. DEGR-F	F .500000-02 00 05 077 003 005 015473	
						- 1

ITEM														***
INDEX	SYS.	FMT	ITEM DESCRIPTION	OPPER LIMIT	LOWER LIMIT	UNITS	APERTURE	TYPE [JEY.	CHANL	SLOT	RATE	WORD 24	••
						B			- -				·	
804	005	001	HEAT EXCHANGER 2 INLET .		300000+03	DEGR-F			-	- 100 -			D15473	
8C5	005	001	HEAT EXCHANGER 2 OUTLT	.150000+03	300000+03	DEGR-F	.500000-02	00	05	101	005	005	015473	
806	005	010	ION GAGE #2 PRESSURE	.000000	.000000	EVENT	.000000	01	00	001	001	005	000001	
EC7	005	001	OCM #3 CAP TEMP		300000+03	DEGR-F	.500000-02	00		102		005		
808	005	100	QCM #3 ELECTRNCS TEMP	.150000+03	300000+03	DEGR-F	.500000-02	00	05	103	.003	005	015473	
809	005	100	HEAT EXCHANGER 3 INLET	,150000+03	300000+03	DEGR-F	.500000-02	00	05	104	004	005	015473	
810	095	001	HEAT EXCHANGER 3 OUTLT				500000-02	00		105	005			
811	005	COL	QCM #4 CAP TEMP	.150000+03	300000+03	DEGR-F	.500000-02	00	05	105	001	005	015473	
812	605	COI	OCM #4 ELECTRICS TEMP	,150000+03	300000+03	DEGR+F	500000-02	00	05	107	002	005	015473	
813	J05	CO1	HEAT EXCHANGER 4 INLET				500000-02			1 † Q		005		***************************************
814	.05	001	HEAT EXCHANGER 4 OUTLT	.150000+03	300000+03	DEGR-F	.500000-02	00	05	111	004	005	015473	
815	935	010	ION GAGE #3 PRESSURE	.000000	.000000	EVENT	.000000	01	QΟ	002	005	005	000001	
8:5	C35	001	QCM #5 CAP TEMP	150000+03	300000+03	DEGR-F	500000-02	00 -	05 -	112 -	801	005	015473	
B17	005	COI	QCM #5 ELECTRNCS TEMP	.150000403	300000+03	DEGR-F.	.500000-02	00	05	113	002	005	015473	
8:9	605	001	HEAT EXCHANGER 5 INLET	.150000+03	+.300000+03	DEGR-F	.5000000-02	00	05	114	003	005	015473	
619	075	100	HEAT EXCHANGER 5 OUTLT -		£0+00000E	DEGR-#	500000-02	00	05 -	115	- 004 -	005	015473	
820	C25	GO1	OCM #6 CAP TEMP	.150000+03	300000+03	DEGN-F	.500000-02	00	05	116	005	005	015473	•
E 2 1	C)5	COT	OCM #6 ELECTRNCS TEMP	.150000+03	300000+03	DEGR-F	.500000-02	00	05	117	\$ 00	005	015473	
822	005	001	HEAT EXCHANGER 6 INLET .	150000+03	300000+03	DEGR-F	.5000000-02	00	05	060	- 002	. 005	- 015473	
823	005	001	HEAT EXCHANGER 6 OUTLT	.150000+03	300000+03	DEGR · F	.500000-02	00	05	061	003	005	015473	
824	0-05	100	QCM #7 CAP TEMP	.150000+03	300000+03	DEGR-F	500000-02	00	05	062	C04	005	015473	
825	005	COI	QCM #7 ELECTRICS TEMP+		300000+03	DEGR · F	500000-02	00	D5 ·	063	-∴ 005~	005	015473	
826	005	001	HEAT EXCHANGER 7 INLET	.150000+03	300000+03	DEGR-F	.500000-02	00	05	064	001	005	015473	_
E27	005	001	HEAT EXCHANGER 7 OUTLT	.150000+03	300000+03	DEGR-F	.500000-02	00	05	065	002	005	015473	
828	005	001		150000+33		DEGR-F	.560000 - 02	00	05	066			015473	
829	005	001	QCM #8 ELECTRICS TEMP	,150000103	300000+03	DEGR-F	.500000-02	00	05	067	004	005	015473	
630	005	001	HEAT EXCHANGER 8 INLET	.150000+03	+,300000+03	DEGR-F	.500000-02	00	อร	070	005	005	015473	
931	องร	001	HEAT EXCHANGER 8 OUTLT		300000+03	DEGR-F	500000-02	00	05		-	005		
B32	005	100	OCM #1 CRYSTAL TEMP	.100000+03	200000+03	DEGR-C		00	06	140	002	005	012463	
833	C05	001	QCM #2 CRYSTAL TEMP	.100000+03	+.200000+03	DEGR-C	.125000+01	00	07	104	003	005	012463 012463	
	005	601			200000+03	DEGR-C		- 00					812463	
804	. –		OCH #3 CRYSTAL TEMP				.125000+01	-	04		- 004 -			
635	005	601	OCM #4 CRYSTAL TEMP	.100000+03	200000+03	DECU-C	.125000+01	00	04	040	005	005	012463	
8.36	605	001	OCM #5 CRYSTAL TEMP	.100000+03	200000+03	DEGR-C	.125000+01	00	03	150	001	005	012463	
837	C05	001		100000+03	200000+03	DEGR C			05	132			012463	
838	CO5	001	QCM #7 CRYSTAL TEMP	.100000+03	200000+03	DEGR · C	.125000+01	00	04	146	003	005	012463	
839	005	001	QCM #8 CRYSTAL TEMP	.100000+03	200000+03	DEGR-C	125000+01	00	65	054	004	005	012463	
840	035	001					250000+01	00	06	000	OD5 ~		012361	
841	606	000	PRI INTERFACE 122-124	,200000+03	.000000	DEGR-F	.310030-01	00	07	124	001	003	014774	
842	006	000	PRIMARY OUTLET	.200000+03	.000000	DEGR-F	.310000-01	00	07	125	001	005	014774	
813	006	000	= 1 . •	200000+03		DEGN-F-	310000-01		-	126				•
844	Ç06	000	PRIMARY MIDDLE	,200000+03	,000000	DEGR-F	.310000-01	00	07	127	003	005	0:4774	
645	C06	COO	PRIMARY SUPPLY IN	.200000+03	.000000	DEGR·F	.310000-01	00	07	130	004	005		
846	C06	000	PRIMARY SUPPLY	,200000+03		DEGR-F					- 005			
847	C06	900	PRIMARY SUPPLY	.200000+03	.000000	DEGR-P	.310000-01		07	132	001	005	014774	
849	CC 6	eco	PRIMARY SUPPLY	.200000+03	.000000	DEGR-F	.310000-01		07	133	002	005	014774	
- 849	CCG	000		- ,200000+03	000000		3:00000-01				002 -		014774	
650	005	000	PRIMARY SUPPLY CTE 120	.200000+03	.000000	DEGR-F	.310000-01	00	07	135	003	003	014774	
851	006	000	PRIMARY SUPPLY 119	200000+03	.000000	DEGR-F	.310000-01	00	07	136	001	003	014774	•
- 852	006	000	PRIMARY SUPPLY	200000+03	0000000	· DEGR-F	310000-01	. 00	- 07 -	137	003	005	014774	
853	006	000	PRIMARY SUPPLY	.200000+03	.000000	DEGR-F	.310000-01	00	07	140	004	005	014774	
						•							-	-

ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES - SAMPLE SAMPLE - - -RETE UPPER LIMIT LOWER LIMIT UNITS APERTURE TYPE DEV. CHANG SLOT INDEX SYS. FMT ITEM DESCRIPTION RATE WORD 24 014774 --- 005 --- 005 --- 0127--- 0127--- 200000--- 005 --- 014774 ---- 005 --- 014774 ----854 006 ana HEATER IN 014774 .200000+03 .000000 DΘ D03 DEGR-F .310000-01 011 002 655 006 000 COOLER IN o t 00 014774 6:5 006 000 Ō1 010 001 005 002 00 -- n1--- 0n7 005 --- 014774 857 006 000 .200000+03 .000000 .200000+03 .000000 DEGR-F .310000-01 014774 653 006 600 CHAMBER IN .00 .01 006 003 005 659 006 000 CHAMBER IN DEGR-F .310000-01 00 01 005 004 005 014774 HEAT EXCHANGER OUT _____.200000+03 ___.000000 ____ DEGR+F-__.31000D-DI-- 00 006 000 005 005 --- D14774 8 6 3 --- ກ7∙ -- 141 .200000+03 .000000 .310000-01 014774 861 006 OOD RETURN DEGR+F 00 nί 014 100 005 SEC INTECE 10581258126 .200000+03 .310000-01 E52 606 000 .000000 DEGR-F 00 07 142 003 003 014774 863 006 CUO 07 ---- 143 - 002 005 ---- 014774 .200000+03 DEGR-F 006 000 HEAT EXCHANGER IN .000000 .310000-01 00 07 144 003 005 014774 6.4 SECONDARY MIDDLE .200000+03 .000000 .310000-01 014774 006 000 DEGR-F 00 07 145 004 005 865 SECO: DARY SUPPLY IN----- 200000+03 -- .000000 DEGR- F- -- .310000-01 005 -- 014774 --้กก oን 146 ~ 005 866 006 000 SECONDARY SUPPLY .200000+03 .000000 .310000-D1 DEGR-F 00 005 014774 **6€7** 006 000 07 147 001 .200000+03 SECONDARY SUPPLY .000000 .310000-01 014774 869 006 000 DEGR-F 00 07 150 002 005 SECONDARY SUPPLY . 200000+03 .000000 .310000-01 DEGR-F 00 ~ 014774 819 006 000 07 - 151 003 005 SECONDARY SUPPLY ,200000+03 .000000 .310000-01 **67**0 006 000 DEGR-F 00 07 152 004 005 014774 .000000 SECONDARY SUPPLY CNTRL .200000+03 871 C06 000 DEGR-F .3100000-01 00 07-153 005 005 014774 006 000 SECONDARY SUPPLY ...,200000403 .000000 DEGR-F .310000-01 00 001 005 014774 872 07 154 SECONDARY SUPPLY :200000+03 .0000000 .310000-01 673 006 000 DEGR-F 00 07 155 002 005 014774 SECONDARY SUPPLY 874 006 000 .200000+03 .000000 DEGR-F .3100no-01 DO. 07 156 003 005 014774 **#75** 006 000 HEAT EXCHANGE OUT -- .200000+03 ...000000 DEGR-F --.310000-01 00 07 004 005 --- 014774 - 157 876 006 000 WATER SUPPLY ,200000+03 .000000 DEGR-F .310000-01 00 10 013 005 005 014774 606 000 . TOP OF ACCUMULTES 108 .200000+03 .000000 DEGR · F .310000-01 00 07 003 014774 031 001 077 BOT OF ACCUMULTES 118 200000+03 ----- .0000000 DEGR-F 310000-01 003 --- 014774 006 000 00 07 --- 032 --- 002 678 .000000 BOT OF ACCUMULTES 127 .200000+03 DEGR-F 879 006 000 .3100000-01 00 07 033 003 003 014774 DEGR-F BOT OF ACCUMINS 1078116 .200000+03 .000000 .310000-01 00 07 601 014774 680 006 000 036 003 BOT OF ACCUMULTES 117 ,200000+03 ... ,000000 DEGR-F ---- 310000-01 006 . 00 07 ··· 014774 881 000 037 002 003 ELEVON SIMULATOR 006 .300000+03 ·.300000+03 DEGR-F .150000-01 632 000 111 00 07 161 003 003 015473 .300000+03 ELEVON SIMULATOR -.300000+03 DEGR-F .150000-01 00 015473 893 CO 6 000 110 07 162 001 003 ELEVON SIMULATOR 109 -- .300000+03 · -.300000+03 .150000-01 003 -- 015473 -----€84 006 000 DEGRIF ÓΒ 07 -- 163 002 .150000-01 695 C96 000 ELEVON SIMULATOR 108 .300000+03 +.300000+03 DEGR-F. 00 07 164 003 003 015473 006 000 ELEVON SIMULATOR 104 .300000+03 -.300000+03 DEGR-F .150000-01 00 07 165 100 003 0:5473 855 €57 006 OCO ELEVON SIMULATOR 103 --.300000+03 -- .300000+03 DEGR-F -- 150000-01 00 07 -- 165 - 002 -- 003 ---- 015473 'FUSELAGE SIMULATOR 102 ..300000+03 -.300000+03 DEGR-F .150000-01 QQ 003 015473 606 000 07 167 003 990 FUSELAGE SIMULATOR 101 ,300000+03 -.300000+03 150000-01 DEGR-F 00 003 015473 Ai9 006 000 07 170 001 FUSELAGE SIMULATOR 100 --.300000+03 ---.3000000+03 .150000-01 590 006 000 DEGR-F 00 -- 07 -- 171 002 003 --- 015479 · 006 000 FUSELAGE SIMULATOR 099 .300000+03 -.300000+03 DEGR-F .150000-01 00 07 172 .003 003 015473 166 FUSELAGE SIMULATOR 098 .300000+03 -.300000+03 DEGR · F .150000-01 006 000 00 07 173 001 003 015473 892 FUSELAGE SIMULATOR 097 --- .300000+03 --- .300000+03 .300000+03 -.300000+03 .300000+03 -.300000+03 DEGR-F --- . 150000-01-- 00 600 000 07 ~ 174 002 003 015473 9 - 3 REFLECTOR PLATE COD 095 DEGR-F .150000-01 00 .04 035 003 003 015473 654 006 REFLECTOR PLATE 098 DEGR-F .150000-01 00 100 003 015473 668 C06 000 04 036 DEGR-F .4000000-01 595 C06 CDO 00 04 - Gn3 -- noi ·--005 015473 .100000+03 -.300000+03 897 C06 000 SUPPORT STAND 1 DEGR-F .4000000-01 00 .07 175 002 . DO5 015473 9+9 006 000 SUPPORT STAND 2 .100000+03 -.300000+03 DEGR - F .400000-01 00 07 176 003 005 015473 €93 006 000 DEGR-F --- 400000-01 - 00 --- 07 --- 177 -- 004-- 005 015473 006 000 SUPPORT STAND 4 .100000+03 -.300000+03 DEGR-F .400000-01 00 04 000 005 005 015473 50D 000 DEGR-F .400000-01 00 04 001 005 .. 015473 90: 606 001 DEGR - F ---- 400000 - 01 -- 00 --- 04-000 - noz---- nn2--005 015473 902 006 IRP 5 PUMP OUT TEMP 000 .200000+03 -.300000+03 DEGR-F .400000-01 00 01 020 003 005 015473 903 006

TEM				EMBLE CAUDLE
INDEX	5Y5.	FMT	ITEM DESCRIPTION UPPER LIMIT LOWER LIMIT	UNITS APERTURE TYPE DEV. CHANG SLOT RATE WORD 24
904	006	000	IRP 5 COLD HX IN TEMP :200000+03300000+03	DEGR-F400000-01 - 00 01 021 004 005 015473
905	006	000	IRP 5 COLD HX OUT TMP .200000+03300000+03	DEGR-F .400000-01 00 01 022 005 005 015473
906	006	000	IRP 5 HOT HX OUT TEMP .200000+03 +.300000+03	DEGR-F .400000-01 00 01 023 002 003 015473
907	006	000	IRP 6 PUMP OUT TEMP200000+03300000+03	DEGR-F ,400000-01 00 01 024 001 005 015473
9 C8	C05	000	1RP 6 COLD HX IN TEMP .200000+03300000+03	DEGR-F .400000-01 00 01 025 1002 005 015473
909	056	000	IRP 6 COLD HX OUT TMP .200000+03300000+03	DEGR-F .400000-01 00 01 025 003 005 015473
910	036	OOO	18P 6 HOT HX OUT TEMP	DEGR-F ,400000-01 - 00 01 027 003 015473
911	600	000	1RP 7 PUMP OUT TEMP .200000+03300000+03	DEGR-F .400000-01 00 01 030 004 005 015473
912 913	606 606	000	IRP 7 COLD HX IN TEMP .200000+03300000+03 IRP 7 COLD HX OUT TMP	DEGR-F .400000-01 00 01 031 005 005 015473 DEGR-F
914	CG5	000	IRP 7 HOT HX OUT TEMP .200000+03300000+03	DEGR-F .400000-01 00 01 033 001 003 015473
915	006	001	FW WALL HTR XCHNGR 119 .100000+02 +.100000+02	AMPS .250000+01 00 02 134 002 003 016462 .
916	C06	001	FW WALL HTR XCHNGR 120 100000+02 100000+02	AMPS250000+01 00 02 001 003 003 016462
917	606	001	FW WALL HTR XCHNGR 121 .100000+02100000+02	AMPS250000+01 00 02 002 001 003 016462
918	C06	001	PRI HT XCH TO FES 122 .100000+02100000+02	AMPS .250000+01 00 02 003 002 003 016462
919	r06	001	PRI HT XCH TO FES 123100000+02100000+02	AMPS250000+01 0002004003003015452
920	C06	001	PRI HT XCH TO FES 124 .100000+02100000+02	AMPS .250000+01 00 02 005 001 003 016462
921	106.	CO1	SEC HT XCH TO FES 125100000+02100000+02	AMPS .250000+01 00 02 006 002 003 016462
922	606	001	SEC HT XCH TO FES 126100000+02100000+02	AMPS 250000+01 00 02 - 007 003 003 - 016462
923	006	001	SEC HT XCH TO FES 105 .100000+02100000+02	AMPS .250000+01 00 02 010 001 003 016462
924	006	100	TOP OF ACCUMULIES 106 .100000+02100000+02	AMPS .250000+01 00 02 011 002 003 016462
925	C36	001	TOP OF ACCUMULTES 107100000+02100000+02	AMP5250000+01 00 - 02 - 012 003 016462
926	C06	001 001	TOP OF ACCUMULTRS 116 .100000+02100000+02 BUT OF ACCUMULTRS 117 .100000+02100000+02	AMPS .250000+01 00 02 013 001 003 016462 , AMPS .250000+01 00 02 014 002 003 016462
927	006	001	801 OF ACCUMULTRS 117 .100000+02100000+02 801 OF ACCUMULTRS 118:100000+02100000+02	
929	606	100	BOT OF ACCUMULTES 127 .100000+02100000+02	AMPS .250000+01 00 02 015 003 016462 AMPS .250000+01 00 02 016 001 003 016462
930	000	001	ELEVON SIMULATOR 111 .100000+02100000+02	AMPS .250000+01 00 D2 D17 002 D03 D16462
931	005	001	ELEVON SIMULATOR 110 100000+02 100000+02	AMPS
932	016	061	ELEVON SIMULATOR 100 .100000+02100000+02	AMPS ,250000+01 00 02 021 001 003 016462
923	(56	001	ELEVON SIMULATOR 108 .100000+02100000+02	AMP\$.250000+01 DO 02 022 002 003 016462
934	CJ6	001	ELEVON SIMULATOR 104 ,100000+02100000+02	AMPS 250000+01 00 02 023 003 016462
935	006	001	ELEVON SIMULATOR 103 .100000+02100000+02	AMPS .250000+01 00 02 024 001 003 016463
936	CC6	001	FUSELAGE SIMULATOR 102 .100000+02100000+02	AMPS .250000+01 00 02 025 002 003 016462
937	COS	001	FUSELAGE SIMULATOR 101100000+02100000+02	'AMP5 ,250000+01 00 02 - 026 003 016462
938	C36	OCI	FUSELAGE SIMULATOR 100 .100000+02100000+02	AMPS ,250000+01 00 02 027 001 003 016462
939	006	100	FUSELAGE SIMULATOR 099 .100000+02100000+02	AMPS .250000+01 00 02 030 002 003 016462
940	CJS	001	FUSELAGE SIMULATOR 098100000+02100000+02	AMPS250000+01 00 - 02 - 031 003 016462
941	¢36	001	FUSELAGE SIMULATOR 097 .100000+02100000+02	AMPS .250000+01 00 02 032 001 003 016462
942	605	100	REFLECTOR PLATE 095 .600000+01600000+01	AMPS .250000+01 00 02 033 002 003 016562
- 943	606	001	REFLECTOR PLATE 096600000+01600000+01	
944	016	010	CHAMBER A BARA INPUT 1 .000000 .000000	EVENT .000000 01 00 010 001 001 00001
945	016	010	O00000	EVENT .000000 01 00 011 001 001 000001
946 947	D16	000	000000 000000 000000 000000.00000.000000.000000	UNITS400000+01 00 -01 034 001 001 007205 UNITS .500000+02 00 01 035 G01 001 007302
947	016	000	000000, 000000, DOLANA 3DAD NOL A SCHO	UNITS .400000+01 00 01 036 001 003 007205
946	016	000	CHAS A ION GAGE RANGE000000000000	UNITS500000+02 00 01 037 002 003
1024	001	001	AVG H(A-2) CNTRL .400000+03 .000000	DEGR-F .000000 00 00 000 000 001 000061
1025	001	001	AVG H(A-1) .400000+03 .000000	DEGR-F .000000 00 00 000 001 000001
1025	601	100	AVG H(A-2)	DEGR-F 000000 00 - 00 000 001 000061
1027	001	001	AVG H(B-1) .400000+03 .000000	DEGR-F .000000 00 00 000 000 001 000061
		_		

						•		•	
1 TEM	-		a consequence of the second se						5
INDEX	5Y5.	FMT	ITEM DESCRIPTION UPPER LIMIT	LOWER LIMIT	UNITS	APERTURE TYPE	DEV. CHANL	SLOT RATE	WORD 24
							*		11
1028	001	001	AVG H(C+1) NOZ		DEGR-F	00 00000		- 000 001	· 000061
1029	001		HTR H(A) PRI .100000+04	.000000	WATTS	.000000 00	000 00	000 001	000061
1030	001	oot	HTR H(A) SEC .100000+04	.000000	WATTS	.000000 00	000 000	000 001	000061
1031	001	001	HIR H(A-1) TER	000000	WATTS	000000 00	- 000 000		000061
1032	COT	100	HTR H(A-2) TER	.000000	WATTS	.000000 00	00 000	000 001	000051
1032	COL	100	HTR H(B) PRI .100000+04	.000000	WATTS	.000000 00	00 000	000 001	000061
				0000000			- 00 000	TOO DOT	000081
1034	501 201	100		.000000	WATTS		00 000	000 001	000061
1035	CG 1	001	HTR H(B) TER .100000+04		WATTS				000061
1036	001	001	HTR H(C) PRI .100000+04	000000			00 000		
1037	Othi	001	HTR H(C) SEC	.000000	1774 1.00	-: 000000 00	00 000	000 001	
1039	071	100	HTS H(C) TER .100000+04	.000000	WATTS	.000000 00	00 000	000 001	000051
1033	COI	COI	HTR H(A) PRI .100000+05	.000000	W-HR	.000000 00	00 • 000	. 000 001	0000001
1040	GG 1	001	HTR HIA) SEC	000000	₩-нн	000000 00	. 00 . 000	000	000001
1041	001	001	HTR H(A-1) TER .100000+05	.000000	M-HB	.000000 00	00 000 .	000 001	000061
1042	001	001	HTR H/A-2) TER . 100000+05	.000000	M-HB	.000000 00	00 000	000 001	000061
1043	001	001	HTR H,8) PRI .100000+05	.000000	M-HB	000000 oo —	_ 000 000 _	000 001	
1044	C51	001	HTR H(B) SEC .100000+05	.000000	₩-HR	.000000 00	00 000	000 001	000061
1645	GC 1	COI	HTR H(B) TER .100000+05	.000000	M-HB	.000000 00	000 000	000 001	000061
1046	CCT	CCI	HTR H(C) PRI100000+05	.000000	₩-HR ·	.000000 - 00	000 00	000 001	- 000061
1047	COt	100	HTR H(C) SEC .100000+05	.000000	W-HR	.000000 00	00 000	000 001	. 000061
1048	G0 1	001	HTR H(C) TER .100000+05	.000000	W-HR	.000000: 00	000 00	000 001	000061
1049	001	100	HTR H/L TOT POWER 200000+05		W-HR		00 - 000	000 001	000061
1050	601	001	AVG H/L CUCT POWER .200000+04	.000000	WATTS	.000000 00	000 00	000 001	
1051	COT	004	H/L DUCT INTO INLT P .100000+03		T-HRS	0000000 00	000 000	000 001	·
1052	001	004	AVG H/L DUCT INLT P		TORR		" no " ono "	000	- -:
	GOT	004	H/L DUCT/CH DELT P .100000+02		TORR	.000000 00	00 000	000 001	· = -
1053					TOPR	.000000 00	00 000	000 001	
1054	1 00	004			DEGR-F		.000 .000		
1055	601	001	H/L EVP SINK TEMP 100000+03						
1056	001	001	H/L EVP INTG SK T . 100000+04		F-HRS	.000000 00	00 000	000 001	
1667	QQ 1	100	AVG H/L EVP SINK T .100000+03		DEGR+ F	.000000	00 000	000 001	
1058	00 f	001	AVG T (D) CNTRL		DECK-L.	. 00 00 00	00 000	000 001	- -
1959	001	G01	AVG T (D-1) .400000+03		DEGR-F	.000000 00	00 000	000 001	
1060	GC 1	001	AVG T (D-2) .400000+03		DEGR-F	.000000 00	00 000	000 001	- -
1061	CO t	001	AVG T (D-3)	····· 000000. ····	DEGR-F	00 ogoogo	~ 00 ~ 000 ~	000 0C1	000061
10.2	051	601	AVG T (D-4) .400000+03	.000000	DEGR+ F	.000000 , 00	000 000	000 001	000061
1053	001	SUL	AVG T (E) .400000+03	000000	.DEGR•F	.000000 00	00 000	000 DO1	
1064	COt	001		000000	· DEGR-F ··	00 000000	000 000	000 001	000061
1065	00 1	001	AVG T (E-2) .400000+03		DEGR-F	.000000 00	00 000	000 001	000061
1063	001	001	AVG TL (E-3) ,400000+03		DEGR-F	.000000 00	00 000	000 001	
1067	601	001		000000			000 000 -		
1068	001	001	AVG TR (E-5)400000+03		DEGR+F	.000000 00	00 000	000 001	
1069	100	001	AVG TR (F) .400000+03		DEGR-F	.0000000	00 000	000 001	
			AVG TR (G)		DEGR + F.		- 000 000	000 001	=
1070	00:	001			DEGR-F	.000000 00	00 000	000 001	
1671	651	001			DEGR-F		go 000	000 001	-,
1072	CO 1	100	AVG TL (1) CNTRL .400000+03			7-0-00			
1073	GD t	001	T DUCT AVG INLT P		TORR	100000	- 00 - 000 -		
1074	CO 1	100	T DUCT INTO AVG IN P 100000+03		T-HRS	.000000 00	00 000	000 001	
1075	CDI	001	AVG T DUCT INLT P100000+02		TORR	.000000 00	00 000	000 001	
1075	001	001	TOPP EVAP, SINK TEMP 100000+04		DEGR-F-		- 000 - 000	000 001	
1077	1 00	100	TOPP EVAP INTG SK T .100000+04	•.50000D+03	F-HRS	.000000 00	000 00	000 001	1 000061
	-								•

											~ · · · D · · =		-	
I YEM			· · · · · · · · · · · · · · · · · · ·	man de la lace de lace de la lace de lace d	LOWER LIMIT		APERTUR					RATE	WORD 24	
INDEX S	YS.	FMT	ITEM DESCRIPTION	OBSER CIWIT	FOMER CIWII	00112	APERIUK	1116	DEA.	CHARL	SLOT	MAIG	#UND 24	
1078 50	n 4	001	AVG TOPP EVP SINK T	CO+DODOO!	500000+02	DEGR-E	. 000000	- 00	00	000 -	000 -	- 001	000061	
	01	001	TOPP DUCT/CH DELT P	.100000+02	.000000	TORR	.000000	00	00	000	600	001	000061	
	91	004	H/L DUET AVG INLET P	.100000+02	.000000	TORR	.000000	00	οũ	000	000	001	000061	
	31 31	001	TL DUCT DELT P	100000+D2	000000			00	ŎĐ.	- 000	- 000 -	001	000081	
	91	001	TR DUCT DELT P	.100000+02	.000000	TORR	.000000	00	αĎ	000	000	001	000061	•
	ōi.	001	HTR T (D) PRI	100000+04	000000	WATT	.000000	00	ōå	000	000	001	000061	
	Õi	001		100000+04		WATT		00	··· ōo ··	000 -	000 ·	001	000061	
	31	001	HIR T (D-t) TER	.100000+04	000000	WATT	.000000	00	00	000	000	001	000061	
	01	100	HTR T (D-2) TER	.100000+04	.000000	WATT	.000000	00	ĐΟ	000	000	001	000061	
1087 6	01	001	HTR T (D-3) TER	100000+04	000000 · ···-		.000000		OO	000		001		•
1088 G	01	001	HTR T (D-4) TER	100000+04	.000000	WATT	.000000	00	00	000	000	001	160000	
1089 0	01	001	HTR T (E) PRI	.100000+04	.000000	WATT	.000000	00	OO	000	600	001	000061	•
1090 0	01	001	HTR T (E) SEC	: 100000+04	.000000		,	00	00	000	. 000	001		
	101	001	HTR T (E-1) TER	.100000+04	.000000	TTAW	1000000	00	00	000	000	001	000061	
	O t	001	HIR TL(E-2) TER	100000+04	.000000	WATT	.000000	00	00	000	۵00	DO 1	000061	•
	1 0	001	HTR TL(E-3) TER	100000+04	.000000			OC	00 .		000	001		·
	Q1 -	001	HTR TRIE-41 TER	100000+04	.000000	WATT	.000000	00	00	000	000	061	000061	
	01	COI		.100000+04	.000000	WATTS	.000000	00	00	000	000	001	180000	
	01	001	HIR TRIF) PRI	:100000+04				00 00	00	000	000	001 001	000061	
	10 1	001	HIR TRIF) SEC	.100000+04	.000000	WATTS Watts	.000000	00	. 00	000 000	000	001	000061	
	01	001	HIR TR(G) PRI	.100000+04	000000			00	00	000	000	00 t		
	1 00	001	HTR TR(G) SEC	100000+04	.000000	WATTS	.000000 -	00	00	000	000	601	180000	•
	i01 i01	001 001	HIR TL(H) PRI HIR TL(H) SEC	10000010404	.000000	WATTS	.000000	00	00	000	000	001		
			HIR TL(I) PRI	100000+04	000000		.000000	00	ao		noo	00 t		
	101 101	001	HIR TL(I) SEC	.100000+04	.000000	WATTS	.000000	00	00	000	000	001	000061	
	201	CO2	HIR H(A) PRI	.300000+02	.000000	AMPS	.000000	00	00	000	000	001	000061	
	31	062			2000000			00	no	·· 000	poo	001		
	201	002	HIR H(A-1) TER	300000+02	.000000	AMPS	.000000	ŏŏ	60	000	000	001		
	201	CO2	HTR H(A-2) TER	300000+02	.000000	AMPS	.000000	00	00	000	000	001		•
	1 00	002		- 300000+02	.000000	AMPS		00	00	000	000	. 001		
	001	002	HTR H(B) SEC	,300000+02	.000000	AMP5	.000000	ÕÕ	00	000	000	001		
	001	002	HTR H(B) TER	.300000+02	.000000	AMPS	.000000	00	00	000	000	001	- •	•
	201	002	HTR AMPS T (D) PRI		.000000	AMPS		00	. 00	000		00t		
	001	002	HTR AMPS T (D) BEC	.300000+02	.000000	AMPS	.000000	00	00	000	000	001	000061	
	501	C02	HTR AMPS TID-1) TER	.300000+02	.000000	.AMPS	.000000	00	äO	000	000	001	000061	
	יופכ	002		300000+02	000000.			00	ÕÕ	000		···· 001		·
	01	002	HTR AMPS T(D-3) TER	.300000+02	.000000	AMPS	.000000	00	.00	000	000	001	000061	
	001	002	HTR AMPS T(D-4) TER	.300000+02	.000000	AMP5	.000000	00	00	000	000	001	000061	
		002			000000	AMPS	000000	00	··· 00·		000	DO 1		
	001	002	HTR AMPS T(E) SEC	.300000+02	.000000	AMPS	.000000	00	00	000	000	001		
	201	C02	HTR AMPS T(E-1) TER	.300000+02		AMPS	.000000	00	00	000	000	001		
1120 0	100	002	HTR AMPS TL(E-2) TER			AMPS -	.000000	00	00	000	000	001		
1121 0	001	002	HTR AMPS TL(E-3) TER	.300000+02	.000000	AMPS	.000000	00	00	000	000	001		
	001	602	HTR AMPS TR(E-4) TER	.300000+02		AMPS	.000000	00	00	000	000	001		
	301	002	HTR AMPS TR(E-5) TER			AMPS ···		00	00	000	000	- 001		
	O 1	100	HTR T (D) PRI	100000+05	.000000	W-HRS	.000000	00	00	000	000	001		
	1 00	601	HTR T (O) SEC	100000+05		W-HRS	.000000	, 00	00	000	000	. 001		
	1 50	001	HTR T (D-1) TER	100000+05		W-HRS		00		~- 000	000 -			
1127 (30 1	001	HIR T (D-2) TER	.100000+05	.000000	W-HRS	.000000	. 00	00	000	000	001	000061	

ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES SAMPLE PER LIMIT LOWER LIMIT UNITS APERTURE TYPE DEV. CHANL SLOT

ITEM INDEX SYS. FMI	THE DESCRIPTION UPPER LIMIT LOW	ER LIMIT UNITS	TS APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
1128 001 001	HTR T (0-3) TER100000+050	00000 W-HRS	S000000 00 00 000 000 - 001 000061
1129 COT 001		00000 W-HRS	\$.00000 00 00 000 001 000061
1130 001 001		00000 W-HRS	
1131 901 001		00000 W-HRS	
1132 001 001		00000 W-HRS	
1133 001 001	· · · · · · · · · · · · · · · · · · ·	00000 W-HRS	
1134 DD1 001	· · · · · · · · · · · · · · · · · · ·		
1135 001 003		00000 W-HRS	
1136 001 001 1137 031 001	· · · · · · · · · · · · · · · · · · ·	00000 W-MRS	
1137 C31 C01 1138 CC1 CC1		00000 W-HRS	
1139 001 001		00000 W-HRS	
1140 001 001		DOODO WHRS	
1141 001 00	1 HTR TL(H) PRI .100000+05 .0	00000 W-HRS	
1142 001 00		00000 W-HRS	
1143 GD1 Q01		00000 W-HRS	
1144 001 00		00000 . W-HRS	
1145 001 .00		00000 W-HRS	
1146 001 00		00000 WATTS	
1147 G31 00		00000 LB/HR	
1148 CO1 CO 1149 CO1 CO	· · · · · · · · · · · · · · · · · · ·	00000 LB/HR	
1150 001 00	t the true that the time to	00000 LB/HR	10 00000 00 00 000 000 001 000061
1151 601 00		00000 DEGR-	
1152 C31 00	1		7- F , 000000 00 000 000 001 000061
1153 CO1 CO		00000 DEGR-	1-100000 100 000 000 00 0000001
1154 001 00	1 F/W AVG LN -T SEC .150000+03 .D	OOOOD DEGR-	
1155 001 00		100000 DEGR-	
1156 C31 00	, ,,, ,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	100000 DEGR-	
1157 001 00		100000 . FB\HL	
1159 601 60			
1153 601 00	TO THE THE THE TAX TO	100000 LO/HR	
1160 001 00		000000 LB/HR 000000 LBS -	
1151 001 00		000000 LBS	.000000 00 00 000
1152 001 00		000000 LBS	.000000 00 000 000 001 0000001
1154 001 00			Tree to the tree to the tree tree tree tree tree tree tree
1165 001 00	• • • • • • • • • • • • • • • • • • • •	100000 LB/HR	***************************************
1165 001 00		000000 LB/HR	
1167 CO1 00			HR 000000 00 00 000 000000
1168 021 00		000000 LB/HR	
1169 CO1 CO	F-21 SEC CART FLOW .300000+04 .0	100000 LB/HR	
-1170 CJ1 CO		300000 BTU/H	
1171 601 00		000000 BTU/H	
1172 601 00	· · · · · · · · · · · · · · · · · · ·	000000 BTU/H	
1173 601 00			
1174 -001 -00	· · · · · · · · · · · · · · · · · · ·	000000 BTU/L 000000 BTU/L	ne reverse a company of the company
1175 CO1 CO 1176 CO1 CO			
1176 CO1 CO	· · · · · · · · · · · · · · · · · · ·	000000 810/L	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1111 001 00	of the model is that the tent		A TANDON IN AN ANA OLD THE TANDON

ITEM DEFINITION - REAL AND PSEUDO MEASUREMENT INDEXES

			4 * 100	PE: 1 , 1	trant wi	in Latina twantrieful supevia
I TEM			The second secon	*		SAMPLE SAMPLE
	SYS.	FMT	ITEM DESCRIPTION . UPPER LIMIT LO	WER LIMIT	UNITS	APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
. 1178	001	001	F-21 GUTLT H -SEC500000+02	.000000	BTU/LB	.000000 100 000 000 0000001
1179	001	000	H/L EVP INST QDOT150000+06 .	.000000	BTU/HR	.000000 00 00 000 000 001 000061
1180	001	000	T EVP 1857 QDQT .100000+06 .	.000000	BTU/HR	.000000 00 00 000 000 001 000061
1181	061	000	FES INST QUOT	.000000	BTU/HR -	.000000 00 00 000 000 001 000061
1182	COt	000	H/L INTG Q .150000+07 .	.000000	BTU	.000000 00 00 000 000 001 000061
1183	001	000		, 000000	BTU	.000000 00 00 000 000 001 000001
1184	001	000	FES INTG Q	. 000000 .	BTU	.000000
1165	1 CD	002		.300000+02	DEGR-F	.000000 00 00 000 000 001 000061
1186	001	001		.500000+02	F/SEC	.000000 00 00 000 000 001 000061
1167	071	002		.300000+02	DEGR-F	
1188	001	100		.000000	PS[A	.000000 00 00 000 000 001 000061
1189	201	001		.000000	PSIA	.000000 00 00 000 000 001 000061
1150	1 00	GD4	• • • • • • • • • • • • • • • • • • • •	.0000000	HOURS	.000000 00 00 - 000 000 000061
1191	005	005	The same of the sa	.000000	FLUX	.000000 00 00 000 001 050001
1192	005	005		.000000	FLUX	.000000 00 00 000 000 001 (100001
1193	CC5	005	RPMS ION GAGE PRESS	.000000	TORR	
1194	CO5	CC5		.000000	TORR	.000000 00 00 000 000 001 000001
1195	005	005		.000000	TORR	.000000 00 00 000 000 001 000001
1196	CJ5	C05		.000000	.TORR	.000000 00 00 000 000 001 000001
1197	005	OC5		.000000	TORR	.000000 00 00 000 000 001 000001
1199	G16	005		.000000	TORR	.000000 00 00 000 001 000001
1199	016	005		.000000		.000000 00 00 000 001 000001
1200	0:6	005		,000000	TORR	.000000 ' 00 00 000 000 001 000001
1201	001	002		.000000	WATTS	.000000 00 00 000 000 001 000001 .
1202	001	002		000000		-,000000 00 ··· 00 ··· 000 ···· 000 ···· 001 000001 ·
1203	001	002		.000000	WATTS	.000000 00 000 000 001 000001 .
1204	1 00	002	AVG POWER ZONE CP .000000	.000000	WATTS	.000000 00 00 000 001 000001
1205	001	002	AVG POWER ZONE D1	.000000	WATTS	000000 100 000 000 000 000001
1200	COI	002	AVG POWER ZONE D2 .000000	.000000	WATTS	.000000 00 00 000 000 001 000001
1207	031	002	AVG POWER ZONE D3 .000000	.000000	WATTS	.000000 00 00 000 000 001 000001
1208	COL	002	AVG POWER ZONE D4	.000000	WATTS -	.000000 00 00 000 000 000001
1269	001	002	AVG POWER ZONE E1 .000000	.000000	WATTS	100000 100 000 000 00 00 000001
1210	100	002	AVG POWER ZONE E2 .000000	.000000	WATTS	.000000 00 00 000 000 001 000001
1211	001	002	AVG POWER ZONE E3	.000000	WATTS	
1212	001	002	AVG POWER ZONE E4 .000000	.000000	WATTS	.00000 00 00 000 001 000001
1213	001	002		.000000	WATTS	100000 100 000 000 00 00 000 000
1214	CO 1	002		.000000	WATTS	
1215	CO 1	002		.000000	WATTS	.000000 00 00 000 000 001 000001
1216	001	002		.000000	WATTS	.000000 00 00 000 000 001 000001
1217	001	002		.000000		
1215	003	005		.000000	TORR	.000000 00 00 000 000 001 000001
1213	003	005		.000000	TORR	100000 00 00 000 000 001 000001
1220	003	002		.000000	DEGR-F	.000000 00 00 000 000 000001
1221	C03	002		.000000	DEGR-F	.00000 00 00 000 000 001 000001
1222	053	002		.000000	DEGR-F	.000000 00 00 000 000 001 000001
1223	C03	CO2		.000000	DEGR-F	
1224	003	002		.000000	DEGR-F	.00000 00 00 000 000 001 000001
1225	003	002		.000000	DEGR-F	.00000 00 00 000 000 001 000001
1226	003	002		.000000	DEGR-F-	
1227	003	002	·· · · · · · · · · · · · · · · · · ·	.000000	DEGR-F	,00000 00 00 000 000 001 000001

				. •••			,,,,= ,		***********	•			-
1 TEM			F . Firston		man .					SAMPLE	SAMPLE		
INDEX	SYS.	FMT	ITEM DESCRIPTION	UPPER LIMIT	LOWER LIMIT	UNITS	APERTURE TYPE	DEV.	CHANL	SLOT,	RATE	WORD 24	
4070	007	002	DELTA PRAD DINE 44	000000	000000	DESC	0400-0 50					555554	
1278	003		DELTA EVAP PIPE 11	000000		DEGR-F	000000 00	00	- 000 -	000		000001	
1279	003	002	DELTA MID-TUBE PIPE 02 DELTA MID-TUBE PIPE 07	.000000 .000000	.000000 .000000	DEGR·F	.000000 00	00	000	000 .	001	100000	
1280	603	002	DELTA MID-TUBE PIPE 12	000000	000000	DEGR-F	00 000000	00 00	. 000 000	000	001 001	000001	
1281 1282	003	002	DELTA CONDER PIPE 03	.000000	.000000	DEGR-F	.000000 00	00	000	000	- 001 001	100000	
1283	003	002	DELTA CONDSR PIPE OS	000000	.000000	DEGR-F	.000000 00	00	000	000 .		100000	
1284	EC0	002						DO -	000 ·		- 001	000001	
1285	203	002	DELTA CONDSR PIPE 10	.000000	.000000	DEGR-F	.000000	00	000	200	001	000001	
1286	003	002	DELTA FIN-MID PIPE 2-3	.000000	.000000	DEGR · F	.000000 00	00	000	000	100	000001	
1267	003	002		000000	000000		000000	no -	··· 000 ···	000	00 t	000001	
1298	003	002	DEL FIN MID PIPE 09-10	.000000	.000000	DEGR - F	.000000	00	000	000	001	000001	
1289	603	002	DEL FIN-MID PIPE 11-12	.000000	.000000	DEGR-F	.000000 00	õõ	000	000	001	000001	
1290	CO3	002	DELTA FIN-CON PIPE 8-4		000000	DEGR-F		00	. 000	. 000 -	001	000001	
1291	603	002	DELTA FIN-CON PIPE 5-6	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1292	003	002	DELTA FIN-CON PIPE 7-8	,000000	.000000	DEGR - F	.000000 00	00	000	000	001	000001	
1293	COS	002		000000		DEGR-F	000000 00	- 00	- 000 -	aao -		000001	···
1294	003	002	DELTA F21 FLOWRATE	.000000	.000000	DEGR-F	.000000	00	000	000	001	000001	
1295	60.3	002	DELTA F21 DELTA TEMP	.000000	.000000	DEGR . F	.000000 00	00	000	000	001	000001	
1296	003	092	DEL FIN-CON PIPE 10-11-			DEGR - F	.000000 00	. 00	000	- 600	001	- 000001	
1297	003	002	DELTA VAPOR	.000000	.000000	DEGR - F	.000000 00	00	000	000	001	100000	
1298	003	002	DELTA FIN MIDPT-EVAP	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1299	003	002	DELTA TUBE ROOT-MID	000000	000000	DEGR-F		oo	- 000 -	— 000 —	- 001	000001	
1300	023	CC2	DELTA FIN MIDPT-MID	.000000	.000000	DEGR-F	.000000 00	00	000	600	001	000001	
1301	CO3	CO2	DELTA FIN MIDPT-COND	.000000	.000000	DEGR-F	.000060 00	00	000	000	001	600001	
1302	003	602	DELTA F21 INLET TEMP	000000		DEGRIF		- 00	ooo	·· 000 ·	==:	000001·	
1303	003	002	DELTA F21 FLOWRATE	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1304	053	002	DELTA F21 DELTA TEMP	.000000	.000000	DEGN-F	.000000 00	00	000	000	001	000001	
1305	003	602		000000				00			- 001	- 000001	
	603	602	DELTA VAPOR PIPE 02	000000	.000000	DEGR-F	.000000	00	000	000	001	000001	•,
1306		002	· · · · · · · · · · · · · · · · · · ·	000000	.000000	DEGR-F			000	000	001	000001	
1307	603		DELTA VAPOR PIPE 03		,	,		00					
1308	603	002		000000	. 000000	DEGR-F		00	900	· 600 ·	··· 0D1	- 000001	
1309	003	002	DELTA VAPOR PIPE 05	.000000	.000000	DEGR · F	.0000000 00	00	000	000	601	100000	
1310	003	OC3	DELTA VAPOR PIPE 06	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1311	00.3	002		000000	000000	DEGR-F	- · -	00	000	000	001	000001	
1312	C53	002	DELTA VAPOR PIPE OB	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1313	cc a	002	DELTA VAPOR PIPE 09	.000000	.000000	DEGR-F	.000000	00	000	000	001	000001	
1314	C03	062	DELTA VAPOR PIPE 10	000000	000000			60	- 000	Ç	001	000001	
1315	CG 3	002	DELTA VAPOR PIPE 11	,000000	.000000	DEGR-F	.000000 00	. 00	000	000	001	100000	
1316	003	002	DELTA VAPOR PIPE 12	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1317	CC 3	003	GELTA EVAP PIPE O1	000000	000000			00·		000	001	000001	
1318	CC 3	002	DELTA EVAP PIPE 04	.000000	.000000	DEGR · F	,000000 00	QD	000	000	001	000001	:
1319	CO3	002	DELTA EVAP PIPE 06	.000000	,000000	DEGR · F	.000000 00	60	000	000	. 001		
· 1320	CJ3	002	DELTA EVAP PIPE 09	000000	000000			···· 00	000	000	001		
1321	003	002	DELTA EVAP PIPE 11	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
1322	CGJ	002	DELTA MID-TUBE PIPE 02	,000000	.000000	DEGR+ F	.000000 00	00	000	000	001	000001	
1323	003	002	DELTA MID-TUBE PIPE 07-	000000	000000	DEGR-F		DO -	000	 000	- 001	000001	,
1324	003	005	CELTA MID-TUDE PIPE 12	. ,000000 -	.000000	DEGR-F	.000000 00	- 00	000	000	001	7 000001	•
1325	003	002	DELTA CONDSR PIPE 03	.000000	.000000	DEGN-F	.000000 00	00	000	000	001	000001	
- 1326	993	602	DELTA CONDSR PIPE 05		000000	- DEGR-F	00000000	00·		<u> 000</u>	- 001	000001	
1327	CO3	002	DELTA CONDSR PIPE 08	.000000	.000000	DEGR-F	.000000 00	00	000	000	001	000001	
											-		

		- "		
ITEM	1997	Manager 1991 - 11 to market surveys make .		SAMPLE SAMPLE
INDEX SYS. FMT	ITEM DESCRIPTION	UPPER LIMIT LOWER LIMI	T UNITS	APERTURE TYPE DEV. CHANL SLOT RATE WORD 24
1328 003 002	DELTA CONDSR PIPE 10	000000 000000	DEGR-F	
1329 603 002			DEGR-F	.000000 00 00 000 000 001 000001
1330 C33 002	DELTA FIN-MID PIPE 6-7		DEGR- F	.00000 100 000 000 00 000 001
1331 003 002	DEL FIN-MIO PIPE 09-10			
1332 003 002 1333 003 002	DEL FIN-MIO PIPE 11-12 DELTA FIN-CON PIPE 3-4		DEGR-F	100000 100 000 000 00 00 00 00 00 00 00
1334 603 602	DELTA FIN-CON PIPE 5-6			**100000 100 000 000 00 00 00 00 00 00 00
1335 003 002	DELTA FIN-CON PIPE 7-8		DEGR-F	.00000 100 000 000 00 00 000 000
1336 CO3 002	DEL FIN-CON PIPE 10-11	.000000 .000000	DEGN · F	.000000 00 00 000 . 000 001 000001
1337 000 002	DELTA FZT INLET TEMP		DEGRIF	000000 100 000 000 000 000 000000
1338 C32 002	DELTA F21 FLOWRATE .	000000 000000	DEGR-F	.000000 00 00 000 001 000001
1339 CT3 002 1340 G33 002	DELTA F21 DELTA TEMP DELTA VAPOR	000000 000000	DEGR-F DEGR-F	.00000
1341 003 002	DELTA FIN MIDPT-EVAP	. 000000	DEGR-F	.000000 00 00 000 000 001 000001
1342 603 602	DELTA TUBE ROOT-MID	000000 000000.	DEGR - F	.00000 00 00 000 000 001 000001
1343 003 002	DELTA FIN MIDPT-MID -	000000	DEGR+F	.00000 100000 100 000 000 000
13-4 003 002	•	- 000000, 000000.	DEGR-F	100000 100 000 000 00 000 000
1345 003 002 1346 003 002		000000, 000000	DEGR-F	.00000 00 00 000 000 00 00 00 00
1347 633 002		.000000 000000	DEGR-F	.00000 100 000 000 00 00 00 000 000 000
1349 073 001	SY TOT FLOW TO HP-FIN	.000000 0000000	LB/HR	100000 100 000 000 00 000 000 100
1349 000 001	RAD SYSTEM LEG FLOW .	000000	LB/HR	.000000 100 000 000 000 0000001
1350 CC3 DC1	PAREL SYSTEM FLOW	000000. 000000.	LB/HR	100000 00 00 000 000 001 000001
1351 003 001	PAREL #1 MID FLOW	.000000 .000000	LO/HR	.000000 00 00 000 000 001 000001
1352 003 001 1353 003 001				
1353 003 001 1354 003 001	PANEL #3 MID FLOW SYSTEM BYPASS FLOW	000000, 000000, 000000, 000000,	LB/HR LB/HR	100 000 00 00 000 000 000 000 100 000 0
1355 600 001	ELEMENT WI FLOW			100000 100 000 000 000 000 000000
1356 003 001	ELEMENT #2 FLOW	.000000 .000000	LB/HR	. 100000 107 000 000 00 00 00 0001
1357 GO3 OO1	ELEMENT #3 FLOW	.000000 000000	re/H#	.000000 00 000 000 001 000001
•	a a a su su su qui a consensate annue			
÷				
•		Company of the Same of		
approaching page. It restaurage				
·		•		
1				
The second secon				
	77			

A SECTION OF SECTION OF SECTION SECTIO	ITEM DEFINITION STIMUL	IJS TAIDFUE
ITEM INDEX SYS. FMT	STIMULUS DESCRIPTION UNITS	
نشا دسان بدو	with a visit of the first	
h		
The second secon		
plane a communicación communicación de c		
, -		
THE RESERVE OF THE PROPERTY OF	··· III i ugi bi min	4
The state of the s		
• • • • • • • • • • • • • • • • • • • •	a mental and a company of although an administration of additional material and stability of the company of the	

3377

TITEM INDEX SYS FMT SYIMULUS DESCRIPTION UNITS TYPE CODE TYPE DEV CHAML	1TEM DEFINITION - STIMULUS INDEXES								
225.9 0.06 0.01 HL DUCT A PRILNOD 35 DEGR-F 22768 00 00 377 225.9 0.06 0.01 HL DUCT A SEC.MOD 35 DEGR-F 22768 00 00 377 225.2 0.06 0.01 HL DUCT A SEC.MOD 37 DEGR-F 22768 00 00 377 225.2 0.06 0.01 HL DUCT A SEC.MOD 37 DEGR-F 22768 00 00 377 225.2 0.06 0.01 HL DUCT A SEC.MOD 37 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 37 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 37 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 38 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 39 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 39 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 39 DEGR-F 22768 00 00 377 225.5 0.06 0.01 HL DUCT A SEC.MOD 39 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT A SEC.MOD 39 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT A SEC.MOD 42 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT A SEC.MOD 42 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 45 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 45 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 45 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 45 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 47 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 47 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 47 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 47 DEGR-F 22768 00 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HL DUCT B SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HD DUCT D SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 HD DUCT D SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 TOP DUCT D SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 TOP DUCT D SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 TOP DUCT D SEC.MOD 50 DEGR-F 22768 00 00 377 225.3 0.06 0.01 TOP DUCT D TER.MOD 50 D	ITEM INDEX SYS.	FMT STIMULUS DESCRIPTION UNITS	CHANL,						
25:59 005 001 HL DUCT A PRILNOD 35 DEGR-F 22758 00 00 377 26:51 006 001 HL DUCT A PRILNOD 35 DEGR-F 22758 00 00 377 26:52 006 001 HL DUCT A SEC.MOD 37 DEGR-F 32758 00 00 377 26:52 006 001 HL DUCT A SEC.MOD 38 DEGR-F 32758 00 00 377 26:52 006 001 HL DUCT A SEC.MOD 38 DEGR-F 32758 00 00 377 26:54 006 001 HL DUCT A SEC.MOD 38 DEGR-F 32758 00 00 377 26:55 006 001 HL DUCT A SEC.MOD 38 DEGR-F 32758 00 00 377 26:56 006 001 HL DUCT A SEC.MOD 38 DEGR-F 32758 00 00 377 26:56 006 001 HL DUCT A SEC.MOD 39 DEGR-F 32758 00 00 377 26:57 006 001 HL DUCT A SEC.MOD 39 DEGR-F 32758 00 00 377 26:58 006 001 HL DUCT A SEC.MOD 39 DEGR-F 32758 00 00 377 26:59 006 001 HL DUCT A SEC.MOD 42 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT A SEC.MOD 42 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 45 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 45 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 45 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 45 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 45 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 45 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 47 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 50 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT B SEC.MOD 50 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT C SEC.MOD 50 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT C SEC.MOD 50 DEGR-F 32758 00 00 377 26:50 006 001 HL DUCT C SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D SEC.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D TER.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D TER.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D TER.MOD 50 DEGR-F 32758 00 00 377 27:50 006 001 HD DUCT D TER.MOD 50 DEGR-	2048 006	OD1 HL DUCT A PRI MOD 33 DEGR-F 32768 DO DO	997						
2050 006 001 HL DUCT A PEL-NOO 38 DEGR-F 32768 00 00 377 2153 006 001 HL DUCT A SEC. MOD 37 DEGR-F 32768 00 00 377 2153 006 001 HL DUCT A SEC. MOD 37 DEGR-F 32768 00 00 377 2153 006 001 HL DUCT A SEC. MOD 38 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 39 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 40 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 40 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 41 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 41 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 42 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT A SEC. MOD 45 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 45 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B PEL-NOO 46 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B PEL-NOO 48 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 49 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT B SEC. MOD 49 DEGR-F 32768 00 00 377 2155 006 001 HL DUCT C SEC. MOD 49 DEGR-F 32768 00 00 377 2156 006 001 HL DUCT C SEC. MOD 49 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT C SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2157 006 001 HL DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2158 006 001 HD DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2159 006 001 HD DUCT D SEC. MOD 50 DEGR-F 32768 00 00 377 2150 006 001 HD DUCT D SEC. MOD 50 DEGR-F 3	2049 006	The sale till the till is the sale to the sale till in the sale till the sale till in the sale till the sale till the sale till till the sale till till the sale till till the sale till till till till till till till ti							
2251 006 001 HL DUCT A SEC. MOD 38 DEGR-F 32768 00 00 377 1553 005 001 HL DUCT A SEC. MOD 37 DEGR-F 32768 00 00 377 1554 005 001 HL DUCT A SEC. MOD 39 DEGR-F 32768 00 00 377 2554 005 001 HL DUCT A SEC. MOD 39 DEGR-F 32768 00 00 377 2558 005 001 HL DUCT A SEC. MOD 39 DEGR-F 32768 00 00 377 2558 005 001 HL DUCT A SEC. MOD 39 DEGR-F 32768 00 00 377 2558 005 001 HL DUCT A SEC. MOD 40 DEGR-F 32768 00 00 377 2558 005 001 HL DUCT A SEC. MOD 42 DEGR-F 32768 00 00 377 2558 005 001 HL DUCT A SEC. MOD 42 DEGR-F 32768 00 00 377 2558 005 001 HL DUCT B SEC. MOD 44 DEGR-F 32768 00 00 377 2559 005 001 HL DUCT B SEC. MOD 45 DEGR-F 32768 00 00 377 2559 005 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 48 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 49 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 49 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 49 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HL DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HD DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HD DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HD DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HD DUCT B SEC. MOD 50 DEGR-F 32768 00 00 377 2550 005 001 HD DUCT B SEC. MOD 50 DEGR-		AA. 11. Build a said and a said a							
- 2552		TILL OF THE TOTAL TOTAL THE TERM TO THE TE							
\$1.53									
2054 006 001 HL DUCT AI TER, MOD 39 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT AI TER, MOD 40 DEGR-F 32768 00 00 377 2057 006 001 HL DUCT AI TER, MOD 41 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT AI TER, MOD 41 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT AI TER, MOD 41 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT AI TER, MOD 43 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 43 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 45 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 45 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 45 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 45 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 49 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2070 006 001 HL DUCT AI TER, MOD 50 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT DIT AI MOD, 55 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT DIT AI MOD, 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT DIT AI MOD, 56 DEGR-F 32768 00		ADA 114 MILES A GEN 1-00 MG							
25.55 0.06 0.01 HL DUCT AI TER.MOD 40 DEGR-F 32768 0.0 0.0 377 26.56 0.06 0.01 HL DUCT AI TER.MOD 42 DEGR-F 32768 0.0 0.0 377 26.57 0.06 0.01 HL DUCT AI TER.MOD 42 DEGR-F 32768 0.0 0.0 377 26.58 0.06 0.01 HL DUCT AI TER.MOD 42 DEGR-F 32768 0.0 0.0 377 26.59 0.06 0.01 HL DUCT AI TER.MOD 43 DEGR-F 32768 0.0 0.0 377 26.50 0.06 0.01 HL DUCT AI TER.MOD 44 DEGR-F 32768 0.0 0.0 377 26.50 0.06 0.01 HL DUCT AI TER.MOD 45 DEGR-F 32768 0.0 0.0 377 26.50 0.06 0.01 HL DUCT BILL DUCT AI TER.MOD 45 DEGR-F 32768 0.0 0.0 377 26.51 0.06 0.01 HL DUCT BILL DUCT									
2056 006 001 HL DUCT AT TER.NOD 41 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT AZ TER.NOD 42 DEGR-F 32768 00 00 377 2059 006 001 HL DUCT AZ TER.NOD 43 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AZ TER.NOD 43 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT AZ TER.NOD 45 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT AZ TER.NOD 45 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT B PRI.NOD 45 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT B SEC.NOD 47 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT B SEC.NOD 48 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT B SEC.NOD 49 DEGR-F 32768 00 00 377 2052 006 001 HL DUCT B TER.NOD 50 DEGR-F 32768 00 00 377 2053 006 001 HL DUCT C SEC.NOD 52 DEGR-F 32768 00 00 377 2054 006 001 HL DUCT C SEC.NOD 52 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT C SEC.NOD 52 DEGR-F 32768 00 00 377 2057 006 001 HL DUCT C TER.NOD 50 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT C SEC.NOD 52 DEGR-F 32768 00 00 377 2059 006 001 TOP DUCT D PRI.NOD 54 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D PRI.NOD 55 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PRI.NOD 55 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D PRI.NOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D PRI.NOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D PRI.NOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D PRI.NOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D TER.NOD 59 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D TER.NOD 59 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D TER.NOD 59 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D TER.NOD 59 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.NOD 59 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.NOD 59 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.NOD 50 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT D TER.NOD 50 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.NOD 50 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D TER.NOD 50 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D TER.NOD 50 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D TER.NOD 50 DEGR-F 32768 00									
2057 006 001 HL DUCT AZ TER, NOD 42 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT AZ TER, NOD 44 DEGR-F 32768 00 00 377 2059 006 001 HL DUCT AZ TER, NOD 44 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AZ TER, NOD 44 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT AZ TER, NOD 48 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT BZ TER, NOD 48 DEGR-F 32768 00 00 377 2050 006 001 HL DUCT BZ TER, NOD 49 DEGR-F 32768 00 00 377 2051 006 001 HL DUCT BZ TER, NOD 49 DEGR-F 32768 00 00 377 2053 006 001 HL DUCT BZ TER, NOD 50 DEGR-F 32768 00 00 377 2054 006 001 HL DUCT BZ TER, NOD 50 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT C PZ TER, NOD 50 DEGR-F 32768 00 00 377 2057 006 001 HL DUCT C PZ TER, NOD 50 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT C PZ TER, NOD 50 DEGR-F 32768 00 00 377 2059 006 001 HL DUCT C PZ TER, NOD 50 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D PZ TER, NOD 53 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PZ TER, NOD 53 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PZ TER, NOD 55 DEGR-F 32768 00 00 377 2072 005 001 TOP DUCT D PZ TER, NOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D PZ TER, NOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC, NOD 57 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC, NOD 57 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D SEC, NOD 57 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2079 075 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER, NOD 59 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D TER, NOD 59 DEG									
2018 C.56 ODI - HL DUCT A2 TER, MOD 43 DEGR-F 32768 OD 00 377 2010 OC6 ODI - HL DUCT A2 TER, MOD 44 DEGR-F 32768 OD 00 377 2011 OL6 ODI - HL DUCT A PRI MOD 45 DEGR-F 32768 OD 00 377 2011 OL6 ODI - HL DUCT B PRI MOD 45 DEGR-F 32768 OD 00 377 2011 OL6 ODI - HL DUCT B SEC, MOD 47 DEGR-F 32768 OD 00 377 2012 OC6 ODI - HL DUCT B SEC, MOD 47 DEGR-F 32768 OD 00 377 2013 OC6 ODI - HL DUCT B SEC, MOD 40 DEGR-F 32768 OD 00 377 2014 OC6 ODI - HL DUCT B TER, MOD 50 DEGR-F 32768 OD 00 377 2015 OC6 ODI - HL DUCT B TER, MOD 50 DEGR-F 32768 OD 00 377 2016 OC6 ODI - HL DUCT C SEC, MOD 52 DEGR-F 32768 OD 00 377 2018 OC6 ODI - HL DUCT C SEC, MOD 52 DEGR-F 32768 OD 00 377 2018 OC6 ODI - HL DUCT C SEC, MOD 52 DEGR-F 32768 OD 00 377 2018 OC6 ODI - HL DUCT C SEC, MOD 52 DEGR-F 32768 OD 00 377 2019 OC6 ODI - HD DUCT D PRI MOD, 54 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D PRI MOD, 54 DEGR-F 32768 OD 00 377 2010 OC6 ODI - TOP DUCT D PRI MOD, 54 DEGR-F 32768 OD 00 377 2010 OC6 ODI - TOP DUCT D PRI MOD, 54 DEGR-F 32768 OD 00 377 2017 OC6 ODI - TOP DUCT D SEC, MOD 58 DEGR-F 32768 OD 00 377 2017 OC6 ODI - TOP DUCT D SEC, MOD 58 DEGR-F 32768 OD 00 377 2017 OC6 ODI - TOP DUCT D SEC, MOD 58 DEGR-F 32768 OD 00 377 2018 OC6 ODI - TOP DUCT D SEC, MOD 58 DEGR-F 32768 OD 00 377 2018 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 32768 OD 00 377 2019 OC6 ODI - TOP DUCT D SEC, MOD 59 DEGR-F 3									
2019 0.06 0.01 HL DUCT & PERI JOD 44 DEGR-F 32768 0.0 0.0 377 2010 0.06 0.01 HL DUCT & PERI JOD 45 DEGR-F 32768 0.0 0.0 377 2011 0.06 0.01 HL DUCT & PERI JOD 46 DEGR-F 32768 0.0 0.0 377 2012 0.06 0.01 HL DUCT & SEC JOD 47 DEGR-F 32768 0.0 0.0 377 2013 0.06 0.01 HL DUCT & SEC JOD 48 DEGR-F 32768 0.0 0.0 377 2014 0.06 0.01 HL DUCT & SEC JOD 48 DEGR-F 32768 0.0 0.0 377 2015 0.06 0.01 HL DUCT & SEC JOD 48 DEGR-F 32768 0.0 0.0 377 2016 0.05 0.01 HL DUCT & SEC JOD 48 DEGR-F 32768 0.0 0.0 377 2017 0.06 0.05 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2018 0.06 0.05 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2010 0.05 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2011 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2011 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2012 0.06 0.01 HL DUCT & SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2013 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2014 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2015 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2017 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2018 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2019 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 2020 0.06 0.01 TOP DUCT D SEC JOD 50 DEGR-F 32768 0.0 0.0 377 202									
2080 0C6 001 HL DUCT 8 PRI MOD 45 DEGR-F 32768 00 00 377 2062 0C6 001 HL DUCT 8 PRI MOD 48 DEGR-F 32768 00 00 377 2063 0C6 001 HL DUCT 8 SEC MOD 48 DEGR-F 32768 00 00 377 2063 0C6 001 HL DUCT 8 SEC MOD 48 DEGR-F 32768 00 00 377 2064 0C6 001 HL DUCT 8 TER MOD 49 DEGR-F 32768 00 00 377 2065 0C6 0C1 HL DUCT 8 TER MOD 49 DEGR-F 32768 00 00 377 2066 0C6 0C1 HL DUCT 8 TER MOD 50 DEGR-F 32768 00 00 377 2067 0C6 0C1 HL DUCT 8 TER MOD 51 DEGR-F 32768 00 00 377 2068 0C6 0C1 HL DUCT C TER MOD 52 DEGR-F 32768 00 00 377 2069 0C6 0C1 TOP DUCT D PRI MOD 53 DEGR-F 32768 00 00 377 2070 0C6 0C1 TOP DUCT D PRI MOD 54 DEGR-F 32768 00 00 377 2071 0C6 0C1 TOP DUCT D PRI MOD 55 DEGR-F 32768 00 00 377 2072 0C6 0C1 TOP DUCT D PRI MOD 55 DEGR-F 32768 00 00 377 2073 0C6 0C1 TOP DUCT D SEC MOD 57 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2075 0C6 0C1 TOP DUCT D SEC MOD 58 DEGR-F 32768 00 00 377 2076 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2077 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2078 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2079 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2070 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2071 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2072 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2073 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2074 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2075 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2076 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2077 0C6 0C1 TOP DUCT D SEC MOD 59 DEGR-F 32768 00 00 377 2078 0C6 0C1 TOP DUCT D S									
26.51	2080 066								
2052 006 001 HL DUCT 8 SEC.MOD 48 DEGR-F 32768 00 00 377 2053 006 001 HL DUCT 8 TER.MOD 49 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT 8 TER.MOD 49 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT C PRI.MOD 51 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT C PRI.MOD 51 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT C SEC.MOD 52 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT C TER.MOD 53 DEGR-F 32768 00 00 377 2059 006 001 HL DUCT C TER.MOD 53 DEGR-F 32768 00 00 377 2059 006 001 TOP DUCT D PRI.MOD 54 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PRI.MOD 55 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D SEC.MOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 55 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D SEC.MOD 55 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D SEC.MOD 55 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D SEC.MOD 56 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D SEC.MOD 56 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D SEC.MOD 50 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D SEC.MOD 50 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D SEC.MOD 50 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D SEC.MOD 50 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2079 0079 0070 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2079 0070 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2079 0070 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2079 0070 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D SEC.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT E SEC.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT E SEC.MOD 60 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT E SEC.MOD 60 DEGR		- 14:							
2053 006 001 HL DUCT B SEC.MOD 48 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT B TER.MOD 50 DEGR-F 32768 00 00 377 2056 006 001 HL DUCT C SEC.MOD 51 DEGR-F 32768 00 00 377 2057 006 001 HL DUCT C SEC.MOD 52 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT C SEC.MOD 52 DEGR-F 32768 00 00 377 2059 006 001 TOP DUCT D PRI MOD.54 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D PRI MOD.55 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PRI MOD.55 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D SEC.MOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 60 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT E TER.MOD 70 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT E TER.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT	2662 006								
26.55	2063 006								
2055 006 001 HL DUCT B TER.MOD 50 DEGR-F 32768 00 00 377 20567 006 001 HL DUCT C PRI.MOD 51 DEGR-F 32768 00 00 377 2058 006 001 HL DUCT C SEC.MOD 52 DEGR-F 32768 00 00 377 2059 006 001 TOP DUCT D PRI.MOD 53 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D PRI.MOD 53 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PRI.MOD 53 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D PRI.MOD 55 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D ITER.MOD 59 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D ITER.MOD 59 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D ITER.MOD 50 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D ITER.MOD 50 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D ITER.MOD 50 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D 3 TER.MOD 60 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D 3 TER.MOD 61 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D 3 TER.MOD 62 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D 3 TER.MOD 62 DEGR-F 32768 00 00 377 2079 076 001 TOP DUCT D 4 TER.MOD 64 DEGR-F 32768 00 00 377 2079 076 001 TOP DUCT D 4 TER.MOD 64 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 4 TER.MOD 64 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 4 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D 8 TER.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E SEC.MOD		AND THE RELEASE OF THE PARTY AND THE PARTY A							
2066 008 001 HL DUCT C PRI MOD 51 DEGR-F 32768 00 00 377 2068 006 001 HL DUCT C SEC.MOD 52 DEGR-F 32768 00 00 377 2070 006 001 HD DUCT D PRI MOD 54 DEGR-F 32768 00 00 377 2070 006 001 TOP DUCT D PRI MOD 55 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D PRI MOD 55 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D SEC.MOD 56 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2074 008 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2078 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 69 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E PRI MOD 68 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E PRI MOD 68 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 71 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 71 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2079 006 001 TOP DU									
2667 006 001 HL DUCT C SEC.MOD 52 DEGR-F 32768 00 00 377 2698 006 001 TOP DUCT O TER.MOD 53 DEGR-F 32768 00 00 377 2770 006 001 TOP DUCT D PRI MOD 55 DEGR-F 32768 00 00 377 2771 006 001 TOP DUCT D PRI MOD 55 DEGR-F 32768 00 00 377 2772 006 001 TOP DUCT D SEC.MOD 58 DEGR-F 32768 00 00 377 2772 006 001 TOP DUCT D SEC.MOD 58 DEGR-F 32768 00 00 377 2773 006 001 TOP DUCT D SEC.MOD 59 DEGR-F 32768 00 00 377 2774 006 001 TOP DUCT D SEC.MOD 59 DEGR-F 32768 00 00 377 2775 006 001 TOP DUCT D SEC.MOD 59 DEGR-F 32768 00 00 377 2777 006 001 TOP DUCT D SER.MOD 60 DEGR-F 32768 00 00 377 2777 006 001 TOP DUCT D SER.MOD 61 DEGR-F 32768 00 00 377 2777 006 001 TOP DUCT D SER.MOD 61 DEGR-F 32768 00 00 377 2779 076 001 TOP DUCT D SER.MOD 62 DEGR-F 32768 00 00 377 2779 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2780 006 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 63 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 65 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 65 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 65 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT D SER.MOD 70 DEGR-F 32768 00 00 377 2790 076 001 TOP DUCT E SER.MOD 70 DEGR-F 32768 00 00 377 2790 0790 0790 0790 0790 0790 0790 0790		THE RESERVE THE PROPERTY OF TH							
2058									
2569 006 001 TOP DUCT D PRI MOD 54 DEGR-F 23768 00 00 377 2070 006 001 TOP DUCT D SEC.MOD 56 DEGR-F 32768 00 00 377 2071 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2072 006 001 TOP DUCT D SEC.MOD 57 DEGR-F 32768 00 00 377 2073 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2074 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D TER.MOD 59 DEGR-F 32768 00 00 377 2076 006 001 TOP DUCT D TER.MOD 61 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 61 DEGR-F 32768 00 00 377 2077 006 001 TOP DUCT D TER.MOD 63 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 63 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 63 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 63 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 63 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 63 DEGR-F 32768 00 00 377 2079 006 001 TOP DUCT D TER.MOD 64 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D TER.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E REI.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E REI.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E REI.MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E REI.MOD 68 DEGR-F 32768 00 00 377 2081 006 001 TOP DUCT E REI.MOD 67 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E REI.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 73 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E TER.MOD 75 DEGR-F 32768 00 00 377 2080 006 001 TOP		The state of the s							
2970		-:							
2071		The state of the s							
2072		ill lill lill lilling with the control of the contr							
2073		The state of the s							
2074									
2075									
2676 006 001 TOP DUCT D2 TER,MOD 61 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D3 TER,MOD 62 DEGR-F 32768 00 00 377 2075 006 001 TOP DUCT D3 TER,MOD 62 DEGR-F 32768 00 00 377 2079 076 001 TOP DUCT D4 TER,MOD 64 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D4 TER,MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E PRI,MOD 65 DEGR-F 32768 00 00 377 2081 006 001 TOP DUCT E PRI,MOD 65 DEGR-F 32768 00 00 377 2092 006 001 TOP DUCT E PRI,MOD 65 DEGR-F 32768 00 00 377 2093 006 001 TOP DUCT E PRI,MOD 65 DEGR-F 32768 00 00 377 2094 006 001 TOP DUCT E SEC,MOD 70 DEGR-F 32768 00 00 377 2095 006 001 TOP DUCT E SEC,MOD 70 DEGR-F 32768 00 00 377 2097 008 001 TOP DUCT E SEC,MOD 71 DEGR-F 32768 00 00 377 2098 006 001 TOP DUCT E TER,MOD 73 DEGR-F 32768 00 00 377 2099 006 001 TOP DUCT E TER,MOD 74 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 75 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 75 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 76 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E TER,MOD 79 DEGR-F 32768 00 00 377									
2777		LAS DESCRIPTION OF THE PROPERTY OF THE PROPERT							
2075									
2079 006 001 TOP DUCT D4 TER,MOD 64 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT D4 TER,MOD 65 DEGR-F 32768 00 00 377 2080 006 001 TOP DUCT E PRI,MOD 65 DEGR-F 32768 00 00 377 2082 006 001 TOP DUCT E PRI,MOD 66 DEGR-F 32768 00 00 377 2092 006 001 TOP DUCT E PRI,MOD 68 DEGR-F 32768 00 00 377 2094 006 001 TOP DUCT E SEC,MOD 70 DEGR-F 32768 00 00 377 2094 006 001 TOP DUCT E SEC,MOD 70 DEGR-F 32768 00 00 377 2095 006 001 TOP DUCT E SEC,MOD 70 DEGR-F 32768 00 00 377 2097 008 001 TOP DUCT E SEC,MOD 71 DEGR-F 32768 00 00 377 2098 006 001 TOP DUCT E1 TER,MOD 72 DEGR-F 32768 00 00 377 2099 006 001 TOP DUCT E1 TER,MOD 74 DEGR-F 32768 00 00 377 2099 006 001 TOP DUCT E1 TER,MOD 74 DEGR-F 32768 00 00 377 2099 006 001 TOP DUCT E1 TER,MOD 75 DEGR-F 32768 00 00 377 2090 006 001 TOP DUCT E2 TER,MOD 75 DEGR-F 32768 00 00 377									
20EO 006 001 TOP DUCT D4 TER, MOD 65 DEGR-F 32768 00 00 377 20E1 006 001 TOP DUCT E PRI, MOD 66 DEGR-F 32768 00 00 377 20E2 006 001 TOP DUCT E PRI, MOD 68 DEGR-F 32768 00 00 377 20E4 006 001 TOP DUCT E SEC, MOD 69 DEGR-F 32768 00 00 377 20E3 006 001 TOP DUCT E SEC, MOD 70 DEGR-F 32768 00 00 377 20E3 006 001 TOP DUCT E SEC, MOD 71 DEGR-F 32768 00 00 377 20E3 006 001 TOP DUCT E SEC, MOD 72 DEGR-F 32768 00 00 377 20E3 006 001 TOP DUCT E1 TER, MOD 72 DEGR-F 32768 00 00 377 20E3 006 001 TOP DUCT E2 TER, MOD 74 DEGR-F 32768									
2CB1									
2532 066 001 TOP DUCT E PRI MOD 67 DEGR-F 32768 00 00 377 253 066 001 TOP DUCT E SEC MOD 69 DEGR-F 32768 00 00 377 254 066 001 TOP DUCT E SEC MOD 70 DEGR-F 32768 00 00 377 255 006 001 TOP DUCT E SEC MOD 71 DEGR-F 32768 00 00 377 255 006 001 TOP DUCT E SEC MOD 71 DEGR-F 32768 00 06 377 255 006 001 TOP DUCT E SEC MOD 72 DEGR-F 32768 00 00 377 255 006 001 TOP DUCT E1 TER MOD 72 DEGR-F 32768 00 00 377 256 006 001 TOP DUCT E1 TER MOD 73 DEGR-F 32768 00 00 377 257 005 001 TOP DUCT E1 TER MOD 74 DEGR-F 32768 00 00 377 258 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 75 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E2 TER MOD 77 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 259 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 250 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 250 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 250 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 250 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377 250 006 001 TOP DUCT E3 TER MOD 79 DEGR-F 32768 00 00 377									
2:23		- 1_1							
25-4									
75.5 006 001 TOP DUCT E SEC.MOD 70 DEGR-F 32768 00 00 377 25.5 006 001 TOP DUCT E SEC.MOD 71 DEGR-F 32768 00 00 377 25.7 005 001 TOP DUCT E1 TER.MOD 72 DEGR-F 32768 00 00 377 25.8 066 001 TOP DUCT E1 TER.MOD 73 DEGR-F 32768 00 00 377 26.99 006 001 TOP DUCT E1 TER.MOD 74 DEGR-F 32768 00 00 377 26.90 006 001 TOP DUCT E2 TER.MOD 75 DEGR-F 32768 00 00 377 26.91 006 001 TOP DUCT E2 TER.MOD 75 DEGR-F 32768 00 00 377 26.92 006 001 TOP DUCT E2 TER.MOD 75 DEGR-F 32768 00 00 377 26.92 006 001 TOP DUCT E2 TER.MOD 77 DEGR-F 32768 00 00 377 26.92 006 001 TOP DUCT E3 TER.MOD 78 DEGR-F 32768 00 00 377 26.93 006 001 TOP DUCT E3 TER.MOD 78 DEGR-F 32768 00 00 377 26.93 006 001 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00 377 26.94 006 001 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00 377 26.95 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 26.96 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 26.97 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 26.98 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 32.69 006 001 TOP DUCT E4 TER.MOD 80 DEGR-F 32768 00 00 377									
20 006 001 TOP DUCT E SEC.MOD 71 DEGR-F 32768 00 00 377 20 7 005 001 TOP DUCT E1 TER.MOD 72 DEGR-F 32768 00 00 377 20 8 006 001 TOP DUCT E1 TER.MOD 73 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E1 TER.MOD 75 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E2 TER.MOD 75 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E2 TER.MOD 75 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E2 TER.MOD 77 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E2 TER.MOD 77 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E2 TER.MOD 78 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E3 TER.MOD 78 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 20 006 001 TOP DUCT E4 TER.MOD 80 DEGR-F 32768 00 00 377									
2C.37		and the second of the second o							
25.8 — 006									
2699 006 001 TOP DUCT E1 TER.MOD 74 9EGR-F 32768 00 00 377 2020 006 001 TOP DUCT E2 TER.MOD 75 DEGR-F 32768 00 00 377 2031 006 001 TOP DUCT E2 TER.MOD 77 DEGR-F 32768 00 00 377 2032 006 001 TOP DUCT E2 TER.MOD 77 DEGR-F 32768 00 00 377 2033 006 001 TOP DUCT E3 TER.MOD 78 DEGR-F 32768 00 00 377 2034 006 001 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00 377 2035 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 2036 006 001 TOP DUCT E4 TER.MOD 80 DEGR-F 32768 00 00 377 2036 006 001 TOP DUCT E4 TER.MOD 81 DEGR-F 32768 00 00 377									
2C30									
- 2CG1 - 006 001 TOP DUCT E2 TER.MOD 76 DEGR-F 32768 00 00 377 2C52 0C6 001 TOP DUCT E2 TER.MOD 77 DEGR-F 32768 00 00 377 2C53 0C6 0C1 TOP DUCT E3 TER.MOD 78 DEGR-F 32768 00 00 377 2C54 0C6 0C1 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00 377 2C55 0C6 0C1 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 2C56 0C6 0C1 TOP DUCT E4 TER.MOD 81 DEGR-F 32768 00 00 377	2020 006	and the same of th							
2C32									
2073 OC6 OC1 TOP DUCT E3 TER.MOD 78 DEGR-F 32768 OC OC 377 2074 OC6 OC1 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 OC OC 377 2075 OC6 OC1 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 OC OC 377 2076 OC6 OC1 TOP DUCT E4 TER.MOD 81 DEGR-F 32768 OC OC 377									
2034 006 001 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00 377 2035 006 001 TOP DUCT E3 TER.MOD 80 DEGR-F 32768 00 00 377 2036 006 001 TOP DUCT E4 TER.MOD 81 DEGR-F 32768 00 00 377	2073 006								
2033 006 001 TOP DUCT E3 TER MOD 80 DEGR-F 32768 00 00 377		001 TOP DUCT E3 TER.MOD 79 DEGR-F 32768 00 00							
2016 006 001 TOP DUCT E4 TER.MOD 81 DEGR-F 32768 00 00 377		DOI TOP DUCT E3 TER,MOD BO DEGR-F 32768 DO DO							
	2036 - 006	001 TOP DUCT E4 TER, MOD 81 DEGR-F 32768 00 00							
	2097 006	the same shape as well to be the same of the same same same same same same same sam							

			ITEM DEFINITI	DN - STIMULUS :	NDEXES	•			
EM INDEX	SYS.	FMT	STIMULUS DESCRIPTION	UNITSTY	PE. CODE	TYPE	DEV	CHAR	4 1
2098	006	001	TOP DUCT E4 TER.MOD 83	DEGR+ F	32768	00	00	377	
2699 .	006	- 001		DEGR-F	3276B	00 .		377	
2100	006	001		DEGR-F	32768	00	Co	377	•
2101	006	001		DEGR-F	32768	ão	ÕÕ	377	
2102	006	. 001		DEGR-F	32760	00	00	377	
2103	800	100		DEGR-F	32760	00	00	377	
2104	006	001		DEGR-F	32768	. 00	Õõ	377	
2105		001		DEGR-F	- 32768	00	00	377	
2106	006	001		DEGR-F	32768	00	00	377	
2107	006	001		DEGR-F	32768	ÕÕ	ÖÖ	377	
	006	001		DEGR-F	- 32768	QG	Oo	377	·
2109	006	001		DEGA-F	32768	00	00	377	
2110	006	001		DEGR-F	32768	ão	ÖÖ	377	
2111	. 006	- 001		DEGR-F	. 32768	00	00	377	
2112	006	001		DEGR-F	32768	20	00	377	
2113	006	001		DEGR-F	32768	00	Õõ	377	•
2114	006	000		DEGR F	- 32768	- 00	00	377	
2115	006	003		DEGR-F	32768	00	00	377	
2116	006	000		DEGR-F	32768	Õõ	00	377	
2117	005	000		DEGR-F	- 32768	00	00	377	
2118	006	000		DEGR-F	32768	. 00	00	377	
2115	006	000		DEGR-F	32768	00	õõ	377	
2120	006	. 000 -		DEGR-F	- 32768	00	00 -	377·	
2121	006	000		DEGR.F	32768	00	00	377	
2122	006	000		DEGR-F	32768	00	00	377	
2123	: 006	DOO		DEGR+F	32768	00	00 .	377	
2124	006	000		DEGR-F	327GB	00	00	377	
2125	066	. 000		DEGR-F	32768	00	00	377	
2126	830	000		DEGR-F	. 327GB	00 -	DD -	····· 377	
	900	000		DEGR-F	32768	00		377	
2127							_		
2128	200	000		DEGR•F	32768	00	00	377	
2129	800	000		DEGR•F •	32768	QΩ	00	377	
2130	006	000		DEGR-F	32768	00	00	377	
2:31	006	000		DEGR-F	32768	00	00	377	
2132	956	000		DEGR . F	3276B	00	··· ·· 00	···· 377	
2133	056	000		DEGR-F	32768	00	00	377	
2134	006	000		DEGR-F	32768	00	00	377	
2135	006	000		DEGR-F	3276B	00	QO	377	
2136	006	000		DEGR-F	32768	00	00	377	
2137	006	000		DEGR-F	. 32768	00	00	377	
2138 .	On6	···· 000 ···		DEGR-F	32768	00 -	00 -	377	
2139	006	000	· · · · · · · · · · · · · · · · · · ·	DEGR-F	3276B	00	00	377	
2140	006	000		DEGR-F	32768	00	00	377	
2141	006	000		DEGR-F	_ 32768	- 00	00	- 377	
2:42	006	000		DEGR-F	32768	00	00	377	
2143	005	000		DEGR-F	32768	00	00	077	
2144	006	-		DEGR-F	<u>- 32768</u>	- 00	 00	077	
2145	800	000		DEGR+F	32768	00	00	077	
2146	006	000	COOLER IN.PCC CH 4	DEGR-F	32768	00	00	077	

THE PROPERTY OF

เมษะธะเกษ้	ETS.BLOCK 3	OCTAL MODE	200000000000000000000000000000000000000					
MACHRICAL S						•		
	0000	0000	, 0000	0000		0000.		
	.0000 .0000	.0000	.0000	.0000	.0000	.0000		
	.0000	0000	0000	.0000	.0000	.0000		
					***************************************		<u> </u>	
	.0000	.0000	.0000	.0000	.0000	.0000		
	0000	0000	0000	0000	0000			
	.0000	.0000	0000	.0000	.0000	.0000		
	.0000	0000	.0000			120		
	3000+04	.2000+04	,0000	.000	.0000	,0000) (
	.0000	.1000+00	.0000	.0000	,0000	.0000	the state of the s	**
	.0000	0000	0000	6000				
	.0000	.0000	.0000			5.5	John & Hall Brown W. Fredlick W. C.	
		•						
IVERSION SI	TS.BLOCK 4	OCTAL WORD	000000000421		*		<u> </u>	
	0-00							•
•	.0000	.5000+04 .6429+00	0000	0000		0000		·
ī	.0800	.6429+0U	.0000	.0000	.0000	.0000		
•	.0000	0000.	0000	. 4000	.0000	.0000		•
•				M 50 de 5-48 +				
	.0000	.2500+04	.0000	.0000	.0000	.0000		
	.0000	1333+01	0000	0000		0000.		
	.0000	.0000	.0000	.0000	.0000	.0000		
	.0000	.0000	.0000	•	•		The state of the s	• •
*** ** *******	.1000+02	.5000+04	,0000	.0000	.0000	.0000		
	.0000	.2000-02	,0000	.0000	.0000	.0000	•	
	.0000	0000		0000				
•	.0000	.0000	.0000	•	•			
IVERSION SI	ETS.BLOCK 5	OCTAL WORD	000000000421		- A Table - A Co	• 	نه در وست د اخو ب به نفیه جای <mark>ب به در به خود به گفته خود به گفته در و داخت هم در داخت به در </mark>	****
	0000	1000+05	6000	0000				. •
	1000+02	.1522+00	0000	.0000	. 0000	0000		
	.0000	.0000	0000	.0000	0000.	.0000		
	0000	0000						
		•			-		•	
;	.0000	.1000+05	.0000	.0000	.0000	.0000		
му	10+6266	1398+00	0000	0000				
4	.0580 .0000	.0000	.0000	.0000	.0000	.0000		
					•			
	.0000	.1000+05	-0000	.0000	.0000	.0000		
	.1345+02	.1513+00	.0000	•0000	.0000	.0000		
- '	.0000	0000		0000		0000.		<i>-</i>
:	.0000	.0000	.0000				化工厂 医二乙烷 医食物的 九	4 • •
								Ĭ,
	ETS.BLOCK 6	OCTAL WORD	000000000421					-
AAESZON 2								
AVESSION S	.0000	1000+05		Ongo			·	

		•			•		
	.0000	.4000+00	.0000	.0000	.0000	.0000	
	.0000	.0000	, 0000	.0000	.0000	.0000	
	0000	0000	0000	Procession			
	:					,	
	.0000	. 1000+05	.0000	.0000	.0000	.0000	
*****	0000	4000+00		0000		0000	
	.0000	.0000	.0000	.0000	.0000	.0000	•
	.0000	.0000	.0000	•			
							
	.0000	.5000+04	.0000	.0000	.0000	.0000	
	.0000	.4000+00	.0000	.0000	.0000	-0000	
	.0000						
	.0000	.0000	.0000		• •		·
NVERSION :	SETS.BLOCK 7	OCTAL WORD OF	Dn000000421		C.		
			· .	·	:	•	
	0000				- booo		
	-2734+02	.3914+00	.0000	.0000	.0000	.0000	
	.0000	.0000	.0000	.0000	.0000	,.000	
	.0000	0000	0000			THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	The state of the s
	. 1000+01	5040+04	0000	0000			
	2995-01	.5010+04 2995-01	0000	.0000	.0000	.0000	
	.0000	.0000	.0000	0000	- 0000		
	.0000	.0000	.0000	.0000	.0000	.0000	
	.0000		. 0000 .				
	.0000	.5100+04	.0000	.0000	.0000	.0000	
	4828+00	.1207-01	.0000	.0000	.0000	.0000	
	በበበስ	AAAA					
•	.0000	0000	0000		.0000		
· -	.0000	0000.	. 0000			0000-	
NVERSION :			.5000	0000		0000-	
NVERSION	.0000 SETS.BLOCK B	.0000 OCTAL WORD O	.0000			-:0000	
NVERSION	.0000 SETS.BLOCK B	.0000 OCTAL WORD O	.0000		- 0000.	.0000	
NVERSION	.0000 SETS.BLOCK 8	.0000 OCTAL WORD OF	.0000		- 0000. - 0000. - 0000.	.0000	
NVERSION	.0000 SETS, BLOCK 8	.0000 OCTAL WORD OF 	.0000		- 0000.	.0000	
NVERSION	.0000 SETS.BLOCK 8	.0000 OCTAL WORD OF	.0000		- 0000. - 0000. - 0000.	.0000	
NVERSION	.0000 SETS.BLOCK B .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05 .1000-02 .0000	.0000 .0000 .0000 .0000	.0000	.0000 -0000 .0000 .0000	.0000	
NVERSION :	.0000 SETS.BLOCK B .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05 .1000-02 .0000	. 0000 . 0000 . 0000 . 0000 . 0000	.0000	.0000. .0000. .0000. .0000.	- 0000 0000 0000 0000	
NVERSION :	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05 .1000-02 .0000 .0000	. 0000 . 0000 . 0000 . 0000 . 0000		.0000 .0000 .0000 .0000	.0000 .0000 .0000	
NVERSION	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF	.0000 .0000 .0000 .0000 .0000	.0000	.0000. .0000. .0000. .0000.	- 0000 0000 0000 0000	
NVERSION	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05 .1000-02 .0000 .0000	. 0000 . 0000 . 0000 . 0000 . 0000		.0000 .0000 .0000 .0000	.0000 .0000 .0000	
NVERSION	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1000-02 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	- 0000 0000 0000 0000 0000 0000	
NVERSION	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF	.0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
NVERSION	.9000 SETS.BLOCK B .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF .1000-02 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	
NVERSION	.9000 SETS.BLOCK B0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05	.0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
NVERSION	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1000-02 .0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	
	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1000-02 .0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	
	.9000 SETS.BLOCK B0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	
	.9000 SETS.BLOCK B .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	
	.0000 SETS.BLOCK B .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 OCTAL WORD OF 1024+05	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	

	.0000	.5300+04 ,6000+01	.0000	.0000, 000	.0000	.0000		٠.
	.0000	.0000	.0000	.0000	.0000	.0000		
	-0000 .	.5000+04	.0000	.0000	.0000	.0000		***************************************
	.0000	.1500-01	.0000	.0000 0000	.0000	.0000		
	.0000	.0000	.0000			:0000		
. CONVERSION SETS	.BLOCK 10	OCTAL WORD	00000001021	Lilinga - Hil riven gtarapit dinigani .		, 		····
diameter, grants passes consum	,0000	5000+04 ···		0000		:0000		
i	.0000	.5000-02	.0000	0000	.0000	0000		
	.0000	.0000. 0000	.0000	.0000	.0000	.0000		; ·
	.0000	.3200+03	,0000	.0000	noon.	.0000		
	.0000	.3200703 1049+01 -	0000	0000	.0000. 0000.	0000		
	.0000	.0000	,0000	.0000	.0000	.0000		•
	.0000	,0000	.0000					
	.0000	.4700+03	.4010+04	.0000	.0000	.0000		
	.0000	.4255-01	.0000	.2680+01	.3683-01	,0000	•	
•	.0000	.0000	.0000					
CONVERSION SETS	.0000	OCTAL WORD 	.0000 .0000 .0000	0000 ·	.0000 .0000 .0000	0000		
• • •	.0000							
•	.0000	.3000+02	.0000	.0000	.0000	.0000		-
	.0000	1672+02	0000	0000		0000		······································
) - 	.0000	.0000	0000	.0000	.0000	0000		
•	.0000	.3000+02 .1679+02	.0000	.0000	.0000	.000g. 000g.	•	
					:0000			
•	.0000	.0000	.0000					
CONVERSION SETS	BLOCK 12	OCTAL WORD	000000000421				•	
•• - • • • •	.0000	3000+D2 -	0000	0 <u>000</u>		cogo	The second section is a second second second	
	.0000	.1665+02 .0000	.0000	.0000	.0000	0000		
	·.0000	0000	:0000		1			· ·
	.0000	.5000+04	.0000	.0000	.0000	.0000	• •	•
namen e milyanismasiy	.0000	, 2000 - 02 -		0000	0000			
			**	,	-· ·	- : · · · · -		

				*, 4 * .		• .*.	ing the first of the second s	
						····	在中国国际的 自由的国际	
t	.0000	.0000 .0000	. 0000 0000	0000	.0000	.0000	· · · · · · · · · · · · · · · · · · ·	
• • • • • • • • • • • • • • • • • • • •	.0000	.4600+04		.0000	.0000	_0000		
	0000	-2174-02	.0000	.0000	0000.	0000	· 以后,"不是","我们是不是一个	
	.0000	0000	0000					
	•	•		. •		•		
CONVERSION SE	TS.BLOCK 1	OCTAL WORD GOO	0000004	21			Control of the Contro	
· · · · · · · · · · · · · · · · · · ·	0000	5010+04			0005			
	.0000 0000	.2000-02 .0000	0000.	.0000	.0000	.0000		
****	0000	.0000		.0000	.0000	.0000		<u> </u>
•	.0000	.9920+04	.0000	.0000	.0000	.0000		
garana ara manana	0000	1009-03	0000	.0000				
	.0000	.0000	.0000	.0000	,0000	0000		The second second
-	.0000	.0000	.0000		•			
	.0000	.9990+04	0000	.0000	,0000	,0000	The Wallington of the Report of	
	.0000 .0000	.1002-03	.0000	.0000	.0000	.0000		
	.0000		0000					-
CONVERSION SE	0000 .0000	4 OCTAL WORD 500 5190+04	0000	.0000	.0000	0000		
and date are date to the secondary.	.0000		.0000 0000	.0000	.0000	.0000		
	.0000	.4760+04	.0000	.0000	.0000	.0000		
	.0000	2105-02	.0000			0000		·
•	.0000 .0000	.0000	.0000 0 000	.0000	,0000	.0000		
•	.0000	.4790+04		. William Page	***************************************		·	
	.0000	.2088-02	,000g 000g	.0000	.0000	0000		• • • •
	.0000		.0000.		0000			
	.0003	.0000	.0000					
CONVERSION SE	TS.BLOCK 1	5 OCTAL WORD OOD	0000004		**************************************			
	.0000	9910+04	0000	.0000				
	.0000	.1010-03	.0000	.0000	.0000	0000	The statement are statement are seen as a second or the se	******
	.0000	.0000	0000	.0000	.0000	0000		
•	.0000	0000	. • 0000		the management of the	thripped dig stranger		
	-0000	.1009+05	.0000	.0000	.0000	.0000		y
	.0000	9911+04	0000		0000		The year of the self of the	
	.0000	.0000 .0000	0000. 0000.	.0000	.0000	.0000		

. 0000 . 2000 . 00000 . 0000 . 00000 . 0000 . 00000 . 0000 . 0000 . 0000 . 0000	·····
CONVERSION SETS.BLOCK 16 OCTAL WORD 000000000421	_
CONVERSION SETS, BLOCK 15 OCTAL WORD 000000000421	
. 0000	
. C000	
	•
0.000	
0000	
. 0000 .0000	
10000	
10000	
CONVERSION SETS.BLOCK 17 OCTAL WORD 000000000421	
CONVERSION SETS.BLOCK 17 OCTAL WORD OGOOOOOO0421	
. 0000	
.0000 .0000	•
.0000 .0000	·
CONVERSION SETS.BLOCK 18 OCTAL WORD COOCCOCOCOCOCCOCCCCCCCCCCCCCCCCCCCCC	
CONVERSION SETS.BLOCK 16 OCTAL WORD 000000000421	
CONVERSION SETS.BLOCK 18 OCTAL WORD 000000000421	
0000.0000.0000.0000.0000.0000.0000.0000.0000	
0000. 0000. 0000. 0000. 0000. 0000. 0000. 0000. 0000. 0000. 0000.	
.0000 ,1002+05 ,0000 ,0000 ,0000 ,0000	
0000 0000 0000 0000 0000 0000	20 49 T
.0000 .0000 .0000 .0000 .0000 0000 .0000 .0000	
.0000 .1001+05 .0000 .0000 .0000 .0000	
0,000 1,000 0,000 0,000 0,000	•
0000000000000000	

	.0000	.0000	.0000	ikiland (1999) (1986 199 0) (1984 1989) (1999)				
CONVERSION SE	TS.BLOCK 18	OCTAL WORD DO	00000001021		, , , , , , , , , , , , , , , , , , , 			
	.0000	,1001+05	0000		.0000			
	.0000	.1000-02	.0000	.0000	.0000	0000		
	.0000	.0000	.0000	.0000	.0000	.0000	•	1
				Allerian series				
	.0000	.1001+05	.0000	.0000	.0000	g00g		
	.0000	.000-02		2000, <u></u> 0000.		.0000		
	.0000	.0000	.0000		, ,0000	.0000	•	
	.0000	.7000+02	4010+04	.0000	.0000	.0000		
	.0000	.2857+00 0000	.0000	1768+02	.3308-0	0000		
	.0000	0000	.0000		: 0000		·	
CONVERSION SE	TS.BIDCK OR	OCTAL WORD OF	00000000021	-				
	ingintery 50	. ,	PODOBOODIA TODOBOODIA					
****	.9000+ 02 —	5100+03		0000		0000		
	2500+01 .0000	.2500-01 .0000	.0000	.0000 0000	.0000	.0000		
	.0000	.0000	0000			*0000		
•	-,2000+03	.5000+04	.0000	.0000				
44-777-4 PF 4 1 10-4-1	··5000+00 ··· ··	1679 • 02	0000	0000	.0000	,0000 ,0000		
	.0000	.0000	.0000	.0000	.0000	.0000		•
man of a so pages of a	.0000	.0000	.0000					•
•	.0000	.0000	.0000	.0000	.0000	.0000		نه استخب بدينه به يوهد به دينه به
	.0000	.0000	.0000	.0000	.0000	.0000		• •
	.0000	.0000	.0000 0000			.0000		
					•			•
CONVERSION SE	TS.BLOCK 21	OCTAL WORD OF	00000000421					
	0000	5010+04 ····	ــــــــــــــــــــــــــــــــــــــ	0000				
•	.0000	1200-02	.0000	.0000	.0000	.0000		
	0000	.0000	.0000	.0000	.0000	.0000	•	
ŧ								
•	.0000 0000	.5010+04	.0000	0000	.0000	.0000		
	.0000	6400-02 .0000	.0000	0000 0000	- 0000 0000	.0000		
	.0000	.0000	.0000		• 44004	.0000		
	.0000	.5020+04	.0000	.0000	, .0000	.0000		grane of
• .	.0000	.638 7-02	.0000	.0000	.0000	000g		A Comment of the Comm
	.0000		.0000		0000	.0000	****	
			.0000				-	•

•				5.*. <u>.</u>						:
CONVERSION SETS.BLOCK	22	OCTAL WORD	000000000421	* .	# # # # # # # # # # # # # # # # # # #	<u></u>	<u></u>	<u> </u>		
0000		.5020+04	0000							
.0000 .0000		.6375-02 .0000	.0000	.0000	.0000	0000			# #	
	<u> </u>	0000	0000							
	•	Footing	5500	ondo.		****	•			•
.0000		.5030+04 6362-02 _	.0000	.0000		0000				
.0000	-	.0000	.0000	0000	.0000	0000			•	
.0000		.0000	.0000	•		•	• •		•	
.0000		.5050+04	.0000	.0000	.0000	.000				
.0000	•	.6349-02	.0000	.0000	.0000	,0000	•		•	
		0000	0000							
		.0000	. '			**				
CONVERSION SETS.BLOCK	23	OCTAL WORD	0000000000421							
0000		ranol as	0000			-80-	•			
0000. 0000.		,5060+04 ,6337-02	0000		0000,	0000			 	
.0000		.0000	.0000	.0000	.0000	.0000	٠.			
.0000		.0000	0000							
.0000		.5070+04	.0000	.0000	.0000	0000				
0000	*****	.6324-02	0000			0000	*			
.0000	•	.0000 .0000	.0000	.0000	.0000	.0000	. • .			
.0000	12B.M.M.M.	.5070+04	.0000	.0000	.0000	.0000		 		
.0000		.6312-02	.0000	.0000	.0000	.0000				
.0000	************	0000								
		.0000	.0000			•				
CONVERSION SETS. BLOCK	24	OCTAL WORD	0000000000421				<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>			
.0000	-	5090+04 .	0000							
.0000		.6299-02	.0000	0000	.0000	0000				· · · · ·
.0000		.0000	•0000	.0000	.0000	.0000		Maria Tanan Maria		
.0000		0000	0000					<u> </u>		
.0000		.5010+04	.0000	.0000	.0000	.0000				
		3000-02	0000	0000			····	The state of the s		
0000.		.0000	.0000	.0000	.0000	.0000				
						<u></u>				
.0000 .0000		.5020+04 .2994-02	.0000	.0000 0000.	000 0. 000 0.	.0000 0000	•		•	
.0000		0000			-0000-	.0000		· ····································		
.0000		.0000	.0000				أراب والمجاورة		18 4 S	- }
				1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1/4 ·
CONVERSION SETS. BLOCK	25	OCTAL WORD	000000000421			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				***************************************
		5030+04	000a		0000	0000				•
,	. ——					7			; · · · ·	1. 1

						· 於蘇秦國,以及北部東京大阪 (1) 。 (1) [1] [1] [1]
.0000 .0007	.2988-02 .0000 .0000	.0000 .0000	.0000	.0000 .0000	.0000	
.0000 .0000 .0000	.5040+04 .9940-03 .0000	.0000	.0000 0000	.0000	.0000 .0000 .0000	
.0000 .0000 .0000	.0000 .5040+04 .9921-03	.0000 .0000 .0000	.0000	.0000 .0000 .0000	.0000	
.0000	.0000	.0000		, , , , , , , , , , , , , , , , , , , ,		
CONVERSION SETS. BLOCK	26 OCTAL WORD (00000000421	0000 -	.0000 –	.0000 -	
.0000 .0000	5000-02 ,0000 ,0000	0000. 0000. 	.0000	0000 0000	.0000 .0000	
0000. 2000	.5000+04 5000-02	.0000 .0000	0000. 0000.	.0000	.0000 .0000 .0000	
.0000.	.0000	.0000	.0000	.0000	, 0000	
0000. 0000. 0000.	1320+01 	.0000 .0000	.0000 000	.0000	.0000 .0000	
CONVERSION SETS BLOCK	27 OCTAL WORD	000000000421		The second second	, 4	
,0000 ,0000 ,0000	.5010+04 .1318+01 .0000	,0000	.0000 -	.0000	0000 0000 0000	
0000, 0000, 0000,	.5010+04 .1325+01 .0000	.0000 .0000	.0000 0000 .0000	.0000 	0000	
0000 ,0000 ,0000 ,0000	.0000 .5010+04 .5603+00	.0000 .0000 .0000	.0000	,0000 ,0000 ,0000		
CONVERSION SETS BLOCK	28 OCTAL WORD	.0000	en e			Market and the second
	.5010+04 .6581+00 .0000	0000 0000 0000	.0000 .0000	.0000 .0000 .0000	. 0000 . 0000	

....

4 . . .

					•		<u>، استار برسی اکینای و طبار است. در حدث فیصل بود انتقال بود بدور سنت بسیر در منتقی نام به منتقی با نظامت</u>
	.0000	.1024+05	.0000	.0000	.0000	ogga.	
	0000		0000	000D		000g	
	.0000 .0000	.0000	.0000	.0000	.0000	.0000	
· - -		.0000	.0000				
	,2010+04	.1010+04	.0000	.0000	.0000	.0000	
	.0000	.1000+00	.0000	.0000	.0000	.0000	
	00000	0000			0000	0000	
	.0000	.0000	0000	•		A. S. Garage	
Foulifol	SION SETS.BLOCK 34	AATAI LINNA F	Deepoppers				
CONVER:	SION SETS.BLOCK 34	OCTAL WORD (000000002520	•			
	.0000	0000	,0000		0000	0000	
÷	.0000	.0000	.0000	.0000	.0000	.0000	
	.0000	.0000	.0000	.0000	.0000	.0000	
• • • •		0000			· · ·		. The first war was a state of the first of
	8150+01	- 7126+01	5724+01	3684+01	3170+00	.7109401	•
	3506+03		1372+02			5666+01	
	.1296+03	.2952+02	2625+01	.1498+03	.4031+02	1168+01	
	.1500+03	.4058+02	6340+00				
	8150+01	-,7126+01	5724+01	3684+01	-,3170+00	.3936+01	era or - 44-40 to 2 find gree agend and physicages had be parament by \$50,000 at the or the pre-agend compression they page and and
	3905+03	1217+Q3	1372+02	.2769+02 .		5666+01	
	.1296+03	.2952+02	2625+01				
	.1500+03 •	.4058+02	·.6340+00		******		
	_						
	-				•		
CONVER	SION SETS.BLOCK 35	OCTAL WORD	000000002525	PREMIENTALISMENT THE P LATE (F - FRANCE			
CONVER	SION SETS.BLOCK 35		•	9004.08			
CONVER	·············· • ,8150+01			-3684+01		3936+01	
CONVER	8150+01 3906+03			.2769+02	5667+01	•.5666+0	
CONVER							
CONVER	8150+01 3906+03			.2769+02	5667+01	•.5666+0	
CONVER		.7126+01 •.1217+03 .2952+02 .4058+02		.2769+02 .1498+03	5667+01 .4031+02	•.5666+0 •.1168+0	
CONVER		.7126+01 1217+03 .2952+02 4058+02 4058+01		.2769+02 .1498+03 	5667+01 .4031+02 3170+00	•.5666+01 •.1168+01	
CONVER		.7126+01 .1217+03 .2952+02 .4058+02 .7126+01		.2769+02 .1498+03 3684+01 .2769+02	5667+01 .4031+02 3170+00 5667+01	5666+01 1168+01 9935+01	
CONVER		.7126+01 1217+03 .2952+02 4058+02 4058+01		.2769+02 .1498+03 	5667+01 .4031+02 3170+00	•.5666+01 •.1168+01	
CONVER				.2769+02 .1498+03 3684+01 .2769+02 .1496+03	5667+01 .4031+02 3170+00 5667+01	5666+0 1168+0 9935+0 5665+0 1168+0	
CONVER		.7126+01	5724+01	.2769+02 .1498+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02	5666+01 1168+01 9935+01	
CONVER		7126+01 1217+03 .2952+02 4058+02 7126+01 1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02	5667+01 .4031+02 3170+00 5667+01 .4031+02	5666+0 1168+0 9935+0 5665+0 1168+0	
CONVER			5724+01	.2769+02 .1498+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02	5666+0 1158+01 3936+01 5666+0 1168+0	
CONVER		7126+01 1217+03 .2952+02 4058+02 7126+01 1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02	5667+01 .4031+02 3178+00 5667+01 .4031+02 3170+00 5667+01	5666+0 1168+0 3935+0 5666+0 1168+0	
CONVER				.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02	5667+01 .4031+02 3178+00 5667+01 .4031+02 3170+00 5667+01	5666+0 1168+0 3935+0 5666+0 1168+0	
		.7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02	5667+01 .4031+02 3178+00 5667+01 .4031+02 3170+00 5667+01	5666+0 1168+0 3935+0 5666+0 1168+0	
				.2769+02 .1498+03 3684+01 .2769+02 .1490+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02 3170+00 5667+01 .4031+02	5666+0 1168+0 3935+0 5665+0 1168+0 3936+0 5666+0 1168+0	
		.7126+01 .1217+03 .2952+02 .4058+02 .7126+0! .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02 3170+00 5667+01 .4031+02	5666+0 1168+0 3935+0 5665+0 1168+0 5666+0 1168+0	
		.7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1496+03 3684+01 .2769+02	5667+01 .4031+02 3170+00 5667+01 .4031+02 3170+00 5667+01 .4031+02	.5666+0 -1158+0 -3935+0 -5665+0 -1168+0 -5666+0 -1168+0	
	.8150+01	.7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02 3170+00 5667+01 .4031+02	5666+0 1168+0 3935+0 5665+0 1168+0 5666+0 1168+0	
		.7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02 3170+00 5667+01 .4031+02	.5666+0 -1158+0 -3935+0 -5665+0 -1168+0 -5666+0 -1168+0	
	.8150+01	.7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02 .7126+01 .1217+03 .2952+02 .4058+02		.2769+02 .1498+03 3684+01 .2769+02 .1498+03 3684+01 .2769+02 .1498+03	5667+01 .4031+02 3170+00 5667+01 .4031+02 3170+00 5667+01 .4031+02	.5666+0 -1158+0 -3935+0 -5665+0 -1168+0 -5666+0 -1168+0	

							To this section is a second of the content of the c
7.7-01900	.1295+03 .1500+03	.2952+02 .4058+02	2625+01 6340+00	1498+03	.4031+02	1168+0	
* ***	8150+01	7126+01	5724+D1	3684+01	- 3170+00	.7109+0	TO THE SECRET SECURITY
	3906+03	1217+03	1372+02	.2769+02	5667+01	- 5666+0	
	.1295+03 - .1500+03	2952+02 .4058+02	2625+01 6340+00	1.498+03	4031+02		1
	, 1 200 TU3	, HUDDTUZ			•		
NVERSION SI	ETS.BLOCK 37	DCTAL WORD O	08000000400	100 to 1000 and 1000			
ere de vellentiquée es		0000	0000	0000			
	.0000	.0000	.0000	.0000	.0000	0000	
	.0000	,0000	.0000	.0000	.0000	.0000	
re dreite a dreitere em m	0000		0000		1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		The second of the second of the second
	.0000	.0000	.0000	.0000	.0000	.0000	
	.0000	0000	0000	0000			
	.000 .000	.0000	.0000	.0000	.0000	,0000	
	1500+03	.1500+03	.0000	.0000	.0000	.0000	
	.0000	.1014+01 .	.0000	0000	0000	.0000 	
	.0000	,0000	. ე00ე	10000			
NVERSION S	ETS.BLOCK 38	DCTAL WORD O	00000000421	 			
NVERSION S	-						
NVERSION S		1500+03	. 0000				
NVERSTON S	-			.0000 .0000	.0000		
NVERSION S	0000		. 0000	.0000	.0000	.0000 .0000	
NVERSION S	.0000 .0000 .0000	. 1500+03 . 1020+01 . 0000	.0000 .0000 .0000	.0000 .0000	.0000	.0000 .0000	
NVERSION S	.0000 .0000 .0000 .0000	1500+03 1020+01 0000 0000	.0000 .0000 .0000	.0000	.0000	.0000 .0000 .0000	
NVERSION S	.0000 .0000 .0000	. 1500+03 . 1020+01 . 0000	.0000 .0000 .0000	.0000 .0000	.0000	.0000 .0000	
NVERSION S	.0000 .0000 .0000 .0000	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03	.0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000	.0000 .0000 .0000 .0000	
NVERSION S	.0000	1500+03 	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
NVERSION S	.0000 .0000 .0000 .0000 .0000 .0000 .0000	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 5000+04 . 2437-01	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
NVERSION S		. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 5000+04 . 2437-01	.0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
NVERSION S	.0000 .0000 .0000 .0000 .0000 .0000 .0000	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 5000+04 . 2437-01	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
	.0000 .0000 .0000 .0000 .0000 .0000 .0000 -1000+00 .0000	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 5000+04 . 2437-01 . 0000 . 0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
	.0000 .0000 .0000 .0000 .0000 .0000 .0000 -1000+00 .0000	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 5000+04 . 2437-01	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
		. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 5000+04 . 2437-01 . 0000 . 0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	
	.0000 .0000 .0000 .0000 .0000 .0000 .0000 -1000+00 .0000 ETS.BLOCK 39	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 2437-01 . 0000 . 0000 . 0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	
	.0000 .0000 .0000 .0000 .0000 .0000 .0000 -1000+00 .3000+02 .0000 ETS.BLOCK 39	1500+03 1020+01 0000 0000 1500+03 1027+01 0000 0000 5000+04 2437-01 0000 0000 0000		.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	
	.0000 .0000 .0000 .0000 .0000 .0000 .0000 -1000+00 .0000 ETS.BLOCK 39	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 2437-01 . 0000 . 0000 . 0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	
	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	. 1500+03 . 1020+01 . 0000 . 0000 . 1500+03 . 1027+01 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000		.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	. 0000 . 0000 . 0000 . 0000 . 0000 . 0000	
NVERSION S	.0000 .0000 .0000 .0000 .0000 .0000 .0000 -1000+00 .3000+02 .0000 ETS.BLOCK 39	1500+03 1020+01 0000 0000 1500+03 1027+01 0000 0000 5000+04 2437-01 0000 0000 0000		.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	
		1500+03 1020+01 0000 .0000 .0000 .1500+03 .1027+01 .0000 .5000+04 .2437-01 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000	

								The second se
				, 4 ·	1 1			
- the master to had proper	5010+04 .0000	.5010±04 .1200-02	.0000	.0000	.0000	.0000 0000		
	.0000	0000	0000	0000				
4	.0000	•0000	.0000	<i>s</i> -				
CONVERSION	SETS.BLOCK . 67	OCTAL WORD	000000000000000000000000000000000000000		44.4			
	.0000	0000 0000	, 0000	0000		.0000		
	.0000	0000	0000	.0000	0000	.0000		
	1024+05	.1024+05	.0000	.0000	.0000	.0000	· · · · · · · · · · · · · · · · · · ·	
-	.0000	1000+01	.0000	0000	.0000	0000 0000		
	.0000	.0000	.0000		·	<u> </u>		
•	.0000	.0000	.0000	.0000	.0000 .0000	.0000	•	
WP-1	.0000	0000 0000	0000			.0000		
•						****		
INCORRECT I	NDICATOR FOR ITE	M STATUS	+197 HEADE	R RECORD I	IS 75 TAPE RE	CORD IS 75		
- INDEX NOT	FOUND FOR MID XP	1005			· · · · · · · · · · · · · · · · · · ·	4.00		
		4,53						
	•		•					
-							THE REPORT OF THE PARTY OF THE	
-								િલ્ફ્રેફ્ટોની કોઈ કરો કરો કરો જ
	a	<u> Sir inggalah d</u>		j. V				
	•			<u> </u>		and the second		હતું પશ્ચિમ છે.
						and the second		and the
						and the second		and the
	•					and the second		and the
						and the second		હતું પશ્ચિમ છે.
						and the second		and the
						and the second		હતું પશ્ચિમ છે.
						and the second		
						and the second		

FIXSR POS 2 3 4 5 7 8 10 11 12 13 14 15 16 17 18 19 20 20 21 22	\$\$0063 \$\$0063 \$\$0062 XP0316 XP1004 OH0005 	63 79A 945 455 533 731	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000	. 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000 . 0000	FIG FIXSR TAPE- 0 ***********************************	177777 100001 177777 144630 275.1567 187.8471 119.7482 		99 99 8 8 1 1 2 2 1 1 2 2 2 2 1 1 2 2 2 2 2 2	·
3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21	\$\$0062 XP0316 XP1004 DH0005 DT0001 FN0009 HF3213 DT0004 FN100B FN1007 FN1005 EH0010 FN0008 FN1003 EHC020 FN00012 FN0003 FNC004	794 945 533 731 694 536 722 729 719 512 730 746 522 734	1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	0 275.1567 0 187.8471 0 119.7482 0	177777 144630 275.1567 187.8471 119.7482 		22 21 12 22 22 22 22 22 22 22 22 22 22 2	· · · · · · · · · · · · · · · · · · ·
9 10 11 12 13 14 15 16 17 	XP0316 XP1004 PN0009 	79A 945 - 455 - 533 731 - 684 - 536 722 - 729 719 512 730 746 522 734	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000	0 275.1567 0 187.8471 0 119.7482 0	177777 144630 275.1567 187.8471 119.7482 		1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
9 10 11 	XP1004 OH0005 DTC001 FN0009	945 456 533 731 684 536 722 729 719 512 730 746 522 734	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000		0 275.1567 0 187.8471 0 119.7482 0	177777 144630 275.1567 187.8471 119.7482 		1 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
9 10 11 	DTC001 FN0009 	533 731 -694 536 722 -729 719 512 730 746 522 734	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000	.0000 .0000 .0000 .0000 .0000 .0000 .0000	0 167.8471 0 119.7482 0 0000 0 250.4805 0 31.5477 0 120.5923 0 32.0069 0 148.9271 0 12.3687 0 12.3687 0 148.9785	187,8471 119,7482 		2 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
9 10 11 12 13 14 15 16 17 18 19 20	FN0009	731 	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000	.0000	0 119.7482 0	119.7482 		2 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
9 10 11 12 13 14 15 16 17 18 19 20		536 722 729 719 512 730 746 522 734 725	1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000	.0000 .0000 .0000 .0000 .0000 .0000	0 250,4805 0 31,5477 0 120,5923 0 32,0089 0 18,9271 0 12,3687 0 12,3687 0 118,9785	250.4805 31.5477 	(1 2 1 2 2	
11 12 13 14 	FW100B FW1007 FW1007 FW1000B FW1003 EW7020 FW0012 FW1003 FW1003	722 729 719 512 730 746 522 734 725	1,000 	.0000	0 31.5477 0 120.5923 0 32.0069 0 118.9271 0 120.6319 0 12.3687 0 12.8687	31.5477 120.5923 32.0089 110.9271 12.3687 12.3687	(1 2 1 2 2	
12 13 14 15 16 17 18 19 20	FN:007 FN:005 EH:000 FN:003 FN:003 EH:020 FN:001 FN:003 FN:004	729 719 512 730 746 522 734 725	1.0000 1.0000 1.0000 -1.0000 1.0000 1.0000	.0000	0 120,5923 0 32,0069 0 18,9271 0 120,6319 0 12,3687 0 118,9785	120.5923 32.0089 118.927 12.3687 118.9785)	
13 14 15 16 17 	FW1005 EH0010 FN0008 FN1003 EH0020 FN0012 FN0003 FN0004	719 512 730 746 522 734 725	1.0000 1.0000 -1.0000 1.0000 1.0000	.0000	0 32.0069 0 118.9271 0 120.6319 0 12.3687 0 118.9785	32.0089 118.9271 120.6319 12.3687 118.9785			·
14 15 16 17 18 19 20	FN0008 FN1003 EHC020 FNG012 FN0003 FNC004	730 746 522 734	1.0000 1.0000 1.0000	.0000	0 120.6319 0 12.3607 0 118.9785	120.6319 12.3607 118.9785			<u> </u>
16 17 18 19 20	FN1003 • EHC020 • FN6012 • FN6003 • FN6004	746 522 734 725	1.0000 1.0000 1.0000	.0000	0 12.3697 0 118.9785	12.3607 118.9785)	·
17 IB 19 20 21	FNG012 FNG012 FNG003 FNG004	522 734 ——— 725	1.0000 1.0000	.0000	0 118.9785	118.9785			
IB 19 20 21	FN6012 FN6003 FN6004	734 ———— 725	1.0000) 2	
20 21	FNC004		1 0000	0000	·2.000/			,	,
21		776		.0000	0 121.5114	121.5114			
		·· 869 ·	1.0000	.0000	0 120.6330 0 71.2004	120.6330 71.2004	. (2	
22	EWC016	874	1.0000	0000	0 71.7995	71.7995	71	, ,	
23	E10005	613 🦸	1.0000	.0000	0 118.7218	118.7218	i		•
24	* FN2002	~ 749	1.0000	:0000	0 3000.0972 119 1838	3000.0972	······································) 	
25 26	ET0015 FN2005	623 752	1.000G 1.000D	.0000 .0000	0 119.1838 0 980.5692	119.1838 980.5692	(, ,	1
· 27	- ET1001		1.0000	···· 0000 ·····	0	.0650		,	
28	EH 1001	527	1,0000	.0000	0 .0625	.0625) 4	
29	DT 100 t	595	1.0000	.0000	.0579	.0579	· · ·	9 4	<u> </u>
30 31	DT 1002 DT 1005	596	1.0000	.0000	.0679	.0679)	,
32	DT 1008	599 602	1.0000	.0000	01075 0 .1053	.1075 .1053	7		ί
33	D7 101 1	605		0000	0 ,1314			j	
34	DH1003	530	1.0000	.0000	.0015	.0015) 4	1
35	DT 1004	558	1.0000	.0000	0 .0047		4) 4	
36 37	DT 1006 ·	600 ·········· 597	1.0000 1.0000	.0000	0.0054	.0054 0008,		4	,, <u>''</u>
38	DT 1007	601	1.0000	.0000	00017	,0017	•	3 4	İ
. 39	- DT1009	603		0000	0	.0170)	
40	DT 1012	606	1.0000	.0000	0 .0105	.0105		4	
41	DT 1014	608	1.0000	.0000	0009	.0009) <u> </u>	
WARNING .	**UNNORMALIZE	D NUMBER(S)	BEING EDITED F	OR QUIPUT++					
WARNING .	**UNNORMALIZE	D NUMBER(S)	BEING EDITED F	OR OUTPUT++ ~	n tirke han bedalling den dan dan dan dan dan dan dan dan dan da		- 1,7234,744,7	- 11 11 1	
42 43	ZV 100 1 ZV 2006	1198 1197	1,0000 1,0000	, 0000 , 0000	0 .0000	.0000 147.9882			经线点 拉马克

- WARNING - **UNNORMALIZED NUMBER(S) -BEING EDITED -FOR-OUTPUT

F-64

44	ZV1003	1200	1.0000	.0000	0	0000		0	5	
WARNING	**UNNORWALIZED	NUMBER(S)	BEING EDITED.	FOR OUTPUTAR.		***				···
WARNING 45	TS 1056	NUMBER (S) 1073	BEING EDITED	FOR OUTPUT++	. O .			2	1	·
WARNING	••UNNORWALIZE	NUMBER(S)	BEING EDITED	FOR OUTPUT++		•				
WARNING 46	UNNORMALIZED ZTG203	NUMBER(S) 1026	BEING EDITED	FOR OUTPUT **	0	********	********	2		
WARNING	UNNORMALIZED	NUMBER(S)	BEING EDITED	FOR OUTPUT++	******) (والمراجع والمستودات والمستود والمستود والمتعادية والمتعادية والمتعادية والمتعادية والمتعادية والمتعادية والمتعادية	,	سيب شخصيا سندست	<u> </u>	
WARNING 47	**UNNORMALIZED ZTO206	NUMBER(S) 1058	BEING EDITED	FOR OUTPUT++_	0	.2500	,2500	. 2	1	
WARNING	**UNNORMALIZEE	NUMBER(S)	BEING EDITED	FOR OUTPUT++						ويب وتناو كريان المراجعة المرا
WARNING 48	**UNNORMALIZEC ZTO209	NUMBER (S) 1061.	BEING EDITED	FOR OUTPUT**	٠.۵٠					
* WARNING	UNNORVÁLIZED	NUMBER(S)	BEING EDITED	FOR JOUTPUT**		•	•			
. Warning 49 50	**UNNORMALIZEE ZTO213 ZTO216	NUMBER(S) 1065 1068	BEING EDITED: 1.0000 1.0000	FOR OUTPUT++	O	.0000	.0000	0	**************************************	
WARNING	**UNNORMALIZED	NUMBER(S)	BEING EDITED	FOR OUTPUT++			200 i			
+- ·	т. н	**************************************	inggaptseddoo Ofwestabilloogaarsepe dog V	9008 1782 1108 04 908 37 files of reign Dynamics 3 44 S	•	tand tarmaciyayaanaani kaakeekapusti rassak		***************************************		
**************************************	errengidde yffda my gadonyg		***************************************			4				
			** 		: 				<u> </u>	
		•				•				•
		ý •								, .
dis	* *** ********************************	i vibro sa tv na jiniya tasurikasi otigʻingga sa							garing (Area)	· · · · · · · · · · · · · · · · · · ·
						•				
•						70.53				
	Francisco del primer de l'accesso de la casa	نبرششيب يحسب			··			<u> </u>		
*****				-			•			
									AIN	
	-	······································		<u> Andreas Carteria y er</u>		بأريست بالمستحديد			Transport of the St. St.	555,000 K

										-1-1-1-1-1-1					
FIXSR POS	ĸīĠ "	INDEX SCA	E FACTOR	BAND	PASS	OUTFLG	FIXSR T	APE	τ,	AB TAPE	A S	FATUS	R STATUS		
			BEING EDITE				कार्यः व्यक्तवंत्रस्य व्यक्तिः। कार्यः व्यक्तिः।					سينېد، سيې و		·	,
51 52	210219 250012	1071 . 1189	1.0000		1000 1000 -	0	220.0	000 491	2	.0000 - 6491 -		_2 1	1 	موالي سنة الوسور وملة جدخون	
ANINGU	ŅNORMALIZED	NUMBER(S)	BEING EDITE	D FOR C)UT PUT	••						·			
U** DHINGA 53		NUMBER(S)	BEING EDITE	D FOR	0000	••		000	*	.0000		•		, .	•
54	ZQ0001		1.0000					975	· · · · · · · · · · · · · · · · · · ·	0975		-	<u> </u>		<u> </u>
ARNINGU	NNORMA L I Z E D	NUMBER(S)	BEING EDITE	D FOR (ነያ የ ሀ ፓ የ 	••	····	, 			·····	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
ARNING +4U 55	NNORMALIZED ZPC317	1192	BEING EDITE	. 0	0000	C		000	•	.0000	•	5 . O	5		
£6 57	\$50054 XP0317	54 · · - 795	1.0000		0000 - 0000	O .		000.	177777	125110		. 2	- 0		
58	XP1003	944	1.0000		0000	ŏ		***	177777	100501		ö	ĕ		
59	XP1005	0	1.0000		. 0000	ō	- ***********	***		******		- 29			
60 61	010005 . H13211	537 682	1.0000 1.0000		0000 0000	6	25Q.4 • (805 000	. 2	.0080		0	2		
ARNING **U	NNORMA L 12EI	NUMBER(S)	BEING EDITE	p FOR	OUTPUT	••	gan diskir i i i i i i i i i i i i i i i i i i								
ARHING **U 62	NNORMALIZED ZVOJI6	HUMBER (\$)	BEING EDITE 1.0000		000 O	0		000		.0000		0	5		
u** əninra	nnorma lize(NUMBER(5)	BEING EDITE	D FOR	דטים דעים	**				· · · · · · · · · · · · · · · · · · ·	······		<u> </u>		
ARNING ••U	nnorma li zei	NUMBER(S)	BEING EDITE	D FOR	ייים זעם יייים אינים	• •						,	age de la completa d	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
ARNING **U	NNORMA LIZE	NUMBER(S)	BEING EDITE	D FOR	דטיין זעס דטיין דעס	**									
ARNING **U	NNORMAL12E	NUMBER(S)	BEING EDITE	D FOR	DUT PUT	**					<u> </u>				
ARNING **U	NNORMAL12E	NUMBER(S)	BEING EDIT	ED FOR	TUSTUO	* *								-,	·
			BEING EDIT									•			•
			-BEING EDIT								······································	. <u> </u>		·····	
			BEING EDIT						र राष्ट्र		777.)				
			BEING EDIT								1	12		:	
ITEM NUMBER			BEING EDIT												
						. 				• • • • • • • •			M a. re		•- -
•			BEING EDIT									,,,			
	977777677		PERIODIC D	478 DEA	OBD	11:	3						•		
incorrect i	UNICHION	-32700 IN	. HKIDDIG D	MIN REL	C110	***	5								

ØASG.TU 7,8C,.92 . ◆	
and the statement of th	
FIXED-SAMPLE-RATE TAPE. LOGICAL UNIT 7, RECORD 1 (168:012:044:	2.)
- 45365+19 45365+19 45365+19 45365+19 45365+19 45365+19 27516+03 18765+03 27516+03	
.31548+02 .12059+03 .32009+02 .11893+03 .12053+03	
.12353+02 .11898+0320587+0112151+0312063+03	
.7:209+02 .7:799+02 .11872+03 .30001+04 .11918+03 .9:057+03 .6:000-01 .62500-01 .57887-01 .67860-01	
10750+00 .10531+0013143+0015135-0247077-02	
.53522-02 .75750-03 .17447-02 .16986-01 .10500-01	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	·
WARNING . "UNNORWALIZED NUMBER(S) BEING EDITED FOR OUTPUT."	
.92500-03 .02706-24 .14799+03 .02906-24 .01732-24	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT** .17921+1125000+00 .00369-24 .00520-24 .33461+02	
WARNING .**UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT .**	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
.01530-24 .22065+03 .26332-28 .97500-01 .02681-24	
.00000 .45385+19 .45385+19 .25048+03	
WARNING **UNHORMALIZED NUMBER(5) BEING-EDITED FOR OUTPUT**	
WARNING UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT	
WARNING . **UNNORMALIZED NUMBER(S) BEING EDITED FOR QUIPUT.	
WARNING **UNNORMALIZED HUMBER(S). BEING EDITED FOR OUTPUT**	
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT+*	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR DUTPUT**	
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT .*	
	• '
WARNING **UNNORMALIZED NUMBER(S) BEING-EDITED FOR OUTPUT**	

WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT	**************************************
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	
WARNING .*UNNORMALIZED NUMBER(5) BEING EDITED FOR QUIPUT.**	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT **	
WARNING UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
FIXED-SAMPLE-RATE TAPE. LOGICAL UNIT 7. RECORD 2 (165:012:054	: 2.)
14202+08 .45385+19	
.31710+02 .12259+03 .32009+02 .12180+03 .12277+03 .11500+02 .12185+03 .79181+0012374+0312283+03	
.69837+02 .71799+02 .12144+03 .31306+04 .12200+03	,
.99792+03 .60600-01 .57500-01 .52625-01 .62640-01 .87500-01 .10531+00 .11879+00 .22702-02 .52033-02	8
.44118-0210000+07 .74775-03 .84830-02 .00000	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT ** .17005-02 .31250-05 *.15258-04 .55670-01 .57632-01	
.26203+03 .25344+03 .25421+03 .24161+03 .24372+03	
.22951+02 .54600-02	
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.*	
WARNING .TUNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.*	. To Berrier the Committee of the property of the Committee of the Committ
WARNINGUNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	
WARNING UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	
WARRING UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT.	·
WARRING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT **	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING **UNNORMALIZED NUMBER(S)- BEING EDITED FOR OUTPUT **	**************************************
WARRING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT **	Antifestion of manifestion of the particular of the particula
WARRING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING .*UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	
WARNING **UNNORMALIZED NUMBER(S) BEING EDITED FOR OUTPUT**	•

.

WARNING .*UNNORMALIZED NUMBER(S) BEING	•		
FIRST TIME OF THE TAPE IS 165:012:044: LAST TIME OF THE TAPE IS 165:012:054:	2.	CONTAINING 2 RECORDS	
DELTA TIME OF THE TAPE IS 0:000:010:	o. ·		
AN OUTLAW FORMATED TAPE WAS OUTPUT ON	ATE TAPE WAS GENERATED ON LOGICAL UNIT 7. CONTAINING 2 RECORDS E TAPE IS 165:012:054: 2. E TAPE IS 0:000:010: 0. 1HAS 27 RECORDS. ED TAPE WAS OUTPUT ON LOGICAL UNIT 4 27 RECORDS ATE TAPE WAS GENERATED ON LOGICAL UNIT 7. CONTAINING 2 RECORDS E TAPE IS 165:012:044: 2. E TAPE IS 165:012:044: 2.		
File 3 CONTAINS 27 RECORDS	A data of the same		***************************************
* ************************************	na Pida Lama, na sind Laguay 1700, 1700, la Pida Lamagha vilag pilm (and nishinka) d t kidara		
	ON LOGICAL UNIT 7. 2. 2.		
	•		
> 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
e e e e e e e e e e e e e e e e e e e			

DYNAMIC CONTROL SEQUENCE NO. 6 LOGICAL UNIT 8 HAS BEEN DYNAMICALLY FREED OFREE 8.			
•	•		•
GNFLEX RECAP			
INPUT TAPE NUMBER IS 1	*	•	• .
NUMBER OF PHYSICAL DATA BASE RECORDS IS			
TOTAL NUMBER OF PHYSICAL THE RECORDS READ IS	i 194	•	
TOTAL NUMBER OF PHYSICAL THE TAPE READ ATTE	APFS-IS194		
TOTAL PARITY COUNT FOR THE TAPE READS, IS	0		
CURRENT STATUS FLAG (SFLAG) IS 0			
•			•
		•	
<u>:</u>		•	
	. ,		

000050 131101 000070 131111 LINES OF 00000 000130 131151 000140 131161 BANK- SDBANK 000000 131170 000010 131200	C00000000000 472312343006 SEGMENT \$ 0000000000000	00000000000000000000000000000000000000	000000000000 000000000000 001 WORDS 00000000000 75050505050505 ELEMENT- TAPLB 0000000000000 4000000000000	000000000000 000024 DEC WO 000000000000 560505050505	063014050505 000000000000000000000000000000	311705050505 00000000000000 0000000000000	560000034375	701005050505 0000000000000 300505050505 AY 78 AT 16:22:3 500000034365 -0000300000076
BANK- \$DBANK 000000 131220 000000 131221 000010 131221 000010 131231	0000000000001 0000000000035	ALLOCATED LIMI 0000000000001 000000000211	00000000000071	0000000001118 000000000047	000000000021 0000000000007	0000000000001 000000000071	000000000015 000000000345	000000000146 00000000000
000020 131241 000030 131251 000040 131261 000050 131271 000060 131301 000070 131311 LINES OF GOOOD	002000200055 002000000227 00000000034 0000000000035 0000000000523 00000000000	00000000103 000000000014 000000000053 000000000153 000000000000 0000000000	000000000102 0000000000013 000000000054 0000000000241 0000000000035 0CT KORDS	000000000003 000000000044 000000000001 0000000000	000000000151	000000000000 000000000113 00000000113 00000000	00000000015 00000000032 00000000116 00000000055 000000000000000	000000000007 000000000250 000000000055 0000000000
								•
PXQT OUTLAW		MA II 6 B	ep. 10. 61. 61. 61. 100 100 100 100 1777 17888 1788 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, pagalaken eng tiga jajakat nara engamban kennya Bandan kanan kanan kennya kennya kanan kennya k	***************************************			
PXQT QUTLAW		ı						
PXQT QUTLAW		1						
PXQT QUTLAW		1						
PXQT QUTLAW								

YNAMIC CONTROL SEQUENCE N DGICAL UNIT 26 HAS BEEN D FREE 26.). 1 NAMICALLY FREED				
STAT = 1000000000000 (OCTA	.)	, ,	-	4	
HAMIC CONTROL SEQUENCE N GICAL UNIT 26 HAS BEEN D SG 26.F40/2/POS/60). 2 MANICALLY-ASSIGNED 60-POS	15		•	
NAMIC CONTROL SEQUENCE N LICAL UNIT 27 HAS BEEN D REE 27. TAT = 1000000000000 (OCTA	NAMICALLY FREED				
AMIC CONTROL SEQUENCE H GICAL UNIT 27 HAS BEEN D GG 27.F40/2/POS/60	MANICALLY ASSIGNED 60 POS	's			
NAMIC CONTROL SEQUENCE N GICAL UNIT 28 HAS BEEN D	NAMICALLY FREED				·
REE 28. TAT = 1000000000000 {OCTA	A modest design of the first that they specify remains the company arms to remain and an experience of the company of the comp	•			•
: MIC CONTROL SEQUENCE N LICAL UNIT 28 HAS BEEN D LC 28.F40/2/P05/60	. 6 MANICALLY ASSIGNED 60 POS	'S	-	···	
:					
NAMIC CONTROL SEQUENCE N GICAL UNIT 29 HAS BEEN D REE 29	NAMICALLY FREED	1	-		
TAT = 100000000000 (OCTA					
NAMIC CONTROL SEQUENCE N GICAL UNIT 29 HAS BEEN D SG 29.F40/2/POS/60	MANICALLY ASSIGNED 60 POS	' S			
YNAMIC CONTROL SEQUENCE N					•
OGICAL UNIT 20 HAS BEEN D	NAMICALLY-FREED				

OFREE 20. 1STAT = 10000000000 (OCTAL)	
DYNAMIC CONTROL SEQUENCE NO. 10 LOGICAL UNIT 20 HAS BEEN DYMANICALLY ASSIGNED 50 PDS'S #ASG 20.F40/2/PDS/60	
DYNAMIC CONTROL SEQUENCE NO. 11 LOGICAL UNIT 23 HAS BEEN DYNAMICALLY FREED 6FREE 23.	
DYNAMIC CONTROL SEQUENCE NO. 12	
LOGICAL UNIT 23 HAS BEEN DYMANICALLY ASSIGNED 60 POS'S PASG 23.F4D/2/POS/60	
DYNAMIC CONTROL SEQUENCE NO. 13 LOGICAL UNIT 19 HAS BEEN DYNAMICALLY FREED FREE 19. ISTAT = 100000000000000(OCTAL)	
DYNAMIC CONTROL SEQUENCE NO. 14 REEL ** HAS BEEN DYNAMICALLY-ASSIGNED-TO-LOGICAL UN FASG. T 19.8C	**************************************
en en la companya de br>La companya de la co	

\$\$0063

DOD HH MM SS

165 12 53 38.1000000000000001 165 12 44 59.1100010010101000 165 12 46 1.1100001010101010 165 12 47 1.11000000101010000 165 12 54 14.0000000000000001 165 12 45 0.1100010010111000 165 12 46 2.0100001010100000 165 12 47 2.1100000010011000 165 12 54 17.100000000000000001 165 12 45 ...1.010001010100000 165 12 46 ...3.1100001010100000 165 12 47 ...3.0100000100010001000

F00442 FLEX/GNFLEX CROSS CHECKS

DATA PRODUCED DURING CHECKOUT OF FLEX/GNFLEX INTERFACE.
HAROLD B VANWIE PROJECT NO. 4205

DATA

XP1004

DDD HH MM SS

XP0316

DATA

DOD HH MM 55

PAGE NO.

DDD HH MM

	F00442 FLEX/GNFLE	X CROSS CHECKS	PAGE NO. 2
a upon a require to the		OF FLEX/GNFLEX INTERFACE	
	HAROLD B VANWIE PR		
XP1004	XP1004	XP1004	XP1004
DDD HH MM SS DATA	DDD HH MM SS DATA	DDD HH MM SS DATA	DDD HH MM SS DATA
165 12 47 4.1100000010010000		요 한다. 그는 그는 그리 작품이 아이들도 하나 회약으로 되었다.	그는 집에 가는 집에 가꾸는 것 같아요. 그 가꾸 살이 살아가는 것이 없는 것이다.
165 12 47 6.0100000010000000 165 12 47 7.0100000010001000		도 (10년 1년 년문 년문 - 11일본(10년)년(11년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년)년(11년	
165 12 47 7.0100000010001000 165 12 47 8.110000001001001			
165 12 47 9.1100000001000000			165 12 50 3.1011010011001000
	165 12 48 10.101110111000000		
	165 12 48 11.001110111000000		
		0 165 12 49 11.1011100110010000	
			165 12 50 9.0011010010111000
			165 12 50 10.1011010010110000
165 12 47 16.11000000000100000	165 12 48 17.10(110110011000	0 165 12 49 14.1011100110001000	165 12 50 11.10(10)00(010)000
165 12 47 17.1100c00000011000	165 12 48 18.101110110010100	0 165 12 49 15.0011100101000000	165 12 50 12.1011010010100000
165 12 47 18.1100000000100000	165 12 48 19.101110110010000	0 165 12 49 16.1011100101001000	165 12 50 13.0011010010011000
			165 12 50 14.0011010010001000
) 155 12 50 15.1011010010000000
			0 165 12 50 16.1011010010011000
			165 12 50 17.1011010010001000
			165 12 50 18.0011010010001000
			165 12 50 19.1011010010000000
			165 12 50 20.1011010001001000
			0 165 12 50 21.1011010001000000
			0 165 12 50 22.0011010009111000
			0 165 12 50 23,1011010000110000 0 165 12 50 25.1011010000011000
			0 165 12 50 26.0011010000101000
			0 165 12 50 27.1011010000100000
			0 165 12 50 28.1011010000011000
			0 165 12 50 29.1011010000100000
			0 165 12 50 30,1011010000011000
			0 165 12 50 31.1011010000001000
			0 165 12 50 34.00110103000000000
165 12 47 41.1011110001001000) 165 12 48 41.10111010100010C	0 165 12 49 37.001110001011100	0 165 12 50 35,101101000000000
165 12 47 43.0011110000111000) 165 12 48 42.00ff10100f00f00	0 165 12 49 38,101110001011000	0 165 12 50 36.1011001111001000
165 12 47 44.0011110001000000) 165 12 48 43.101110100100100	0 165 12 49 39.1011100010101000	0 165 12 50 37.0011010000000000
165 12 47 45.1011110001000000) 165 12 48 44.001110100100100	0 165 12 49 40.101110001010000	0 165 12 50 38.0011001111001000
			0 165 12 50 39.1011001111001000
			0 165 12 50 40 10 100 111 100 0000
			0 165 12 50 41.1011001110111000
			0 165 12 50 42.0011001110111000
			0 165 12 50 43.10 100 1110 100 000
			0 165 12 50 44.1011001110011000
			0 165 12 50 45.0011001110011000
			0 165 12 50 46.0011001110100000
			0 165 12 50 47.1011001110011600
			0 165 12 50 49.10[100][100]0000
			0 165 12 50 50 0011001110010000 0 165 12 50 51 101100111001000
			0 165 12 50 52.1011001110000000
			0 165 12 50 53,0011001110000000
			0 165 12 50 54.001100110000000
			0-165-12-50-55:1011001101001000
103 -5 40 3-0044104110401000	** 100 ** 2 ** 45 ** 2 11 U 1 1 100 U 1 1 100 U 0	- 102 - 5-42 -51101110000001000	a 145 if 36 aditoriodilareatos

3

HAROLD B VANWIE PROJECT NO. 4205 XP1004 XP1004 XP1004 XP1.004 DDD HH #M SS DDD HH MM SS DATA DDD HH MM SS DATA DDD HH HM SS DATA 2.1011000110000000 165 12 53 165 12 50 57.1011001100111000 165 12 52 1.1010110011001000 165 12 54 9.1010101100000000 3.0011000101001000 165 12 53 165 12 50 58.0011001101000000 165 12 52 3.1010110011000000 165 12 54 10.0010101011001000 165 12 50 59.1011001100110000 165 12 52 4.1011000100111000 165 12 53 4.1010110010111000 165 12 54 11.10101010111001000 165 12 51 1.1011001100101000 165 12 52 5.1011000100101000 165 12 53 7.1010110010110000 165 12 54 13.1010101011000000 155 12 51 3.1011001100100000 165 12 52 6.1011000100110000 165 12 53 8.0010110010101000 165 12 54 16.10101010101111000 5.1011001100011000 165 12 52 7.0011000100111000 165 12 53 165 12 51 9.0010110010100000 165 12 54 17.101010101010110000 6.0011001100011000 165 12 52 8.0011000100110000 165 12 53 10.1010110010100000 165 12 54 18.00101010101010000 165 12 51 9.101(0001001(0000 165 12 53 11.1010110010011000 165 12 54 19.1010101010101000 165 12 51 7.1011001100010000 165 12 52 8.1011001100001000 365 12 52 10.101100010010101000 165 12 53 13.001011001001000 165 12 54 27.00101010101010 165 12 51 165 12 51 9.1011001100000000 165 12 52 11.0011000100100000 165 12 53 14.001010001000 165 12 54 22,1010101001000 165 12 51 10.0011001011001000 165 12 52 13.1011000100100000 165 12 53 15.101011001000000 165 12 54 25.001010010000 165 12 51 11.1011001011001000 165 12 52 14.1011000100011000 165 12 53 18.1010110001000 165 12 54 26.00101010001000 165 12 51 12.10110010101111000 165 12 52 15.0011000100011000 165 12 53 20.1010110001000000 165 12 54 27.10101010101000 165 12 51 13.1011001011000000 165 12 52 16.0011000100001000 165 12 53 21.0010110001000000 165 12 54 28.1010101010000000 165 12 51 14.0011001011000000 165 12 52 17.1011000100001000 165 12 53 22.1010110000111000 165 12 54 29.00101010000000 165 12 51 15.00[1001010111000 165 12 52 18.10[1000]0000000 165 12 53 23.10[0]10000[10000 165 12 54 30.10[0]10[0]10[0] 165 12 51 16.1011001010111000 165 12 52 19.1011000011001000 165 12 53 25.0p1011000010000 165 12 54 33,70101010000000 165 12 51 18.101100101010101000 165 12 52 20.001100010000000 165 12 53 26.1010110000100000 165 12 54 34 001010100011000 165 12 51 21.1011001010100000 165 12 52 21.1011000011001000 165 12 53 28.1010110000011000 165 12 54 35.1010101000110000 165 12 51 22.1011001010011000 165 12 52 22.1011000011000000 165 12 53 29.0010110000011000 165 12 54 36.1010101000111000 165 12 51 23.0011001010010000 165 12 52 24.0011000010111003 165 12 53 30.0010110000010000 165 12 54 37.1010101000110000 165 12 5: 25.101100:010001000 165 12 52 26.10110000101.0000 165 12 53 31.0010110000001000 165 12 54 38.0010101000101000 165 12 51 26.1011001010000000 165 12 52 28.0011000010110000 165 12 53 32.1010110000000000 165 12 54 39.1010101000100000 165 12 51 27.1011001001001000 165 12 52 29.1011000010101000 165 12 53 33.001011000000000 165 12 54 42.00101000011000 165 12 51 29.101100100100100000 165 12 52 30.1011000010100000 165 12 53 35.1010110000000000 165 12 54 43.1010101000011000 165 12 51 31.0011001000111000 165 12 52 31.0011000010100000 165 12 53 36.1010101111001000 165 12 54 44.101010101000010000 165 12 51 32.001100:0001100:00 165 12 52 32.0011000010011000 165 12 53 37.0010:0111100:000 165 12 54 45.1010:00000:000 165 12 51 33.1014001000110000 165 12 52 33.1011000010010000 165 12 53 38.0010101111000000 165 12 54 46.001010101000001000 165 12 51 35.1011001000101000 165 12 52 34.0011000010010000 165 12 53 39.1010101110111000 165 12 54 47.10101010000000000 165 12 51 36.0011001000100000 165 12 52 35.1011000010001000 165 12 53 41.101010111011000 165 12 54 48.101010011000000 W-165 12 51 37.1011001000011000 165 12 52 36.0011000010001000 165 12 53 42.0010101110110000 165 12 54 49.101010111001000 165 12 51 40 0011001000010000 165 12 52 37.101100001000000 165 12 53 43.1010101110101000 165 12 54 50.0010100111001000 165 12 51 41.1011001000010000 165 12 52 38.1011000001001000 165 12 53 45.001010110101000 165 12 54 51.1010100111001000 165 12 51 42.1011001000001000 165 12 52 40.0011000001000000 165 12 53 46.0010101110100000 165 12 54 53.00101011010000 165 12 51 43.0011001000001000 165 12 52 41.1011000000111000 165 12 53 47.1010101110011000 165 12 54 54.001010011011000 165 12 51 44.1011001000000000 185 12 52.42.0011000000111000 165 12 53 49.10101110010000 165 12 54 55.1010100110110000 --165 12 51 45.1011000111000000 165 12 52 43.1011000000110000 165 12 53 50.101010110001000 165 12 54 56.00101001010101000 155 12 51 46.1011000111001000 165 12 52 44.0011000000110000 165 12 53 52.0010101101001000 165 12 54 57.10101001101000 165 12 51 47.1011000111000000 165 12 52 45.1011000000101000 165 12 53 53.0010101110000000 165 12 54 58.0010100110100000 165 12 51 48.0011000111000000 165 12 52 46.1011000000011000 165 12 53 54.1010101101001000 165 12 55 0.1010100110011000 165 12 51 49.1011000111000000 165 12 52 47.1011000000100000 165 12 53 57.1010101101000000 165 12 55 2.0010100110011000 165 12 51 50.1011000110110000 165 12 52 48.1011000000011000 165 12 53 58.001010101000000 165 12 55 3.1010100110001600 165 12 51 51.0011000110110000 165 12 52 49.1011000000010000 165 12 53 59.1010101100111000 165 12 55 4.0010100110001000 165 12 51 52.1011000110101000 165 12 52 51.00110000000000000 165 12 54 1.0010101100110000 155 12 55 5.1010100110001000 165 12 51 53.1011000110100000 165 12 52 52.0011000000001000 165 12 54 2.0010101100101000 165 12 55 6.0010100101001000 165 12 5: 55.0011000110011000 165 12 52 53.1011000000001000 165 12 54 3.1010101100011000 165 12 55 7.1010100101001000 165 12 51 57.1011000110010000 165 12 52 55.0011000000010000 165 12 54 4.1010101100100000 165 12 55 8.1010100101000000 165 12 51 58.1011000110001000 165 12 52 56.0011000000001000 165 12 54 5.1010101100011000 165 12 55 10.0010100101000000 165 12 51 59.001100010001000 165 12 52 58.101100000000000 165 12 54 6.0010101100011000 165 12-55 11.1010100100111000 165 12 52 0.1011000110000000 165 12 52 59.1010110011001000 165 12 54 7.1010101100000000 165 12 55 13.0010100100110000 165 12 52 1.0011000101001000 166 12 53 ... 0.001100000000000 165 12 54 ... 0.101010101001000 ... 165 ... 12 55 ... 161010101000

FOO442 FLEX/GNFLEX CROSS CHECKS

DATA PRODUCED DURING CHECKOUT OF FLEX/GNFLEX-INTERFACE

F00442 FLEX/GNFLEX CROSS CHECKS	PAGE NO. 4
DATA PRODUCED DURING CHECKOUT OF FLEX/GNFLEX-INTERFACE	
HARQLO B VANWIE PROJECT NO. 4205 XP1 004 DHO0D5 DT0001	HT3213
	DDD HH MM SS - DATA
	155 12 51 38. 4.25
	165 12 51 41. 4.25
165 12 55 19.0010100100011000 165 12 47 29 268.7 165 12 54 17, 232.7	165 12 51 44; 44.
165 12 55 20.1010100100011000 165 12 48 17. 267.7 165 12 54 26. 234.2	165 12 51 47. 4.26
165 12 55 21.0010100100010000 165 12 48 56	165 12 51 50 4.26
	165 12 51 53.
그 하루는 이를 받고 그림에 중심하고 하는 문문에 가는 문문에 가장 가장 보고 있다. 그는 그 것 같습니다고 있었다. 그는 전에 무겁지 않는 것 같습니다.	165 12 51 56. 4.27
	165 12 51 59. 4.28
165 12 55 25.1014 000000 10000 165 12 52 59 262.3 165 12 55 5. 240.9 ···	165 12 52 - 2:
그 경우에 가는 본 본 본 시간	그 도통 그는 밤이고 등이 되는 말이 되었다면 하는 사람들은 글이 동모었다면 되었다.
	165 12 52 8. 4.29 165 12 52 11. 4.30
	165 12 52 14. 4.30
	165 12 52 17. 4.31
	165 12 52 20. 4.31
- 152 1 8 55 511150111555155515121115 155111 15 155111 15 155111 15 155111 15 15	165 12 52 23. 4.31
	165 12 52 26. 4.32
	165 12 52 29. 4.32
그 보고 하는 사람들이 하는 사람들이 되고 있는 것이 되었다. 그는 그는 사람들이 되었다. 그는 그는 그는 그는 사람들이 살아 있다면 그를 살아 있다. 그는 그는 사람들이 나를 살아 있다.	165 12 52 32. 4.32
그리는 그를 하는 하는데 그 후에 주면하는 것이 있는 것은 사람들이 되었다.	165 12 52 35 4.33
- 188 19 88 88 18 18 18 18 18 18 18 18 18 18 18	165 12 52 38 4.33
	165 12 52 41. 4.33
	165 12 52 44. 4.34
	165 12 52 47
165 12 55 41.10111100101111000 165 12 51 17. 190.8 165 12 55 41. 104.21	165 12 52 50. 4.34
	165 12 52 53. 4.35
165 12 55 43.0011110010000000 165 12 51 29 194.9 165 12 55 47	165 12 52 56
	165 12 52 59. 4.35
165 12 55 45.1011110000010000 165 12 51 41. 198.5 165 12 55 56, 1 108,90	165 12 53 2. 4.36
	165 12 53 5 4.36
165 12 55 47.001(101)11000000 165 12 51 53. 201.9	165 12 53 8. 4.36
165 12 55 48.1011101110011000 165 12 51 59. 203.5 HT3213	165 12 53 11. 4.37
그 그들은 이번 가는 그는 그는 그를 하는 그를 하는 것이 없는 그는 그는 그를 하는 것이 없는 그는 그를 하는 것이 없는 것이다.	165 12 53 14.
	165 12 53 17. 4.38
	165 12 53 20. 4.38
165 12 55 62.0011101100011000 165 12 52 23, 29, 209,6 165 12 47 8, 209,6	165 12 53 23. 4,39
165 12 55 53.0011101100000000 165 12 52 29. 211.1 165 12 50 53. 4.35	165 12 53 26. 4.39 165 12 53 29. 4.40
165 12 55 54.0011101010100000 165 12 52 35. 22.7.4 165 12 50 56. 4.13	그런 문제가 한국의 전쟁이 살펴져가 나는 나는 사람들이 가는 그를 가지 않는다.
	165 12 53 - 22:
165 12 55 56.1011101001001001000 165 12 52 47. 215.1 165 12 51 2. 4.17 165 12 55 57.1011101000110000 165 12 52 53. 216.4 165 12 51 5. 4.18	165 12 53 38 4.40
165 12 55 58.001:101000011000 165 12 52 59. 217.6 165 12 51 8 4.19	165 12 53 41. 4.41
165 12 55 59.1011100111001000 165 12 53 5. 218.8 165 12 51 11. 4.20	165 12 53 44. 4.41
165 12 56 1.1011100110110000 165 12 53 11. 220.1 165 12 51 14. 4.20	165 12 53 47. 4.41
165 12 53 17. 221,3 165 12 51 17. 4.21	165 12 53 50. 4.42
DHOQOS 165 12 53 23. 222.5 165 12 51 20. 4,22	165 12 53 53. 4.42
DOD HH WM SS DATA 165 12 53 29. 223.8 165 12 51 23. 4.22	165 12 53 56.
	165 12 53 - 59: 4.43
	165 12 54 2 4.43
165 12 44 56. 273.0 165 12 53 53. 228.2 165 12 51 32. 4124	165 12 54 5. 4.43
	-165-12-54

OF POOR PAGE

	DA1	TA POODUCE	00442 FL	EX/GNFLEX	CROSS I	CHEC	KS LEX.INTERFACE	· .	PAGE NO.	5	
a - despite ou processorificações	derinant a tracción man	IN PRODUCT	IAROLD R L	ANWIE PRO	JECT NO	42	O5	teledia gitrari jard) ay shariy i ti 🦚	د. پر همدند وهند وخشته سمن د دند ۱۹۹۹	wallenderen Antenderen	
HT32:3		DT0004	(7.1025 5 6	Miller Torre	FWIn	. JE		FW1 OOR		•	•
		DD HH MM S		DATA	опо Ни	MM	SSDATA	HH CCC PH MM	\$5	DATA	
165 12 54 11.		65 12 53	35.	251.2	165 12	47	B. 31.1	165 12 51	59.	31.5	
165 12 54 14.		65 12 53	47.	252.5	165 12	47		7 165 12 52	5.	31.7	
165 12 54 17.		65 12 53	59	253.6	165 12			5 . 165 12 52	8	31.5	
165 12 54 20.		65 12 54	11.	255.0	165 12				14.	31.7	,
165 12 54 23.		65 12 54	20.	- 256.1	165 12		20. 31. 23. 31.			31.4	1.
165 12 54 26.		65 12 54		257.5	165 12		2931.		23	31.5	
165 12 54 29.		65 12 54	44.	25B.8	165 12		35. 32.			31.4	
165 12 54 32.		65 12 54	53.	260.0	165 12		38. 31.		47.	31.5	
	4.47 10		. 5	251.4	165 12		4731.			31.7	
		65 12 55			165 12		53. 31.		£3	31.5	4
100 *2 04 30.	4.48 1	65 12 55		263.8		48	53. 31. 5. 31.	9 165 12 52		31.4	
155 12 54 41.		65 12 55	38	264.9				7 · 165 12 53	2.	- 31.7	
165 12 54 44	4.4B 11					48	11. 31.	1 105 12 53			
165 12 54 47.		65 12 55	50.	266.1	165 12		17. 01.			31.5	
165 12 54 50.	4.49 11	65 12 55	59. ·	267.2	165 12		17. 31.			31.4 31.5	
	4. 49	mild = 0.0			165 12		23. 31.				
165 12 54 56.		FW1008	.	DATA	165 12		26. 31.			31.7 31.4	
165 12 54 59.		DD HH MM :			165 12		U4. U1.	7 - 165 12 53			
		55 12 44	2	31.5	165 12		3531.			31.7	
165 12 55 5.		65 12 44	14.	31.7	165 12		41. 31.		32.	31.5	
165 12 55 8.		65 12 44	20.	31.5	165 12		2. 31.			31.7	
165 12 55 11		65 12 44	23	31.7	165 12			7 165 2 53		31'.4	
165 12 55 14		65 12 44	41.	31.5	165 12		11. 31. 14. 31	5 165 12 53		31.5	
165 12 55, 17.	4.51 10 4.51 10	65 12 44	47.	31.7	165 12			7 165 12 53		31.7	
155 12 55 20	4.5 <u>[</u> · 1		50	31.4		49	17	5 165 12 53		-31.4	
165 12 55 23.		65 12 44	53.	31.5		49	32. 31.			31.7	
165 12 55 26.	4.52 1	65 12 44	56.	31,7	165 12		41. 31.			31.5	
	4.52 - 11		59	31 . 4		49	47			31.7	
165 12 55 38.		65 12 45	2.	31.7	165 12		56. 31.			31.5	٠
165 12 55 41.	4.53 1	65 12 45	8.	31.5		49	59. 31.			31.7	
165 12 55 47		65 12·45	17	31 .4	165 12		8 31.			- 31.5	
· 165 12 55 50.		65 12 45	20.	31,7		50	14. 31.			31.7	
165 12 55 53.	4,54 1	65 t2 45	23.	. 31,5	165 12	50	17. 31,			31.4	
165 12 55 \$9	4.54 ·· 1	65 12 45	26	31.7	165 12	, 50		7165 12 54	44	31 .7	
	1	65 12 45	35.	31.5	165 12	50	32. 31.	5 165 12 54		31.4	
DT0004	1.	65 12 45	41.	31,9	165 12	50	35 Jahr. 31.	7 165 12 54	56. i		
DDD HH MM SS -	DATA 1	65 12 45	. 44	31,7	165 12	50	3831.	5 -165 12 54	- 59;	31.5	
155 12-44 2.	250.5 1	65 12 45	47.	31.5	165 12	50	47. 31.	7 165 12 55	5.	31.7	
165 12 45 B.	248.3 1	65 12 45	50.	31.4	165 12	50	50. 31.	5 165 12 59		31.5	
165 12 45 56.	247.2 -1	65 12 45	.53,	31 ,5	165 12	50	53,31,	7165 12 55		31 .7	
165 12 46 44.	246 1 1	65 12 46	2.	31.4	155 12		59. 31.	5 155 12 55	17.	31.5	
165 12 47 38.	245.0 1	65 12 46	5	31.7	165 12	51	2. 31.	7 165 12 55	23.	31.7	•
165 12 48 29.	243.9 · 1	65 12 46	- H		165 12	51	5. 31.	5 165 12 55	25.	33.0	
165 12 49 20.		65 12 46	11.	31.7 31.5	165 12		8. 31,			35.0	
165 12 50 14.		65 12 46	17.	31.5	165 12	51	17. 31.			34.0	
		65 12 46	23	31.7	165 12			7 165 12 55	35.	33.3	
165 12 52 17.		65 12 46	29.				23. 31.			36.9	
165 12 52 32.		65 12 46		31.7		51	35. 31.		41.	36.3	
165 12 52 47	246.51	65 12 46	. 3R	31.5	165 12	51		E. 100 15 00		35.6	
165 12 52 59.	247 7 1	65 12 46	53.	31.7	165 15	51	44. 31	7 165 12 59	47.	31.7	
165 12 53 11.	248.7	65 12 46	56.	31.5	165 15	51	50. 31	7 165 12 55 5 165 12 55	50.	32.0	_
165 12 53 23.	247.7 1 248.7 1 249.91	65 -12 -47	5	31.7	165 .19	. 51.	5331.	718512-59	_53	31.7	_
								A THE PROPERTY OF STREET	i.	-,,,,	
							· · · · · · · · · · · · · · · · · · ·				

	5 op 1400 over		.DAYA PODD	FD0442 FI UCED DURING	.EX/GNFLE)	CROSS	CHECK	KS Lev.	THT FORAC	F			PAGE NO.	5	,
			DAIM THOD	HAROLD B	ANWIE PRO	WEGT NO	. 42		TWI EULWO						
FW100B			FN0007			FW10					Eli	10008	•		-
DD HH MM	SS	DATA	א אא ספס	4 55	- DATA	DDD HH	HIA S	SS		DATA .	ממם	HH MM	55	DATA	
65 12 55	59.	31.4	165 12 5	5 51.	102.66	165 12	55	59.		31.8				108.79	
	•	-	165 12 5	5 52.	103.45			-				12 55		107.92	
FNOGO7		••	165 12 5	5 53;	···104.68	EHOO	110				165	12 55	42	107.01	
ор ни им	55	DATA	165 12 5	5 54.	105.79	DDD HH	AIM !	55		DATA		12 55		105.18	
55 12 44	2.	120.59	165 12 5	5 55.	107.01	155 12	44	, 2.		118.93		12 55		105.27	
55 12 49	40,	120.75	165 12 5	5 56:	108.36	165 12		48.		120.41				104.6D	
55 12 48	43.	120.91	165 12 5	5 57.	109,67	165 12		48.		121,80		12 55	45.	103.85	
55 12 48	46.	121.11	165 12 5	5 58.	111.13	165 12		28.				12 55		103.13	
65 12 48	48	121,27	165 12 5	5 59	112.16	165 12		38.		104:31-				- 102.62	
ES 12 48	51.	121.46	165 12 5		1 13.35	165 12		48.		116.72 .				102.26	
65 12 48	53.	121.62		-		165 12		58.		119.18		12 55		102.50	
55 12 48	56	121.82	FW1005	********	1	_			· ·			12 55		102.97	
5 12 48	59.	121.98	DDD HH M	M 5s	DATA	FNDO	108					12 55		103.85	
5 12 49	2.	1.22, 14	165 12 4	4 2.	32.0	DOD HH		55		DATA		12 55		104.76	٠.
5 12 49	6.	122.33	165 12 4	5 41	32.2	165 12				120.63		12 55		105.83	
5 12 49	11.	122.49	165 12 4		32.0	165 12		40.		120.79		12 55		107.01	
5 12 49	16.	122.65	165 12 4		31.8	165 12		44		120.99		12 55		108.24	
5 12 49	22.	122.81	165 12 4		32.0	165 12		47.		121.15		12 55			
5 12 49	30.	122.97	165 12 4		31.7	165 12		49.		121.30		12 55		110.66	
5 12 49	46.	123.13	165 12 4		32.0	165 12		51.		121.46		12 56		111.88	
5 12 50	44.	123.32	165 12 4		32.2	165 12		54.		121.66	כסי	12 20	,		
5 12 50	57.	123.48	165 12 4		32.3	165 12		56.		121.82	e 1:	11003	-		
55 12 51	8.	123.64	165 12 4		32.2	165 12		59.		121.98		HH KW	53	DATA .	
55 12 51	24	123.48	165 12 4		32.0	165 12		2.		122.14					
55 12 51	41.	123.32	165 12 4		32.2	165 12		5 .		122.29				12.3	
55 12 52	53.	123.57	165 12 4		32.0	165 12		9.		122.45		12 44		12.5	
55 12 53	1	123.01	165 12 4		32,2	165 12				122.61				12.7	
65 12 53	11.	122.85	165 12 4		32.0	165 12		14.							
55 12 53	51.	122.69	165 12 4	•	32.2			19.		122.77		12 44		12.6	
55 12 55						165 12		25.		122.93		12 44		12.3	
	28	122.45	165 12 4		32.0	165 12		35.		123.09		12 44		12.2	
55 12 55	29.	121.86	165 12 4		32.2	165 12		57.		123.24		12 44		12.7	
55 12 55	30.	121.03	165 12 4		32.0	165 12		49.		123.40		12 44		12.5	_
5 12 55		119.92	165 12 4		32.2	165 12		59.				12 44		12.3	
5 12 55	32.	118.93	165 12 4		32.0	165 12		11.		123.72		12 44		12.3	
55 12 55	33.	117.82	165 12 4		32,2		7 51	24.		123.56		12 44		12.4	
5 12 55		116.59	165 12 4		32.0	165 12		41.		123,40		12 44		12.5	-
5 12 55	35.	115.21	165 12 5		32.2	165 12		53.		123.24		12 44		12.2	
5 12 55	36.	113.58	165 12 5	,	32.0	165 12		2.		123.09		12 45		12.4	
55 12 55		- 112.00	165 12 5		32,2	165 12		· 13.		122.93		12 45		12.3	
5 12 55	30.	110.34	165 12 5		32.0	165 12		45.		122.77	165	12 45	B.	. 12,5	
5 12 55	39.	108.60	165 12 5		30.5	165 12	2 55	29.		122.33	165	12 45	11.	12.7	
5 12 55	40,	107.05	165 12 5	5 26	32.5	165 12	2 55	30.		121.70	165	12 45	14.	t2.2	
55 12 55	41.	106.30	165 12 5	5 29.	34.5	165 12	2 55	31.		120.79	165	12 45	17.	12.5	
5 12 55	42.	105.59	165 12 5	5 32.	34.6	165 12	2 55	32.		119.92	165	12 45	20.	12.1	
5 12 55	43.	104.84	165 12 5	5 35	34.8	165 12	2 55	33.		119.93		12 45		12.2	
5 12 55	44.	103.96	165 12 5	5 38.	37.4	165 12		34.		117.86	_	12 45		12.3	
5 12 55	45.	103.33	165 12 5		36.9	165 12		35.		116.63		12 45		12.1	
55 12 55		102.66	165 12 5		35.1	165 12		36.		115.21		12 45	32:	12.5	
5 12 55	47.	102.10	165 12 5		32.2			37.		113.78		12 45		12.6	
5 12 55	48.	101.83	165 12 5					38.		112.24					
65 12 55			165 12 5	5 58,	32.2	.165 12	. 25 165 -					12 45		12.3	
,, ic 33	J		···· 103 14 3	2 201	JR. R	* 103 12	4 95 °	- 39 :-		-1 10.54~	105	-12" 45		t2.2	

----11,9---165 12 53---32,-

11.8

FOO442 FLEX/GNFLEX CROSS CHECKS

------ 165 12 48 -- 17.--

	· · · · · · · · · · · · · · · · · · ·	mentang daya bil an a stray 1997 dia malamah ya a a di a a di a di a di a di a di a	
		F00442 FLEX/GNFLEX CROSS CHECKS	PAGE NO. B
	· payment sp - Brinningspayer small p × pr rx prog	DATA PRODUCED DURING CHECKOUT OF FLEX/GNFLEX INTERFACE	
	EH0020	HAROLD B VANWIE PROJECT NO. 4205 FNO012 FNO003 FNO004	1
	ODD HH MM SS DATA	DDD HH MM SS DATA DDD HH MM SS DATA DDD HH M	
	165 12 44 2. 118.98		
	165 12 48 48. 120.52		
• -	165 12 50 48 121.85		
	165 12 55 28. 107.44	The second secon	
	165 12 55 3B. 109.21 165 12 55 48. 110.36		
******	165 12 55 5B. 119.95		
	102 12 00 001	DDD HH MM SS DATA 165 12 55 43. 114.26 165 12 5	55 24. 122.47
******		- 165 12 44 · 2 · · · · 121.51 165 12 55 44 · · · · · · · · · · · · · · · · ·	
	DDD HH MM SS DATA	. 165 12 48 26. 4 121.63 165 12 55 45. 116.55 165 12 5	
•	165 12 44 22.05		
-	165 12 48 411.82 165 12 48 471.58		
	165 12 48 471.39 165 12 48 551.39		
-	165 12 48 591.23		
	165 12 49 21.03		
	165 12 49 5. • .87		
	165 12 49 11		
	165 12 49 17. •.55		
_	165 12 49 2340 165 12 49 29	. 177 .7 17 101	
	165 12 49 560	' 'FF IF 'F 'N' 'N' ' ' ' ' ' ' ' ' ' ' ' ' ' '	
	165 12 50 17.	! 165 12 48 57. 123.34 165 12 55 58. 121.79 165 12 !	
*****	165 12 50 20		
	165 12 50 23.		
_	155 12 50 266		
• •	165 12 50 35	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · ·
	165 12 50 479°		
	165 12 50 50		
	165 12 50 532	3 165 12 50 39.	
	165 12 50 56. •.1		
	165 12 50 590		
	· 165 12 51 520		· · · · · · · · · · · · · · · · ·
	165 12 51 14		
	165 12 52 14.		
	165 12 52 263	5 165 12 53 7.	
•• •	· 165 12 52 29		
	165 12 52 327		
	165 12.52 35.		
	165 12 52 41 1.1 165 12 53 89	: 'PP' 'P' PP' PP' : : : : : : : : : : :	20
	165 12 53 237		
·	165 12 54 56	3 165 12 55 29 112.37 165 12 49 18 122.95 DDD HH	MM SS - DATA
	165 12 55 292	0 165 12 55 30. 109.94 165 12 49 27. 2123.07 165 12	44 2. 71.
	165 12 55 32. · <u>1</u> .9		
	165 12 55 35		35-36: /I
	. 165 12 55 389.3 165 12 55 4113.7	7	•
		5 -165 12 55 -35 99.88 -165 12 50 -51	

		F00442 FLEX/GNFLEX DATA PRODUCED DURING CHECKOUT	CROSS CHECKS	PAGE NO. 0
		HAROLD B VANWIE PRO	JECT NO. 4205	
	EMODIE	FN2002	FN2005	FN2005
	DDD HH EM SSDATA 165 12 44 2. 72.		DDD HH MM SS DATA	DDD HH MM SS DATA
	165 12 44 2. 72. 165 12 55 28. 74.		165 12 47 17. 968,2	165 12 51 17. 951.8
	165 12 55 39 73.		165 12 47 20. 974.6	165 12 51 20. 946.0
		ETO015	165 12 47 26 969 1 974 0	
_	ET0005	DDD HH MM 55 DATA	165 12 47 29. 974.0 165 12 47 35. 978.1	165 12 51 29. 946.0 165 12 51 35. 950.1
		165 12 44 2 119.2	165 12 47 38. 986.3	
	165 12 44 2. 118.7		165 12 47 41. 979.7	165 12 51 44. 953.4
	165 12 48 58. 120.2	165 12 50 58. 122.0	165 12 47 47. 983.0	165 12 51 47. 947.7
	165 12 50 48 121.4		165 12 47 50, 977.3	
	165 12 55 28. 119.0		165 12 47 56. 970.7	165 12 51 53. 951.8
	165 12 55 38. 105.4 165 12 55 48 113.4		155 12 47 59. 974.0	165 12 51 56. 940.3 .
	165 12 55 58.		165 12 48 . 2 978.9	165 12 51 59. 945.2
	100 -5 20 20. 111.4	FN2005	165 12 48 5. 989.6	165 12 52 5. 948.5
	FN2002	DDD HH MM SS DATA	165 12 48 11. 981.4 165 12 48 14 974.0	165 12 52 B. 953.4
	DDD HH MM 5S DATA	165 12 44 2. 980.6	165 12 48 14 974.0 165 12 48 17. 969.1	165 12 52 11, 997.0
		165 12 44 14. 973.2	166 10 40 00 00 000 6	165 12 52 14. 1003.6 165 12 52 17. 999.5
	165 12 47 233125.5		165 12 48 29 977.3	165 12 52 17. 999.5 165 12 52 23. 987.2 987.2
	165 12 47 26. 3151.3		165 12 48 32. 969.9	165 12 52 26. 991.3
	165 12 47 32. 3144.4	I 165 12 44 50, 978,9	165 12 48 35. 949.3	165 12 52 29. 999.5
*****	165 12 48 14 3137.5			165 12 52 32 594.6
	165 12 48 20. 3146.1		165 12 48 44. 960.8	165 12 52 38. 990.4
	155 12 48 41. 3128.9		165 12 48 50. 954.2	165 12 52 44. 993.7
	165 12 48 50 3135.9		165 12 4B 56 947.7 -	
	165 12 48 55. 3128.9 165 12 49 8. 3115.1		165 12 48 59. 943.6	165 12 52 56. 987.2 .
			165 2 49 5. 954.2	165 12 52 59. 990.4.
mana ., .	165 12 49 14		165 12 49 14,948.5	165 12 53 20, 996.2
	165 12 49 23. 3123.7		165 12 49 29. 951.8	165 12 53 29. 1001.1
	165 12 49 32 3132.4		165 12 49 56. 946.0 165 12 50 2	165 12 53 32. 992.9
	165 12 49 53. 3125.5			165 12 53 35 997.8
	165 12 49 59. 3132.4		165 12 50 5. 886.8 165 12 50 8. 877.7	165 12 53 38. 991.3 165 12 53 50. 994.6
	165 12 50 5 3122.0		165 12 50 11,	165 12 53 50. 994.6 165 12 53 53. 980.8
•	165 12 50 20. 3128.9		165 12 50 14. 926.3	165 12 53 56. 993.7
	165 12 51 5. 3135.8		165 12 50 17. 920.5	165 12 53 59. 989.6
	465 12 Si 14	165 12 46 5 977.3		165 12 54 - 2 997.0
	165 12 51 23. 3135.8		165 12 50 23. 904.9	165 12 54 5. 985.5
	165 12 51 53. 3128.9		165 12 50 26. 908.2	165 12 54 8, 974.8
*******	165 12 52 2. 3139.2		-165 12 50 - 29. 863.8	-165 12 54 11 p 986:3
	165 12 52 17. 3146.1		165 2 50 32. 970.7	165 12 54 17. \$90.4
	165 12 52 20. 3130.6		165 12 50 38. 951.8	165 12 54 20.
	165 12 54 8 3120.3 165 12 54 35. 3106.5	165 12 46 - 32, 974 .8	165 12 50 44. 959.2	165 12 54 23. 986.3
	165 12 55 23. 3068.7		165 12 50 47. 951.8	165 12 54 32. 974.8
	165 12 55 26 3080.7		165 12 50 50. 946.8 165 12 50 53. 956.7	165 12 54 35. 981.4
	155 12 55 29. 3065.2		165 12 50 53 956.7 165 12 50 56. 952.6	165 12 54 38. 977.3
	165 12 55 32. 3058.3		165 12 50 59. 949.3	165 12 54 41. 2 3 981.4 165 12 54 50. 2 977.3
	165 12 55 35 3065.9			165 12 54 59. 982.2
	165 12 55 38 3106.5		165 12 51 5. 948.5	165 12 55 5. 977.3
	155 12 55 41. 3092.8	1 165 12 47 11. 969.1	165 12 51 8. 952.6	165 12 55 8. 992.2
	165 12 55 44. 3085.9	975.6.		-165-12-5511
_		,		

		**************************************	•	
		FOO442 FLEX/GNFLEX DATA PRODUCED DURING CHECKOUT O	CROSS CHECKS	PAGE NO. 10
_		DATA PRODUCED DURING CHECKOUT O	F FLEX/GNFLEX INTERFACE	
•		HAROLD B VANWIE PROJ	COY NO JOCE	
	FN2005	DT1001	DT1005	DT 1005 DDD HH RM SS DATA 155 12 45 36 .0950
	DDD HH MM 55 DATA	DDD HH MM SS DATA	DDD HH MM SS DATA .	DDD HH MM SS DATA
	165 12 55 20 979.7	165 12 55 265868	103 12 44 2	100 12 43 001
	165 12 55 23. 991.3	165 12 55 27. 6.1176	165 12 44 110925	165 12 45 371000
				165 12 45 38,
		165 12 55 29. 4.8704	165 12 44 13	165 12 45 39
	165 12 55 35. 965.8	165 12 65 30. 5.7861	165 12 44 14. 1025	165 12 45 411025
	165 12 55 38 957.5	165-12-55 - 31 1 . 7866	165 12 44 - 17 0850 -	165 12 45 42
	155 12 55 41. 953.4	165 12 55 32. 1.4367	165 12 44 190925	165 12 45 440900
	165 12 55 44. 945.2	165 12 55 339025	165 12 44 200975	165 12 45 460950
		165 12 55 34,,5360	165 12 44 21,,1100	165 12 45-48
		165 12 55 35	165 12 44 220925	165 12 45 49
		165 12 55 36	165 12 44 231075	165 12 45 510900
• .		165 12 55 37,	165 12 44 25,	165 12 45 52
	165 12 55 59. 1056.3	165 12 55 381316	165 12 44 261075	165 12 45 670900
	.55 /2 55 55	165 12 55 39	165 12 44 291025	165 12 46 11075
	ET1001	165 12 55 40, 1079		165 12 46 - 21025
		165 12 55 421000	165 12 44 40	165 12 46 4
	165 12 44 20650	165 12 55 430947		165 12 46 50975
••	165 12 50 23	165 12 55 44	165 12 44 420950	165 12 46 - 71050
	165 12 55 23. 3.0250	165 12 55 470842	165 12 44 431075	165 12 46 80900
	165 12 55 26. 1.2725	165 12 55 490789	165 12 44 450975	165 12 46 91000
	165 12 55 29 2.5600	165 12 55 54		165 12 48 10;
	165 12 55 32 3.0725		165 12 44 520975	165 12 46 11
	165 12 55 352775	105 12 50	165 12 44 541050	165 12 46 12
		DT1002		165 12 46 - 13 :
	165 12 55 410800	DDD HH MM SS DATA	165 12 44 571075	165 12 46 141000
	165 12 55 44'0750	165 12 44 20679	165 12 44 580925	165 12 46 151050
				- 165 12 46 16
	165 12 55 530800	165 12 55 220835	165 12 45 30950	165 12 46' 171108
	100 17 00 000	165 12 55 23. 3.1920	165 12 45 4	165 12 46 18,
	EHIODI .	165 12 55 24 5.8855	165 12 45 5	165 12 46 190900
		165 12 55 25. 2.9728	165 12 45 61025	165 12 46 201075
		165 12 55 266368	165 12 45 70950	165 12 46 220950
			165 12 45 12:1075	165 12 46 24:
	185 12 51 260575		165 12 45 13	165 12 46 25, .0925
	165 12 55 23. 4.2625			165 12 46 261075
	165 12 55 26. 1.3325	165 12 55 29. 5.2800 165 12 55 305.6585	165 12 45 14	165 12 46 - 28:
	165 12 55 294.0750			165 12 46 300950
	165 12 55 32. 3.4575	165 12 55 31. 1.5321		165 12 46 300950 165 12 46 311050
	165 12 55 352025			· 165 12 46 - 31
	165 12 55 38			169 12 46 35
	165 12 55 410700		165 12 45 210925	
	165 12 55 470650	165 12 55 35.	165 12 45 23	
	165 12 55 56	165 12 55 36	165 12 45 24	
		165 12 55 371201	165 12 45 251025	
	DT1001	165 12 55 381095	165 12 45 270925	
		- 165 12 55 - 39,		· 165 12 46 - 42:
	165 12 44 20579		165 12 45 29	165 12 46 43
	165 12 53 2	165 12 55 42	165 12 45 300975	165 12 46 46. 景景學 另 1100
				The second secon
	165 12 55 23. 3.4285		165 12 45 321100	165 12 46 49 1000
	165 12 55 24. 5.5651		165 12 45 340925	165 12 46 501050 *
	· 165 12 55: 252:4813-		–165 <i>–</i> 12–45 – 35 – 27, 27, 27, 1 7, 100-	—165—12-46—51 - ; ; ; ; ; ; ; ; ; ; 0 975——————

	•	•	•										i i	1 11
		2 2 2 t	فالتفلية المقلية	F00442	FLEX/GNFLEX	CROSS	CHEC	(S		•	PAGE	NO. 11		<u> </u>
-			DATA PRODUC	ED DUKI	B VANWIE PRO	JE FLE	X/GRF	revision exchant			*****	No. 1	,	
	BELGOE		DT1005	NAKULU	D AMMATE LUCK		005	05		DT 1 005	$\{i_1,\dots,i_{\ell}\}$			્રોકાર્જિક વર્ષ
	DT1005	SS DATA	DDD HH MM	C C	DATA	DOD H	IN RN (- DDD HH M		<u> </u>	ATA:	
·	DDD HH MM	54	165 12 18	9.	.0850	165 1		25.	.0925	165 12 5	0 46.		.1100	Mark 9
	165 12 46	550900	165 12 18	10.	.0975	165 1		26.	.0975	165 12 5		100	.1000	
	165 12 46		165 12 8	12	0925.	165 1				165 12 5		·	0950 -	
##*****	165 12 46		165 12 48	13.	1075	165 1		28.	.0975	165 12 5			1100	
	165 12 46	570929 580950	165 12 48	15.	.0950	165 1		33.	1075				.0950	• 1
	165 12 46	59 1025	165 12 48	16	1075	165 1		35	1000				.0875	
	165 12 46 165 12 47	00975	165 12 48	17.	.1025	165 .1		36.	1100	155 12 5		4 I	.1000	7 V V V V
	165 12 47	10900	165 12 48	18.	.0925		2 49	41.	1000	165 12 5		15	.0950	
	165 12 47	21000	165 12 48	19		165 1		42.	1075	165 12 5	059		1025 -	
	165 12 47	31075	165 12 48	22.	.1125		2 49	43.	.1025	165 12 5	1 3.	X	,1100	
	165 12 47	4. 1025	165 12 48	23.	.0950	165 1		44	.1100	165 12 5	1 5.		.0550	177-17
	165 12 47	50950	165 12 48	25	.1100	165 1	2 49	45	0950	165 12 5	1 - 6		.1000	
	165 12 47	71075	165 12 48	26.	.0975	165 1		48.	,1050	165 12 5	1 7.		.1075	
	165 12 47	9	165 12 48	27.	.1075	165 1		51.	.1100		1 B.		.0950	
	165 12 47	100925	165 12 48	28	.0925	165 1		53.	0975	165 12 5	9.		.1050	
	165 12 47	110975	165 12 48	30.	.1100	165-1		54.	.1150	165 12 5	1 10.		.1125	y Y
	165 12 47	12. 1075	165 12 48	31.	.0950		2 49	55.	.0975		1 11.		.0950	
	165 12 47	141025	165 12 48	32	.1075	165		56	.1125	165 12 5	1 12.		. 1000	
	165 12 47	150975	165 12 48	33.	.1008		2 49	58.	,1000	165 12 5	1 14.	. · ·	.1075	
	165 12 47	171075	165 12 48	34.	.0908	165 1	12 50	0.	.0950	165 12 5	1. 17.	Transition of the	.1125	3 1 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	165 12 47	18	165 12 48	35	.0975	165 1	12 50	1:	1000	165 12 5	1 - 18		.0950	
	165 12 47	201000	165 12 48	36.	.1100	165	12 50	5.	,1075	165 12 5	1 20.	St. 1	1000	
	105 12 47	220875	165 12 48	37.	1000	165	2 50	6.	.0975				.0925	■ Find: •
	165 12 47	23	165 12 48	38		165	12 50	B	1025	165 12 5	1 23."		1025	
	165 12 47	260975	165 12 48	39.	.1125	165	12 50	9,	.1075	165 12 5		442 6 5	.1100	
	165 12 47	271109	165 12 48	40.	.1050	165	12 50	10.	.0975	165 12 5		Ale.	.0975	in the second
	165 12 47	28 1050	165 12 48	41		165	12 50	11	1075	165 12 5	1 29.		. 1100	·
	165 12 47	291125	165 12 48	42.	.1025	165	12 50	12.	,1125	165 12 5	1 32.		.0925	
	165 12 47	31. ,1075		43.	.1100	165	12 50	13.	1050	165 12 5			.1075	
****	165 12 47	33 1125		45	.1000	165	12 50	16.	, 1100		1 37.		0925	
	165 12 47	341075		46.	.1050	165	12 50	17.	.0900	165 12 5	1 38.		1025	•
	165 12 47	35		48.	.0975	165	12.50	18.	.0975	165 12 5	1 59.		.1100	
	165 12 47	36		51,		165	12 50	21.	, 1075	. 165 12 5	1 - 40 -		: 1050	
•	165 12 47	370975		56.	.0975	165	12 50	22.	.1125	165 12 5	1 43.		.0900	Jan 12
	165 12 47	381100		57.	1075	165	12 50	25.	,1050	165 12 !	1 44.		.1025	
	165 12 47	50		58		165	12.50	25	1100		il - 45		1075	
	165 12 47	410925		1.	.1075	165	12 50	27.	.0950	165 12 5	51 AB.		.0900	
	165 12 47	431075		э.	.0950	165	12 50	28.	.1075	165 12 9	1 49.		.0960	3. \$P\$ (1.4.4)
	165 12 47	44		4 ,	,1125	165	12 50	29	, 1 i 25		il 51		1075	
	165 12 47	450950	165 12 49	5.	1025	165	12 50	30.	.1000				.0975	10
	165 12 47	481025	165 12 49	5		165	12 50	31.	.1075				.0925	1 300
	165 12 47	501075		В,	.1050	165	12 50	32. ————	0975	165 12			1050	737.7
	165 12 47	**************************************		9.	.1000	165	12 50	33.	.0925		51 56.		.0900	11.11
	165 12 47	541075	165 12 49	11.	.0950	165	12 50	35.	.0975			1 - 1	.1025	Sec.
	165 12 47	58 1025		12	.1075	165	12 50	36. ·	1125		52 - 2.		,1075	•——
	165 12 47	591100			.0950	165	12 50	3B.	.1000		52 4.	强致化力	.0975	\$34
	165 12 48				.1100	165	12 50	39.	.1100				.0925	
	185 12 48				.0950	165	12 50	40	0950				.1100	-
	165 12 48	20925	165 12 49	19.	.1000	165	12 50	41.	.1025				0900	
	165 12 48			22.	.0950	165	12:50	43.	.1079	165 12	52 9.		1050	2 1 mil
	165 12 48			24		165	12 50	45 j	0950	-165 12	5210.	(1.2) 1. d.	0925	***************************************

			DATA . PRODU	FOO442 FLEX/GNFLEX CED DURING CHECKOUT HARDLD B VANWIE PRO	CROSS CHEC	KS LexInterface	P	AGE NO. 12
•		·		HARDLD B VANWIE PRO	JECT NO. 42	05		
	D71005	. •.	071005		DT1005		011005	
	DDD HH MM SS	DATA	DDD HH MM	SS	DDD HH MM	SSDATA	DDD HH MM SS	ATAG
	165 12 52 12	1050	165 12 53	170/50	105 12 54	34, .0975	165 12 55 4	1
	165 12 52 13	0900	165 12 53	180975 21	165 12 54			2. 1375
	165 12 52 14		165 12 53	21	165 12 54	36		31200 51300
•	165 12 52 15		165 12 53	230975 240875 25	165 12 54	370900		
	165 12 52 16 165 12 52 17	,1000	165 12 53 165 12 53	24	165 12 54 165 12 54	32		61250 7
•	165 12 52 16		165 12 53	26	165 12 54	401025		91225
	165 12 52 19		165 12 53	1025	165 12 54	430950		21050
	165 12 52 20		165 12 53	271025 28	165 12 54			41125
	165 12 52 21		165 12 53	30. 1025	165 12 54	470950	165 12 55 5	51075
	155 12 52 23		165 12 53	31, .0875	165 12 54		165 12 55 5	7. 1000
	165 12 52 23		165 12 53	32	165 12 54	48		9, 1050
	165 12 52 24		165 12 53	331075	165 12 54	500950	165 12 56	10975
	165 12 52 2	. ,1000	165 12 53	35	165 12 54	510875		
	165 12 52 20		165 12 53	37	165 12 54	521000	DT1008 SS MM HH GCD	The same of the sa
	165 12 52 28		165 12 53		165 12 54	530850	DOD HH MM 55	DATA
	165 .12 52 2		165 12 53		165 12 54	53	165 12 44	2
- +	165 12 52 30		165 12 53		165 12 54		165 12 55 1	7
	165 12 52 33		165 12 53	410850	165 12 54	561025		21179
	165 12 52 30	50975	165 12 53		165 12 54	570800		3. 4.2125
	165 12 52 3		165 12 53		165 12 54	58, 1050		4
	165 12 52 31	90925	165 12 53 165 12 53		165 12 55 165 12 55	10850 30950		5, 1.2512 6, 5617
	165 12 52 4 165 12 52 4		165 12 53	47	165 12 55	4		74.3004
		31025	165 12 53		165 12 55	51025		8. 1.1209
	165 12 52 4		165 12 53		165 12 55	6. 1075		9. 2. 9463 .
		5	165 12 53		165 12 55			0 5,3861
		.0900	165 12 53		165 12 55	9 1100		1. 2.5752
		1025	165 12 53	54 1025	165 12 55	81100 90050 10		2. 2.0561
		1	165 12 53	55	165 12 55	10		3 1,1635
		20925	165 12 53	5A. 1025	165 12 55	11. 1025		45968
		40975	165 12 54	2, .0875	165 12 55	130875	165 12 55 3	52507
-	165 12 52 5	50875	165 12 54	3	165 12 55	18		61931
	165 12 52 5	61025	165 12 54	6	165 12 55	201025		1705
		70875	165 12 54	70850	165 12 55	23. 3.8250		81555
		9	165 12 54	0973	165 12 55	24,4.8075		9
	165 12, 53	00950	165 12 54		165 12 55	25, 1,7000		1404
	165 12 53	21025 30950	165 12 54	121000	105 12 55	26. 6200		1354
		30950	165 12 54	13	165 12 55			3
		41000	165 12 54		165 12 55			1254
	165 12 53	508/5 60925	165 12 54		165 12 55			1204
•			165 12 54	18			165 12 55 5	13
		71000 90925	165 12 54 165 12 54		165 12 55		071011	
		0	165 12 54				DOD HH AM SS	DATA
•		10375	165 12 54			24 5700	100 10 44	
		2. 1000	165 12 54	27 1000	165 10 55	75 7075	165 12 44 1	2. # 4 .1314 3. \$ 3 .1264
		3	165 12 54	280800	165 12 55	352975 36	- 165 12 44	
		40875	165 12 54	290950	165 12 55	37	165 12 44	1254
		5. ,1000	165 12 54	300850	165 12 55	38, ,1550	165 12 44	15
		60850.			165 12 . 55	36	165_12.444	151264

	•		•	CODAAD FLEX/GNELEX	CROSS CHECKS OF FLEX/GNFLEXINTERFACE	·	PAGE NO. 13
		•	DATA CONDUM	CED DURING CHECKOUT	F FLEY/GNFLEXINTERFACE_		
•		* *************************************		HARDID & VANWIE PRO	IECT NO. 4205		
	DT1011	.	011011	THE PARTY OF THE P	JECT NO. 4205 DT1011 ODD HH MM 5S DA	11011	
	DDD HH MM 5	SS DATA	DOD HH MM	SSDATA	DDD HH MM SS	TA DDD HH MM	SSDATA
	165 12 44	47		45. ,1163	165 12 53 0	1137 165 12 55 1188 165 12 55	401592
	165 12 44	48		471112	165 12 53 B	1168 165 12 55	411491
	165 12 44	54					421441
	165 12 44	561264			165 12 53 15.	1188 165 12 55	
	165 12 45	01314		7	165 12 53 11. 165 12 53 15. 165 12 53 16.	1137 165 12 55	
	165 12 45	21264			165 12 53 19.	1188165 12 55	
	165 12 45	8. 1314				1137 165 12 55	
	165 12 45	111264			166 19 59 94	1213 166 19 55	591163
	165 12 45	12			165 12 53 25. 165 12 53 28. 165 12 53 30. 165 12 53 40.	1163 165 12 56	
••••	165 12 45	15 1238			165 12 53 28.	1112	
	165 12 45	161289	165 49		165 12 53 30.	1163 DH1003	
•	165 12 45	22 1213		62 1112	165 12 53 40.	1112 DDD HH MM	SSDATA
	165 12 45	241264		101163		1163 165 12 44	
	165 12 45	271188			165 12 53 41 165 12 53 57	1213 165 12 46	
	165 12 45	281264		381163	165 12 53 59.	1137 - 165 12 46	
	165 12 45	591213	165 12 50	401112		1188 165 12 46	
	165 12 46	61289	165 12 50		165 12 54 12.	1137 165 12 49	
	165 12 46	7 1238		E9	165 12 54 13.	1188 165 12 51	8
•••	165 12 46	201188			165 12 54 .18.	1137 165 12 51	110020
	165 12 46	221238	165 12 50	561112	165 12 54 19.	1108 165 12 51	
	165 12 46	26		571163		1238 - 165 12 53	
	165 12 46	271238	165 12 50			1109 165 12 53	50 .0023
	165 12 46	281186	165 12 51	9, ,1163	165 12 54 39,		560025.
	165 72 46	29			165 12 54 40.		
	165 12 46	31. 1186	165 12 51	141163		1137 165 12 54	50025
	165 12 46	351236	165 12 51	141163 161112 221163		1188 165 12 54	110023
	165 12 46	36,	165 12 51	. 22	400 40 00 00	1112 165 12 54	
•••	165 12 46	391238	165 12 51	931112	165 12 54 52.	1163 165 12 55	232500H
	165 12 46	441188				1213 165 12 59	265920
	165 12 47	5 1238		37	165 12 54 59.		292500H
•	165 12 47	61188				1213 165 12 55	329659
:	165 12 47	71238		451112		1163 165 12 55	
	165 12 47	9	165 12 51	- 50	165 12 55 20.	1238 - 165 12 55	38
	165 12 47	19113	165 12 52	21067	165 19 55 92.	1314 165 12 55	41. 0704
:	165 12 47	22	165 12 52	2 2 .1087 2 3 .1163 2 5 .1112	165 12 55 23, 4	0137 165 12 5 7904 165 12 5 9984 165 12 5	.0517
	165 12 47	32		1112	165 12 55 24	.7904 · 165 12 5!	5 47
•	165 12 47	34. , 1181	165 12 52	121163	165 12 55 25.	.9984 165 12 59	5 500341 5 530290
	165 12 47	38113	7 165 12 52	171112			
٠	165 12 47	391186		121163 171112 2 19,1163	165 12 55 273	.6168 165 12 5!	5 - 56
	165 12 47	52113			165 12 55 20.	0363 165 12 5	5 59.
	165 12 47	53110		2 211163	165 12 55 29.	.4035	A Comment of the Comm
	165 12 47	58 113		2 - 33	165 2 55 30.	.9311 DT 1004	The state of the s
	165 12 48	01213			165 12 55 31. 2	.8738 DDD HH MI	M SS . DATA
	165 12 48	1116		2 361112	165 12 55 32. 2.	.3708 165 12 4 .4306 - 165 12 4 .7861 165 12 4 .3134 165 12 5	4 20047
	165 12 48		2 - 165 12 52	2 37	165 12 55 33,	.4306 - 165 12 4	7 38:
	165 12 48	18		39, 1112	165 12 55 34.	7861 165 12 4	7 39. 50 50
	165 12 48	25111	2 165 12 52	391112 2 401163	165 12 55 35.	.3134 165 12 5	7 39. 0052 7 39. 0047 3 9. 0052
	165 12 48	31	3 165 12 52			:X351 - 165 12 5	5 32: .0092
	165 12 48	33111	2 165 12 52	2 50, .1188	165 12 55 37.	. 1997 165 12 5	3 9. % 3 .0052 5-22: .0092
•	165 12 40	34116	3 105 12 52	2 521137			
	165 12 48	44	2 165 12 52	2 59 ,	-165 -12 -55 39	:1668165-12 5	525
	•					•	
	•			• •		•	• •

			<i></i>				F00442	FLEX/GNF	LEX	CROS	S CH	ECK	S					PA	GE NO.	14	•
***	•	***		DAT	A PRO	DUC	ED DUR Harnin	ING CHECKO	O TU(Horae	F FLI	EX/G Na	NFL 120	.EX "I	INTERFACE-							
	DT1004				DT 100	6	IN TO LE	D thinns	F.110,0	DT	1003	, ,	,,,			DT1	007			¥1 +	
_	MM HH GGG	55	DAT	A DD	D HH	MM :	55	DATA	۱ ۱	ו מפס	нн и	IM 5	5	DAT	[A :7	DDD F	ih wa	! \$5		- DATA	
	165 12 55		1257.5				33.		100				39.			165				.0160	
	165 12 55	27.			5 12		34.	.17		165			40.		1139	165			-	.0152	
	165 12 55 165 12 55		707.5		5 12		35	. 11 .06		165 165			41."			165 1				.0142 .0137	•
	165 12 55	30.			S 12		37.	.07		165			43.		3104	1.65				.0130	
	165 12 55		 0,259				38:			165			44."			165				0125 ·	
	165 12 55						39.			165			45.			165				.0120	•
	165 12 55	33.	-1432.5				40.			165			46.			165				.0112	
	165 12 55	34.	1630.0				· 41:	.04		165	12 5	55	47	······································	7076	165	12 56		•	.0105	
	165 12 55		-1510.0				42.			165			40.		3071 •			-			
	155 12 55		-1250.0				43.			165			49.		0066 .	דט					
	165 12 55		-1072.5				44	.03		165			51."			DDD I				DATA '	
	165 12 55 165 12 55			000* 16 000* 16			45. 46.	.0.		165 165			52. 54.		3056 3050	165 165		-	•	.0175	
	165 12 55		745.0						772	165			56.			165			-	0180	
	165 12 55			000* 16			48.			165			58.			165				.0185	٠,
	165 12 55			000* 16			49.	.03	245			-				165				.0190	
	155 12 55			000* 16			50	.0.	235	DT	1007	7				165				.0195	
	165 12 55	44.	-535.0	000* 16	5 12	55	51.	.0:	223	DDD	HH N	AM S		DA1	ΓA	165	12 50	26		.0200	
	165 12 55			000* 16			52.			165		14	2.			165	12 5	15		.0195	
	165 12 55		472.5				53	<u>.</u> 0:		165		15	54.		0012					0190	
	165 12 55			000* 16			3.4.6			165		18				165				.0185	
	165 12 55			000* 16			55.			165			22.	.10.	4402	105	12 51	1 54 2 3		.0180° .0175	
	165 12 55 165 12 55		-370.0				57.	.0	179	155 165			24.	-8915.0						.0170	
	165 12 55			000* 16			50.			165			25.	-6185.0						.0165	
	165 12 55						- 17.00		4 6 6	200			26:							.0160	
	165 12 55			000* 10			1.	.0	164	165	12	55	27.	7250.0	*0000	165	12 5	3 1	-	.0155	•
	165 12 55		-300.0		_		:		-	65	12 5	55	28.	-4110 (.0150	
	165 12 55				D7100			DAT0		165	12 5	55		9057.						.0145	
	155 12 55			000. 0			SS	DAT	A	165	12 !	55.	30.	-932.						.0140	4
	165 12 55			1000* 10			2.	01	OOB	165	12 !	55	31.			165				.0135	
	165 12 55						29	.00	003	165	12 :	55	32.			165			-	.0130	
	165 12 55 165 12 56			1000* 10 1000* 11			49. 22.	-2.50	000*	105	12 :	55 5e	33. 34.		4075 3447	165 165			•	0125	; * .
	103 12 30		-590.0		55 12			-117.5			12		35.			165				.0115	
	DT1005				5 f2		24.	-5122.5					36.		0892	165			•	.0110	
	DDD HH MM	S 5	DAT		5 12		25.	-2435.0					37.		0683	165				.0105	
	165 12 44	2;					- 26:	.0:	555	165	12 5	55 "	38.		0566 •	165	12 5	3 36		.0100	
	165 12 46				55 12	55	27.	· •4490.01					39.		0476	165				.0095	
	165 12 49				5 12			1377.5					40.		0399	165				.0090	
	165 12 55			679 1				4570 .0					41.		0361	165				0085	
	165 12 55			1000* 1			30. 31.	-2225.0					42. 43.		0324 0289	165 165				.0080	1
	.165 12 55 165 12 55				5 12					165 165			44:		0269	165				0070	
	155 12 55			1000			33.			165			45.		0244	165		4 44		.0065	
	165 12 55			0000 1			34			165			46.		0224	165		4 50		.0060	
P-1	165 12 55								419	165			47.			165			?:	.0055	
	165 12 55			1120 1			36.		283.				48.		0194	165				.0147	
	165 12 55		.1	703 1	55 12	55	37.	0	225	165	12 :	55	49.		0179	165			١.	.2036	
	165 12 55	32.		IB 19 1	55-12	55 ·	3B	······································	189	-165	12	55-	-50;	················//	0169 -	-165	12:5	52		.8607	*********

			•	R		FOO	142 FLEX	GNFLEX	CROS	55 0	HEC	KS LEX-INTERFACE 05				. PA	GE NO.	15	•
••		-	***************************************	DATA	PROD	UCED I	SURING CH	ECKOUI -	OF FI	LEX/	GNF	LEXINTERFACE	****			11-7-1-1-1		*******	
	DT4 000				*1	пан	TO B AW	MIE LMO	SEC 1	NO.	્વય	υş				•	•	-	• •
	DT1009				11012				D.	ופיני	2	'	_	011	014				•
•• •	DDD HH MI		DATA	nnin	9333 900	W 22	******	UNIN	DOD	мп	MIDS	22 DAIN	· D.	ים, ענ	תוחן לו	1 33		DATA	***************************************
	165 12 5		-677.5000		12 5			.0100	165			461165.00						.0010	
	165 12 5		-6200,0000		12 5			.0095	165			471097.50						.0009	
	165 12 5				12 5			• 0090	165			481045.00				2	مار آمامامارا) (
	165 12 5		-3505.0000		12 5			.0085	165			49987.50				7 7		.0009	•
	165 12 59		.5933		12 5			.0080	165			50947.50						.0010	
	165 12 5				12 5			, 0075	165			51907.50			2 47	23)	0009	
	165 12 59		•7462,5000		12 5			.0070	165			52872.50	GO+ 1	65 1	2 47		i. ·	.0010	
	165 12 59	32.	-8240.0006)• 16S	125	2 38	,	.0065	165	12	55	53832.50	00* 1	65 1	2 43	7 27	' .	.0009	
	165 12 5	33.	8287 . 5000	165	12 5	2 - 41		0060	165	12	55	54805.00	00 * 1	55 1	2 47	32		.0010	
	165 12 5		-7090.0000		12 5	2 46		.0055	165			55777.50			2 4			.0009	
	165 12 5		-3592.5000		12 5		•	.0050	165			56. •750.00			2 4			.0010	
-	165 12 5	_			12 5			0045	165			57725.00					,	0009	
-	165 12 5		-1830,000		12 5		•	.0040	165			58700:00					•	.0010	
	185 12 5		-1522.5000		12 5			.0035	165			59682.50						.0009	
	165 12 5		-1297.500		12 5				165			-660.00			2 48		 	0010	
								0025	100	12	90	1		65 I				.0009	
	165 12 5		-1107.5000					,0020		T4 01							'. i.	0000.	
	165 12 5				12 5	_				T 1 01		B		65 1	•				
	165 12 5		-9250001		12 5			.0015				SS DATA			2 41			0009	
	165 12 5		-842.5000					.0010	165			200			2 4			.0010	
	165 12 5		-770.000					.0005	165			1600			2 4			.0009	
	165 12 5	45.	· -722.5001)° 165	12 5	3 56		.0000	165			1700	09 . 1	65 f	2 4		<u> </u>	0010	
	165 12 5	3 46.	•675.000)* 165	12 5	46		5.0000	165	12	44	3900	10 i	65 \$	2 4	3 3	. .	.0009	
	165 12 5	5 47.	-632.500)* 165	12 5	4 16	1	*Oggo. 0 1	165	12	44	4000	09 \$	65 1	2 4	3. 40).	.0010	
	165 12 5	5 48.	595.000)* 165	12 5	4 29		15.0000*	165	12	44	41 2000-000 : 00	ó9 1	65. I	2 4	9 43			
	165 12 5		-557.500)• 16S	12 5	4 42		00000-09	165	12	44	4200	09 t	65 1	2 4	3 4:	i.	.0010	
	165 12 5				12 5			25.0000*				5800		65 1			t.	.0009	
	165 12 5						,					. 59		65 1					
	165 12 5		482.500					.0070	165			2900	-	65 1				.0010	
	165 12 5				12 5			2125	165			3000		65 I				.6010	
																	i	0010	
	165 12 5							. 6577	165			3200		65 1					
	165 12 5							2.5000				3300		65 1		-	2.	.0010	
	165 12 5		-405,000					35 .00004				3400			2 5		<u>1</u> .	.0010	
	165 12 5		-					.6535		12		36		65 1			5 	.0010	
	165 12 5	5 58.	-372.500					10.00004				3800		65 1		o :	9.	.0010	
	165 12 5							,4690		ា ភ		3900			2 5			.0010	
	165 12 5	5 L,	347.500	0* 169	12 5	5 30	. **********	.4102	165	12	45	42		65 1			7	0010	
				165	i :12 5	5 31	87	15,00001	' 165	12	45	5200	09 1	65 1	2 5		4.	.0009	
	DT1012			165	i 12 £	5 32	1003	25,00004	• 165	12	45	5400	09 1	65 1	2 5		5.	.0010	L.,
	DDD HH M	u SS		. 165	12 5	5 - 33	, 	.50001	. 165	12	45	58,	09 1	65 1	2 5	D ~ 2'	7 :	.0010	·
	165 12 4		.010	5 165	12 5	5 34	95	35,0000	165	12	46	100	09 1	65 1	2 5	0.3	0	.0010	1
	165 12 4				12 5			25 .0000			46	500			2 5		2	.0010	`
	165 12 4				12 5			02.5000				600		65 1			3	0010	
	165 12 4				12 5			50.0000			46	700		65 1			5.	.0010	
	165 12 4				12			12.5000				1600		65			7.	.0010	
					12 5		20				46	18		65			9.	.0010	
	165 12 5				12 5			10.00004			46				2 5			.0010	
	165 12 5																		
	165 12 5							77,5000				3400		65 1			پُونِيَّةٍ 3.	.0010	
-	165 12 5				12 5		-15					3600		65 1			3.	.0010	
	165 12 5				12 5			15,0000				3800		65 1			4	.0010	
	165 12 5	1 44			5 12 5			05.0000						65		•	4.	.0010	
	- 165 12 5	1 _ 61	010	5161	t o . r	5 45	10	37.5000	1.165	14	AC.	····45 ,	no 1	EE1	17.5	d	c	:001C	ļ

			2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					-					18	
		ار داده کار معاومها م		DATA P	RODU	ED DUF	RING CHECKO	UT OF I	LE Y.	/r:NF	LEX INTEGEACE		PAGE NO. 1	6
			Annual Section	i.e	111	HAROLD	B VANWIE	PROJECT	No.	. 42	05.	3	And the second s	
	DT1014	- 1	1.0		1014	-	人,看我为一种人的					ZY1001		
**	DDD HH MM		DATA			\$5	DATA	pot	HH.	MM	SS DATA	DDD HH MM	55	DATA
	165 12 51	25.	0009	165 1		51.	.00	23 165		. 45	9312500-04	165 12 53	19312	2500-04
	165 12 51	27.	.0010	165 1		55.	.00	23 16:	12	45	10. 312500-05	165 12 53	26312	2500-05
	165 12 51	30.		165 1					12	45	11312500-04	165 12 53	27:312	7500-04
	165 12 51	35.	.0009	165 1		Α.	.00	24 165	. 12		20312500-05	165 12 53	31312	2500-05
•	165 12 51	36.	.0010	165 1	2 55	10.	,00	25 165	12	45	39312500-04			2500-04
• ••	165 12 51	37.		165 1	2 55	· 17: · · ·	mmunion * OO	20 16:	12	45	44	165 12 55	19:312	2500-05
	165 12 51	48.	.0009	165		20.	,00					165 12 55		2500.04
	165 12 51	55.	.0009	165 1	2 55	23,	.25	DOH 16:	12	45	53312500-05	185 12 55	50312	2500-05
\$ const and 40.44	165 12 51	56		165 1	2 55	24		47 16	.12	45	56312500-04	165 12 55	51 312	2500-04
•	165 12 52	5.	B000	185 1		25.		001 169	12	45		165 12 55		2500-05
٠ .	165 12 52		.0009	165 1	2 55	27.	.05	33 16	12	46	21312500-03	. 165 12 55	54	2500-04
÷	165 12 52		000B				:50	ODL 169	12	46		165 12 55	. 56 312	/500-05
	165 [2 52		.0009	165 1			-3602.50	00. 169	12	46	44312500-03		57312	2500-04
	165 12 52			165 1		30	.09	63 16	12		45. ,312500-05			
	165 12 52						3762 .50				46312500-04			
	165 12 52 165 12 52		8000. 8000.	165 1		32.	-8160.00					MM HH DOD		DATA
	165 12 52			165 1		33.	. DOGT FO	DOL 169	12	AB	49312500-05	165 12 44	2 147	988+03
	165 12 52		8000.	165 1		.10.	9667.50	00' 16:	12.	47	13312500-04	165 12 44	14	728-05
	165 12 53			165		37.	-7960.00	UN 16:	2	47		165 12 44		2581-04
	165 12 53	6.	8000. 2000.	165 1			-6855.00	UU- 16	12	47	20312500-04	165 12 44	24 190	
	165 12 53		.0009			. 39 ;		00. 16:	12	47		- 165 12.44		2501-04
	165 12 53		.0009	165.1		40.	-5205.00				8312500-04	165 12 44	4B190	728-05
	165 12 53	19.				41.				48	9. 312500-05	165 12 44	53 305	172-04
	165 12 53		.0011	165 1		43.	-4425.00 -4057.50	001 10:	12	48	10312500-04			2581-04
	165 12 53		.0012			44.	-3727.50					165 12 45		172-04
	165 12 53						3522.50							
	165 12 53		.0013			46.	-3302.50				31: 312500-05 37. 312500-05	105 12 45	152	
•	165 12 53		.0013				3:07.50	00 16	3 12 2 14	40	40. 312500-05	165 12 45	18305 23190	3172-04
	165 12 53		0014			48	2942.50	00 10	3. 1 <u>2</u> .	40	6:312500-04			
•	165 12 53		.0014			49.	-2752,50					165 12 45		2581-04
•	165 12 53		.0015	165 1		50.	-2645.00					165 12 45		0728-05
	165 12 53										14.****:312500-05			2581-04
ı	165 12 53		.0015			52.	-2412.50				17312500-04	165 12 45	56 152	1728-02
•	165 12 53		.0016			53.	-2292.50					165 12 46	. 3 190	1700.65
-	165 12 54		.0017				-2202.50	004 169	5 10	40		165 12 46		2581-04
	165 12 54		.0017				-2115.00				36. 312500-0			
	165 12 54		8100.			ra .	-0020 EA	and se	- 4 -	4.5	40 040500 04		مسم مسم	2581-04
	165 12 54			- 165		57		60* 169	5 19	40	- 51: 312500-05 15 312500-05	- 165 17 46		0728-05
	165 12 54		.0019			50.	-1872.50	001 16	5 10	50	15 .312500-0	165 12 46	43 15	2581-04
	165 12 54		0018	155 1	12.55	59.	1815.00	no 16	1.0	50	27 312500-0	165 17 46	48. 2.244	
	165 12 54		0019	165	12 5a	ــــــر } وسب	-1747.50	00 - 16	5 12	50	27312500-05 28312500-05	165 17 40	53190	
	165 12 54		.0020					169	5 12	50	30. 312500-0	165 12 46	58 152	2581-04
	165 12 54		.0020		1001				5 12			165 12 47		0728-05
+ - "	165 12 54		.0021			SS	DATA	16	5 19	51	46	- 165 12 47	··· 13: 152	2581-04
	165 12 54		.0D21	165		2.	.027061-	24 16	5 12	51	47312500-04	165 12 47	18. 🐔 . 190	0728-05
	165 12 54	41.	.0022			11	312500-	05 16	5 12	51	48. 312500-0	165 12 47	23. 7 . 30	0728-05 5172-04
	165 12 54		.0022			53	.312500-		1 12		13;	1165 12 42	28: 16	2581-04
	165 12 54	47.	.0022				.312500-				14312500-0			0728-05
	165 12 54	48.	,0023				.312500-	04 169	5 12	53	15312500-04	165 12 47	43152	2581-04
######## · ·	165 12 54	49.	.0022	-165-1	12:45	G	312500-	0516	5-12	-53	18:	165-12-47	48	0728-05
	*		A 11 1 1 1			λ,	24	•			· 195			
														-

			F0044						•	1	PAGE NO.	17	
		والمتعلقة والمتعلقة والمتعلقة والمتعلقة والمتعلقة والمتعادة	DATA PRODUCED DU					RFACE					1
				D B VANWIE PRO			95	٠,		_			
	ZV2006		2V2006	~ . = .	ZVIDO				ZV100				
	DDD HH MM		DDD HH MM SS		DDD HH				- DDD HH		-	DATA -	
	165 12 47	58152501-04	165 12 53 43.	.152581-04	165 12			.589100-01	165 12			582500-01 582400-01	
	165 12 48	3. 1190728-05	165 12 53 48. 165 12 53 58	.190728-05	165 12 165 12			.589000-01	165 12			582300-01	
	165 12 46	8305172-04 13152581-04	165 12 53 58.··· 165 12 54 3.	.190728-05	165 12			.508800-01				582300-01	
	165 12 48 165 12 48	13152581-04 18190728-05	165 12 54 13.	152591-04	165 12			.588700-01				582:00-01	•
	165 12 46	28	165 12 54 - 18		165 12	-		588600-01				582600-01	
	165 12 48	33190720-05	165 12 54 28.	.152581-04	165 12			588500-01	165 12			581800-01	
	165 12 48	38305172-04	165 12 54 33.	190728-05	165 12			.588400-01	165 12			581900-01	
	165 12 48	43		152581-04				.588100-01				581700-01	
	165 12 48	48190728-05	165 12 54 48.	.190728-05	165 12		20.	.588400-01	165 12			581600-01	
	165 12 48	58152581-04	165 12 54 58.	.152581-04	165 12			.588300-01	165 12		1.	581500-01	
	165 12 49	3190728-05		190728-05	165 12			.588000-01	165 12			581400-01	
	165 12 49	13152581-04	165 12 55 13.	.152581-04	165 12		27.	.587800-01	165 12			581300-01	
	165 12 49	18305172-04	165 12 55 18.	.305172-04	165 12		29.	.587700-01	165 12		5.	561200-01	
	165 12 49	28152581-04		190728-05	165 12		32	.507600-01	165 12	47 -		580900-01	
	165 12 49	.33305172-04		.152581-04	165 12		33.	.587500-01	165 12			580800-01	
	65 12 49		· 165 12 55 33.	.305172-04	165 12		35.	.587400-01	165 12			500700-01	
• •	165 12 49	43152581-04		152581-04	165 12		36.	.587300-01	165 1			580600-01	+-4
	165 12 49	48305172-04	165 12 55 48.	.305172-04	165 12		39.	.587100-01	165 '			580500-01	
	165 12 49	53190728-05	165 12 55 53.	190728-05	165 12		42.	.586900 01	165 12			580400-01	
	165 12 49	58152581-04	165 12 55 58.	152581-04	165 12			.586800-01	165 12			580300-01	
	165 12 50	3190728-05			165 12		45.	.586700-01	165 12			580400-01	, ,
	165 12 50	13152581-04	ZV1003	·	165 12		48.	.586500-01	165 12			580100-01	
	165 12 50	18305172-04	DDD HH MM SS		165 12			.586400-01	" 165 12			580000-01	
	165 12 50	28. ,152581-04		.029059-24	165 12		52. 53.	.586200-01	165 12 165 12			579 <u>900-0</u> 1 589000-01	
	165 12 50	33	165 12 44 11. 165 12 44 18;**	.592500-01 .592300-01	165 12 165 12			.586100-01 .585900-01				579700-01	
**********	165 12 50 165 12 50	43		.592200-01	165 12		57.	.505000-01	165 12			579800-01	
	155 12 50			.592100-01	165 12		0.	.585700-01	165 12			579700-01	
	165 12 51	3190728-05		.591900-01			2	.585500-01	-165 12			579500-01	
	165 12 51	13152581-04		.591800-01	165 12			.585400-01	165 12			579400-01	
	165 12 51	18: .190728-05		.591700-01	165 12		β.	.585100-01	165 12			579300-01	
	165 12 51	28152581-04			165 12			.585000-01				579200-01	
•	165 12 51	33190728*09		591400-01	165 12		13.	584800-01	165 12	-		5790CQ-01	
	165 12 51	43152581-04		.591300-01	165 12		14.	.584700-01				578900-01	
	165 12 51			.591100-01	165 12			584500-01	165 12			578800-01	
	165 12 51			.591000-01	155 12	46	17.	.584400-01	165 12	47	47	578700-01	;
	165 12 52			.590800-01	165 12		20.	.584200-01	165 12		50	578400-01)
	465 12 52		·· 165 12 44 ·· 44 ··		~ 165 1g	46	21	.584100-01	165 12			578300-01	
	165 12 52	18190728-05	165 12 44 47.	.590500-01	165 12	46	22.	.584000-01	165 12	47		577900-01	1
	165 12 52	28152581-04	185 12 44 48.	590400-01	165 12		25.	.583900-01	165 12			578000-01	
	165 12 52			590100-01	165 12		26		165 12			577900-01	
	165 12 52			.589900-01	165 12		28.	.583700-01	165 12			577800-01	
•	155 12 52			.589800-01	165 12		31.	.583500-01	165 12			577600-01	
	165 12 52			589900-01	165 12			.583400-01				577400 · Ot	
	165 12 53			.569700-01	165 12		33.	.583300-01			7 7 6	577200-01	
	165 12 53			.509500-01	165 12		36.	.583100-01				577060-01	
	165 12 53	18190728-05		589700-01	165 12		38,	.563000-01				576900-01	
	165 12 53			.589500-01	165 12		39.	.5B2900-01				576000-01	
	165 12 53			.589300-01	165 12		41.	.582700-01				576600-01	
	165 12 53	33190728-05	165 - 12 457	5889AA-A1.	1 <i>5</i> 617	46 -	43	-,582500-01	16519	· 49	وسحسب و و و و	576500-01	

					. Liebile de la company de la		
	5 at 1		A SALA MANAGE	FOD442 FLEX/GNFLE	CHOSS CHECKS	PAGE NO). (4 8
17971.5		45901 in ones 4 1500 1814 in 91	DATA PRUDI	ICED DAKTHO CHECKONI	OF FLEX/GNFLEX YNTERFACE	recognistic the control of the tracest with recognitions the	4 44 5 5 5 5 4 5 4 4 4 4 4 4 4 4 4 4 4
	ما سام ما ما ما ما		· ·	HAROLD B VANWIE PR	ULU		
	ZV1003		ZV1003		2V1003	ZV1009	
	DOD HH MM		DDD HH MI		DOD HH MM SS DATA	DDD HH MM SS	DATA
ta e in to	165 12 48.				165 12 51 42564200-01		.558000-01
*.	165 12 48	22576300-0			165 12 51 43564100-01	165 12 53 37.	557900-01
	165 12 48	23576200-0			165 12 51 45	165 12 53 40,	.557700-01
· •	165 12 48	24576100-0			165 12 51 46. 🔻 .563900-01	165 12 53 42.	.557600-01
Sec. 1	165 12 48	25575B00-C			165 12 51 47560000-01	165 12 53 44.	.557500-01
4-p091.8 4	165 /2:48	26576000-0	1 165 12 5	13569400-01	165 12 51 48	- 165 12 53 4B	.557300-01
	165 12 48	27575900-0		16569000-01	165 12 5: 51563600-01	165 12 53 50.	.557200-01
	165 12 48	28576000-0	1 165, 12 5	17569300-01	165 12 51 53563500-01	165 12 53 51.	.557100-01
******	165 12 48		1. 165 12 5			165 12 53 55	.556900-01
	165 12 48	32575700-0	1 165 12 50	3 20569000-01	165 12 51 58563200-01	165 12 53 58.	.556800-01
	165 12 48	35575600-0		21568900-01	165 12 51 59, .563100-01		.555700-01
ing in a	165 12 48	39575300-0	1 165 12 5	22560000-01	165 12 52 1563000-01		.556300-01
	165 12 48	4257510D-C	1 165 12 5		165 12 52 5, .562700-01	165 12 54 5.	.555400-01
37 3 4 4	165 12 48	44. ,574900-0	1 165 12 5	26568300-01	165 12 52 6562500-01		.556300-01
	165 12 48	46574800-0	1 165 12 5	28 568400-01	165 12 52 7562600-01	165 12 54 - 8	.550000-01
e Portini	165 12 48	4B574600-0	1 165 12 5	29560300-01.	165 12 52 11562500-01		.555900-01
	165 ·12 48	50574500-0	1 165 12 5	30568400-01			.556000-01
The Same of Same	165 12 48	52574400-0	1 165 12 5	31 568300-01	165 12 52 15		.555900-01
	165 12 48	54574300-0	1 165 12 5	32560100-01			.555800-01
	165 12 48	56574200-0	1 165 12 5	36568000-01	165 12 52 19562000-01		.555700-01
	165 12 48	57574100-0	1 165 12 5	37567900-01		165 12 54 18.	.555600-01
	165 12 48	58574000-0			165 12 52 23 .561800-01		.55550D-01
	165 12 49	2573700-0					\$55200-01
*****	165 12 49		1 165 12 5		165 12 52 30, 561500-01		.555100-01
	165 12 49	4573600-0					.555000-01
	165 12 49		1 165 12 5		165 12 52 34		.554900-01
*=*****	165 12 49		1 165 12 5		165 12 52 36, 561100-01		554200-01
	165 12 49	10. 573300-0			165 12 52 3ª .561000-01		551600-01
	165 12 49	12573200-0				165 12 54 4 37.	.554700-01
•		15573100-0			165 12 52 42560700-01		.554600-01
	165 12 49				165 12 52 44560600-01		.554400-01
	165 12 49	20572800-0					.554300-01
	165 12 49	23572600-0			165 12 52 47. 560300-01		.554200-01
7.77	165 12 49		1 165 12 5		155 12 52 48		
	165 12 49	27. 572400-0					.554100-01
	165 12 49	28				1 165 12 54 48.	.554000-01
	165 12 49		165 12 5				.553800-01
					그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그		.553900-01
	165 12 49					1 165 12 54 56.	.553600-01
	165 12 49	35571900-0		,			
•	165 12 49					1 165 12 55 1.	.553300-01
	165 12 49		1 165 12 5				.553100-01
	165 12 49	40571500-0			165 12 53 8		.552900-01
	165 12 49	41571400-0			165 12 53 11559400-01		.552800-01
	165 12 49	47571000-0			165 12 53 12559300-01		.552700-01
	165 12 49	49570900-0			165 12 53 16559000-01		.552500-01,
	165 12 49	51570800-0			165 12 53 19. 558900-01		.552400-01
	165 12 49	52570700-0			165 12 53 21550800-01		.552300-01
\$15 A 1	165 12 49	55			165 12 53 23, 558700-01		.55690C-01
	165 12 49	57570400-0			165 12 53 24558600-01		.560400-01
*	155 12 50	0. ,570100-0			165 12 53 27558400-01		.563500-01
	165 12 50	3570000-(1116512-5	138564300-01	165-12 5329558300-01	1165 -12-5528	566300-01

			DATA			F004	42 FLEX/GN	iflex,	CROS:	S CH	4EC!	KS					P.	AGE N	0. 19		
*****	•			DATA	PRODU	CED D	URING CHECK	COUT	OF FL	EX/C	GNFL	LEX - IN:	TERFACE.								
				_		HARO	TD B AVMIE	E PRO	JECT_	No.	420	05									
	ZV1003			Z	10203	6-0		• •	211	0208	5		٠ - ـــ.		Z1	0209					
	DDD HH MA	35	DATA	900	HH MM	25		1 A	100	HH Y	im :	35	Uj	MIA .	UDD	HH M	M 22		DAT		
	165 12 55 165 12 55	29. 30.	10-00000.	103	12 40	۰.	26 - 26	0.0	100	12 5	54	14.		254.7	165	12 5	3 4	5 .	20,	3.0 3.6	
			.571800-01 .578100-01		12 48		. 20	37.7	105	12 5	74	23.	-	235.3	105	15 5	9 9	o.	25.		
	165 12 55 165 12 55	32. 33.	.580900-01		12 49 12 49			7,1	165 165		24	20		100.9	105	12 5	3 - 5	5.		4.8	
	165 12 55	34.	.583700-01		12 49				165		94 5 4	38.		257.3	100					5.3·	
	165 12 55	35.			12 50				165		94. F 4	30.		257.3	100	12 5	9 1	ţ	25:		
*****	165 12 55	37.	.582600-01		12 50	E0.			165,		24	67,			165	12 3	9 ~ 2	0	25	7.7 T	
	165 12 55	38.			12 51	no.					54	50.						3 .	25i 25i	5.3	
	. 165 12 55	39.	.581700-01 .581100-01	100	12 51	44.	. 00		165		24	50.		259.2						/. [7 . E	
******************************	185 12 55	42.	.579700-01		12 52	20.	26 26 26 26 26 26 26 27 27 27	27.0	100	12 5	24	59		209.0	. 100	12 5	4 3	9 ;	25 25	/.0 ~	
	165 12 55	43.	.579400-01		12 52	24.	20	23.1	100	12	22	o.		201.0	100	12 5	4 5	J.	251	9.7	
	165 12 55					23.	20	33.2 33.6	100	12 :	23	20.		202.3	100	12 5	4 3	J.	25		
	165 12 55		578500-01		12 53 12 53	32,		22.0	100	12:	25	29		203.4	165	12 5	5	a, ~~~	26	9.4 "	
	165 12 55		.578200+01 .577900+01		. 12 54	DJ.	20	32.U	102	12	22	41.		204.0	100	12 5		٥.	20		
	165 12 55		577300-01		12 54	29.	# C	31.W	103		95	pa.	. •	, co	165	12 5	2 8			0.5	
	155 12 55		.576800-01		12 55	20.	20	21.0	27	nani	_			• .	. 105	12 5		3	26	1,1-	
	135 12 55					32.	20	20.7	000	020	<i>.</i>				105	12 5	5 J	4 .5	20	0	
	165 12 55		.574900-01		12 55 12 55	ου.	20	20.0	166	10 H	MM 3	33		*** ~	165	12 5		ļ	26:	2.4 2.4	
			574600-01			201		39.2 30.6	100	12 4	44	2			105	12 5	2 2	3,"	26		
	165 12 56	١,	.573900-01	103	12 55	22.	4	70.0	102	12 4	44	11.		147.Z	105	12 5	i o	э.	20,	3.3	
	761066			. 7	TOACC				166	12 4	44	20.		246.6	717						
	231030		P. 474	 ከከከ	10200		D a 1	r a	100	12 1	44	50,	3	240.1	m-r. gi	0213			DAT	•	
	TOD THE MAN	25	DATA .0	100	7. F. RINI	32,	DAI	' A	100	12 4	45	35.		245.5	nnn	nn n	W 22	_	DAI	A ,	
	100 12 44	2.		100	12 44	2.		40.5	105	12 4	45	53.		245.0	105	12 4	4		24	0	
	100 12 44	11.	.1	100	12 44	117	2.	40.5	100	:2 S	96	. 50.,		244,4	102	12 4	4 1	<u> </u>	24:		
	165 12 48		• !	105	12 44	23.		45.4	165			2.		243.9	165	12 4	4 1	7.	24	5.3	•
_	165 12 53	5.	-1	165	12 45	11.	2.	48.0	165			2.		243.3		12.4		4.	24		
	165 12 55					- 20.		18.3				· 11 /			165			ā	24	4.2	
	165 12 55	26.	2.7	165	12 45	59.	24	97.7	165			8.		242.2	165	12 4		7.	24	3.7	
	165 12 55	29.	2.2	165	12 46	8.	2	47.2	165			17.	. :	241.6	165			0.	24		
	165 12 55	32.		165	12 46	47.			165			23. —						-	24	2.5	
	165 12 55				12 46			46.1	165			26.		240.5		12 4		15.	24 24	1.4	
	165 12 55				12 47				165			14.		241.1		12 4		1.			-
	165 12 55		·				2	45,0				17			- 165			0	24	0.3 ~	
	165 12 55				12 48			44.4	165			29.		242,3		12 4		7.	23	9.8	
	165 12 55	47.	. 1	165	12 48	47.	` 24	43.8	165			35.		242.9	165	12 4		2.	23	9.2	
	- 165 12 55	50.	DATA	· 165	12 49	23.	2.	43.3	165			44		243.5	165	12 4	B · 2	6	23	8.7 -	~
	165 12 55	55.	.1	165	12 49	47.		42.7	165	12 !	51	50.	;	244,1	165	12 4	8 5	iO.	23	8.1	
	165 12 55	59.	.1	165	12 50	17.	24	42,2	165	12 !	51	59.	1	244.7	165	12 4		5.	23	7.6	
	<u>.</u>			165	12 50	-41:	2	41.6	165	12 9	52 -	. 5,		245.3	-165	12 4	9 -3	5	23	7.0 -	
	. ZTQ 203			165	12 51	53.	2	42.1	165	12 !	52	14.		245.9	165	12 4	9 4	4.	23	6.5	
	DDD HH MM	SS	DATA	165	12 51	59.	24	42.7	165	12 !	52	20.				12 5			23		
	· 165 12 44	2.	********	- 165	12 52	17:	2/	43.3	165	12 5	52	29		247. t	165		0 2	3	23	5.3 -	
	165 12 44		274.2		12 52			43.9	165	12	52	35.		247.7		12 5	Ö 5	9.	23	4.7	
	155 10 44	0.2	675 4	100	40 E0	- AE			466	10	E 8	4.8		n 40 A	100		ī	8.	23 23	4.2	
	165 12 45	17.	273.6 272.6 272.0 271.5 	165	12 52	50.		46.3	165	12	52	50		248.9	165	12 5	2	5:	23	4.B	
	165 12 45	26	272.0	165	12 53	. Ž.	2.	47.4	165	12	52	56.		249.5	165	12 5	9 1	ī. ·	F 71 23	5.3	-
	165 12 46	2.	271.5	165	12 53	14.	5.	48.5	165	12	53	Š.		250.0	165	12 5	5 2	.a ?	29	5 9	
	165 12 46	20.	271 B	165	12 59	26	5 ,	49.7	165	10	53	11:		250. A	165	12.5	2 9		97	5.5	
	165 12 42		270 4	165	19 59	38	g:	50.9	165	12	53	20	•	251 2	166	12 6	9 4		92	7 1	
	165 19 47	14	250.7	165	12 52	EU.	2	52.9	185	10	52	26		251 7	186	10 5	9	9	. 23	7 6	
	12 12 17				12E4			59 4	16E	.10	5 Eg	25		250.4		_1 A. 5		· 13.			
	- 103 12 47				- 4 TH			~~,~~	100.		~J~	22.0	100		103						

	gan gan 1945 il 210 sen anjä arjant ylkaistallainallainallainallain allainallainallainella	de de la company	and an article of the section of the	
		FD0442 FLEX/GNF1	EX CROSS CHECKS IT OF FLEX/GNFLEX INTERFACE ROJECT NO. 4205 250012	PAGE NO. 20
- •	· · · · · · · · · · · · · · · · · · ·	-DATA PRODUCED DURING CHECKOU	IT OF FLEX/GNFLEX INTERFACE	aparida apar manana a sa abanda baran a sa
	210213	nambu d yanate r	750n17	750n12
	DOD HH MM SS DATA	DDD HH PM SS DATA	DDD HH HM SS	DDD HH MM SS DATA
	165 12 53 17. 238.7	155 12 44 2	D 165 12 47 14. 32.4	165 12 51 53. 32.0
	155 12 53 23. 239.3	165 12 44 11. 153.		165 12 51 55.
	· 165 12 53 35 239.9	165 12 45 8; 153.		165 12 52 2 32.0
•	165 12 53 41. 240.4	165 12 45 26. 152.		165 12 52 5
	165 12 53 53. 241.1	165 12 46 56. 152. 165 12 47 11. 151.		165 12 52 · 8
	· 165 12 54 2 241.6 165 12 54 8. 242.2	- 100 to		165 12 52 17. 32.1
	155 12 54 20. 242.8			165 12 52 20. 32.0
	165 12 54 29 243.4		- 165 12 47 41: 32.2-	~165 12 52 - 23, Taylor 31, 9
	165 12 54 41. 244.0		165 12 47 50. 32.3	165 12 52 26.
•	165 12 54 47. 244.6		165 12 47 56, 32.2	165 12 52 29. 32.0. 165 12 52 32. 31.9
****	165 12 55 2 245.B			165 12 52 32. 31.9 165 12 52 41. 32.0
	165 12 55 17. 246.4 165 12 55 20. 247.0			165 12 52 44. 31.9
	165 12 55 44 247.6			165 12 52 47. 31.9
	165 12 55 50. 248.2			165 12 52 50. 32.0
	•	165 42 44 26 ~ 32.		165 12 52 53.
-	270216	165 12 44 44 31.		165 12 52 56. 32.0
	DOD HH HM SS_ DATA_	165 12 44 47.		165 12 52 59. 31.9 165 12 53 2. 31.8
	165 12 44 2. 33.5		the same see that	
+	165 12 44 11 242.5 165 12 44 29. 241.4			165 12 51 8. 32.1
	155 12 44 29. 241.4 165 12 45 11. 240.3			165 12 52 11. 32.0
	165 12 45 50 239.2			165 12 53 14. 31.6
	165 12 45 29. 238.0	165 12 45 5. 32		165 12 53 17. 32.0
	165 12 47 8. 236.9			165 12 53 20. 32.1
-	165 12 47 50 235.7			그 100년 등에 본역 의원인 등 그 그 11일 없는 것
	165 12 48 26. 234.6			165 12 53 26. 31.8 31.8 31.8 32.0 32.0
	165 12 49 5. 233.5			165 12 53 35. 31.9
	165 12 49 50 232.2 165 12 50 29. 231.1	· • • • • • • • • • • • • • • • • • • •		165 12 53 38. 32.1
	165 12 50 29. 231.1 155 12 51 32. 232.2			165 12 53 41, 31.9
	165 12 51 47 233.4			165 12 53 44.
	165 12 52 2. 234.5	165 12 45 44. 32	.3 165 12 50 20. 32.0	165 12 53 47. 32.0
	165 12 52 17. 235.6	i 165 12 45 47. 32		165 12 53 50. 32.1
	- 165 12 52 32 236.7			165 12 53 53. 31.8 31.8 31.8 31.8
	165 12 52 47. 237.5			- 188 J
	165 12 53 2. 239.5			
	- 165 12 53 17 240.3 - 165 12 53 35. 241.5	이 가족은 가득 가득 그는 것이 살았는데 나를 살을		165 12 54 14. 32.1
1	165 12 53 35. 241.5 165 12 53 50. 242.6			165 12 54 17 32.0
	· 165 12 54 2 243.7			165 12 54 20. 32.1,
	165 12 54 20. 245.0	165 12 46 20. 32	.0 165 12 51 5. 32.1	165 12 54 23. 31.9
	165 12 54 35. 248.1	1 165 12 46 26. 32		165 12 54 26. 32.0
	· 165 12 54 53 247.			165 12 54 29. 32.1 32.0 165 12 54 32. 33. 33.0 33.0 33.0 33.0 33.0 33.0 3
	155 12 55 8. 248.			165 12 54 32. 6. 6. 32.0
	165 12 55 23. 249.3		0 165 12 51 23. 32.1	165 12 54 35. \$ 9.5 3 31.9
	- 165 12 55 44: 251.9		1.1 165 12 5t 25:	-165 12 54 38. 32.0
	165 12 55 56 252.7		1 166 th E1 41 30 0	165 12 54 47. 32.1
			1.2-165-12-51-472	-165-12-54-53-

greinte. du	· p-tón ·				## 1744- bid	F004	42 FLEX/GNFLEX			 rue	ر اور و جسميد و الشافشان و الشاهد و الشافظات بيا و جوهد الباشان		······································			
		****		DATA	PRODU	*E& 61	URING CHECKOUT LD B VANWIE PRO	AC PI	Cu in		INTERFACE			PAGI	NO. 21	
	Z50012				10000	- MI	PA B SWINTE LIN	7/	1000 ·	203	,			•		
	DDD HH MM 5	s	- DATA		HH UU	Se	DATA	200	HU M	66	DATA	Zr	0317			
		59.	32.0	165	12 47	232	-269	165	LO EG	33	-273.	.000	DH WY	. 22 -	DATA	
	165 12 55	2.	31.9		12 47	27.	• 174.	166	12 52	12.	-273.				822000-04	
	165 12 55	8						166	10 50	30.	-275.				.817500-04	
	165 12 55	11.	32.0	165	12 47	37.	- 156		12 52							
	165 12 55	14.	32.0		12 47	47.			:			105	12 46	32.	.B20500-04	
	165 12 55		32.1.				-148. -139.	- 165	10 50	42.	. 970. 1004.	105	12 46	37.	.819000:04	
	165 12 55	20.	31.9		12 48	2.	-147.	165	12 52	47.	1004	105	12 40	47."		
	165 12 55	26.	32.7		12 4B	7.	-123.		12 52						.819000-04	
10001	-165 12 55		34.0		12 48		-124.		12 52						.817500-04	
	165 12 55	32.			12 48	19.	457.		12 53						B19000-04	***************************************
	165 12 55	35.	34.1		12 48	24.	1994		12 53			105			.817500-04	
	165 12 55	3B	36.2		12 48	27.	2306		12 53			105	12 47		.819000-04	
	165 12 55	41.	37.1		12 48	36.	2145.		12 53			100	12 47		815000-04	
	165 12 55	44.	36.4		12 48	40.	1794.		12 53		-589.		12 47		.B14500-Q4	
	165 12 55	47	34.8		12 4B	43.	1453.		12 53	37.			12 47		.816500-04	
	165 12 55	50.		165	12 48	47.	1269.		12 53							
	165 12 55	53.	32.3		12 48	52.	. 986.		12 53					52.	.819000-04	
	165 12 55	56.			12 49	J.	930.		12 53				12 46		.822000-04	
	165 12 55	59.	32.0		12 49	5.	704	166	12 54	2.			12 48			************************
		-			12 49	9.			12 54				12 45		.823500-04	
	210253	,		16E	12 49		484.		12, 54				12.45		.819900-04	
	DOD HH MM 5	5	DATA	165	12 49	17.			12.54			105	12 45	27.~	, - , , - ;	
	165 12 44	2	7 217 0	165	12 49				12 54		400				.820500-04	
** ** .	165 12 44	5 2. 11	75 B	166	12 49	21	330. 233.		12 54	27.	-496. 	165	12 45	e.	,813000-04	
	165 12 49	2.	75.0	166	12 49	24	AE		12 54	38.	***************************************	105	12 95	5.		
	165 12 55	Ž.	76.6		12 49	27.	45. 45. 45.	166	12 54	52.		165	12 49	9.	.817500-04	
*.	165 12 55	29	75,2	. 165	12 40	43	AE		12 54	52.		165	12 45		.814500-04	
	165 12 55	32.	74.0		12 49	46	42			59.	-368.	165	12 49	17.	819000-04	
	165 12 55	35.	73.2		12 49	49.	43. 77. 75.		12 55 12 55		-243.	165	12 49	34.	.817500-04	
	165 12 55	44.			12 49	52. C7	77.					165	12 45		.B19000-04	
•	165 12 55	56.	73.5		12 49	5/.		105	12 55	15.	-242.				820500-04	
	109 12 33	50.	P1.1			2. 10.	+18. -19.	165	12 55	27.		165	12 50	13.	.817500-04	
	20000t	•	•	103	12 50	10.	•19.		12 55			165	12 50	22.	.819600-04	
	LADADI			. 105	12 50	13.		165	12.55	30,	28838.	165	12 50	47:	817500-04	
	DDD HH MM S	۵,	DATA	105	12 50	22.	-148. 167. 451.	165	12 55	42.		165	12 50	53.	.815000-04	
	165 12 44	2.	. U.	105	32 50	27.	167.	165	12 55	47.	14916.	165	12 50	58.	.817500-04	
*****	165 12 44	28		165	12 50	. 32.	451.	165	12 55	52.	7148.	165	12 51	7.	B19000+04	
	165 12 44	42.	-331 -			37.	260.	165	12 55	57.	4822.	165	12 51	12.	.813000-04	
	165 12 44	47.	-325.		12 50	42.	go.					165	12 5	18.	.819000-04	
	165 12 45		325				390.	ZF	20317	•	Affronty-mass titler suspense in the contract	~165	12 51	27		
	165 12 45	17.			12 50		-276	000	HH WW	55	DATA	165	12 51	32.	.817500-04	
	165 12 45	27.	-325.		12 51	3.	-529.	165	12 44	2.	.026810-24	165	12 51	37.		
	165 12 45					7.		165	12 44	18.	.817500-04		12 51		.614500-04	
	165 12 46	2.	-325.		12 51	12.	-430.	165	12 44				12 51	47.	.817500-04	
	165 12 46	7.	-319.		12 51	18.	-561.		12 44			165	12 51	52.	.8:6000-04 .8:9000-04 .8:4500-04 .8:4500-04	
	165 12 46		320.		12 51	22.			12 44	47.		165		· 5В.	.819000-04	
	165 12 46	32.	-327.		12 51	27.	-369.	165	12 45	12.	.820500-04	165	12 52	7.	.814500-04 .819000-04	
	165 12 46	37.	-321.	165	12 51	32.	-367.	165	12 45	17.	.817500-04	165	12 52	12.	.819000-04	
	165 12 46	42	328.	165	12 51	- 42.	-369.	- 165	12 45	22.	B19000-04	165-	12 52		04CDDD	
	.165 12 46	57.	-328.	165	12 51	52.	-369.	165	12 45	47.	.822000-04	165	12 52	2 22.	.813000-04	
	155 12 47	2.	-329.	165	12 51	58.	+275 .	165	12 45	57.	.822000-04 .816000-04 .819000-04	165	12 5	30.	.817500-04	•
-	165 12 47	12	323	165	12 52	7 ,.		165	12 46	2.	4-000-04-	~·165·	12.52	42	8160G0-04	

								K/GNFLEX					*	PAGE N	10. 22	:
	•			DATA	. PRODU			HECKOUT Kwie pro				.interface	dalime d essenta terrestr att			مدمد طؤة سيده
	ZP0317			\$	\$0054	nanu	LU B AN	JMIE LVO		0054	1203		\$50054			
	DOD HH MM				HH MM						4 SS		DDD HH M		DATA_	
	165 12 52	47.	.814500-04		12 48 12 48			0002. 0003.	165 165				165 12 5 165 12 5		0. 0.	
	165 12 52 165 12 52	54. 57. ~	*.817500-04 819000-04		12 49	59. 2.		- 0003.	165				165 12 5			
	165 12 53	2.	.816000-04		12 49	ã.		0004.		12 5			.02 -2 4		•	
	165 12 53	t2. ,	.817500-04	165	12 49	4.		0003.	165	12 5	56	0.	* XP0317	•		•
	165 12 53	17. ~	- B16000-04		12 49	5.		- DD01.		12 5:			א איו ססס			
	165 12 53	28.	.822000-04		12 49	8.	•	0002.		12 5:					10100100100	
	165 12 53 165 12 53	32. 42	.817500-04 .820500-04		12 49			- O.		12 5:					1101000101000 110100011100	
	165 12 53	48.	.819000-04		12 49		-	0002.	165						10100011000	
•	165 12 53	52.	.B13000-04		12 49	27.		0003.		12 5		0001.	165 12 4	4 21.0010	10100010100	0
	165 12 53	57			12 49			0004.		2 5					10100011000	
	165 12 54	2. 7.	.819000-04		12 49 12 49			0004.	165	12 5: 12 5:					16100011100 1010010000	
	165 12 54 165 12 54	22	.816000-04 .814500-04		12 49			- 0003.		12 5					10:0011000:01	
	165 12 54	27.	.808500-04		12 49			0002		12 5		Ö.			10100011100	
	165 12 54	33.	.813000-04		12 49			0.	165	12 5	4 13.			5 0.0010	10100011100	0
	155 12 54		- ,811500-04		12 49			- 0001		12 5					10100011000	
	165 12 54	52.	.816000-04		12 49			0002		12 5					10100011100	
	165 12 55 165 12 55		.843000-04 .840000-04		12 49			0001. 0001.		12 5)10100010100)10100011000	
	165 /2 55		.823500-04		12 49			0.000		12 5					10100011100	
	105 12 55		1020000 0.		12 49			Q.		12 5					10100100000	
	\$\$ 0054			···· 165	12 49	59:		· DOD1 · ·	165	12 5	4 - 41		165 12 4	5 36,1010	710100011000	0
	DDD HH MM		· DATA		12 50					12 5					110100100000	
	155 12 44	2.	0.		12 50			- 0003. 0002.		12 5					1010001100	
	165 12 44 165 12 44	13.·~	0001		12 50			0002.		12 5 12 5					710100100900 900100910090	
	165 12 44		0.		12 50			0002.		12 5					10100011100	
	165 12 45	4			12 50			0.		12 5					010100011000	
	165 12 45	9.	Ō.	165	12 50			0.		12 5					10100010100	
	165 12 45		0.		12 50		•	Ö٠		12 5					010100011100	
	165 12 45		·····		12 50			O.		12 5					010100100000	
	165 12 46 165 12 46		σ. 0.		12 50 12 50			0.		12 5 12 5					0 10 1000 1 1000 0 10 100 1 00 1 0 1	
	165 12 47				12 50					12 5					010100011000	
	165 12 48		0001.		12 50			Ď.		12 5					10100010100	
	165 12 48				12 50			0001.		12 5					10100011000	
	165 12 48				12 50			ō							010100011100	
	165 12 48		0001		12 50 12 51				165 165						010100010000 010100011000	
	165 12 48 165 12 48		0002		12 51				165						010100011000	
	165 12 48		0003.		12 5			ō.		12 5					010100100000	
	.165 12 48		0.		12 51			0.	165	12 5	5 28	· 0.	165 12	6 42.101	010100011100)0
	155 12 4B				12 51		•		165						010100011000	
	165 12 48		0005.		12 51			0.		12 5					D10100013100	
	165 12 48 165 12 48		0004		i 12 52 i 12 52					12 5					010100001100 010100011000	
	165 12 48				12 52			0003.							010100010100	
	165 12 48		0.	165	12 52	32.		0001.				0001	166 19	17 & 101i	0.10100010000	10
	165 12 48		 		-42-52			·	165-	-12-5	5-49	Company (Company of the O	165-12-	7-9.001	010100001000	,0
				*	;·	•					•			* **		
	•					•										1.0

								1274		F	004	42	FLEX	/GNFLI	X CR	055	CHE	CKS	W -1985	rebeire					PAGE NO.	23		
	•		 .				- m 4				ARO	LD B	VAN	WIE P				2,05	A⊹.4314 I	enpage:					bing igt in an an an beda			
		P031							0317		_		i			XPO						XP	1003): 	_			
	DDD	맨	MM	35		DAT	A	ODD	THE W	M D	5			DATA	מע	Ď. W	H MM	55		:D,	ATA	DDD	HH :	M S	5	DATA		
	105	12	47	12.0010	11010	90011	0000	105	12 5	0 2	4.0	0101	D100	0.1000	10 16	5 1	2 53	15	.1010	0101000	011000	165	12	14	2.100000	0101000	901	
	165	12	47	15.101	16016	00010	10000	165	12 5	0 2	7.10	0101	0100	01100	D 16	5 1	2 53	18	. 1010	0101000	100000	165	12 4	14 1	1.000000	0101000	100	
	165	12	47	18.101	1010	00011	0000	165	12 5	0 3	0.00	0101	0100	01110	10, 16	5 1	2 53	21	.1010	0101000	110000	165	12	14 1	2.100000	0101000	00 I	
'	165	12	47	21,101	11010	00010	10000	165	12 1	0 3	3, 11	0101	010n	01100	16	5 1	2 53	24	. 1010	0101001	000000	165	12 4	4 "1	5.000000	10101000	001	
	165	12	47	27.101)10t(00001	1000	165	12 5	0 4	2.10	0101	0100	01010	10 16	5 t	2 53	27	-1010	0101000	101000	165	12 4	4 1	6.100000	0101000	3Ð 1	
	165	12	47	30.1010	3:01(00011	0000	165	12 5	0 4	5.16	0101	0100	01100	00 te	5 1	2 53	30	.0010	0101000	100000	165	12 4	4 1	8.000000	0101000	001-	
	165	15	47	33.101	31016	00010	00000	165	12 5	0 4	8.10	0101	0100	01000	DO 16	5%,1	2 53	33	.0010	0101000	101000	165	12	4 2	0.100000	0101600	100	
	165	12	47	36.1010	31010	11000	1000	165	12 5	05	1.10	0101	C100	01010)U 16	5 1	2 53	35	.1610	0101000	111000	165	12.4	4 2	3.000000	0101000	100	
	165	12	47	39.1011	31011	00100	00000	165	12 5	D 5	4.0	0101	0100	00110	10, 16	5 1	2 53	39	.1010	0101000	110000	165	12:4	14 2	5.100000	0.01000	001~	
	165	12	47	42.001	31011	00010	11000	165	12 5	0 5	7.1	1010	DECO	01100	00 te	5 1	2 53	45	. 1010	0101000	101000	165	12 /	14 2	7.000000	0101000	101	
	165	12	47	45.101	01014	00011	0000	165	12 5	1	3.D	0101	0100	01000	0 16	5 1	2 53	48	. 1010	0101000	010000	165	12 4	14 2	B.100000	0101000	100	
				57.101							6.10	0101	0100	00100	00 16	5 1	2 52	56	1010	0.01000	011000	166	12	14 4	0.000000	0101000	004 -	
	165			0.101	0.03	ሰብስነበ	11000	185	12 5		0 1	0101	0100	01100	10 16	. i	2 57	67	1015	0.101000	110000	166	10	14 4	1.100000	0.01000	201	
	165			6.101	3101	00011	0000	166	12 5		E 17	0101	0100		10 46		2 64								4.00000			
-	165			9.101															5010	0101000	0.00000	105	12	14 7	4.000000	0101000	10 I	
				12.101	1011	00100	10000	166	10 5		3 1	0101	0140	01100	10 10		2 27		* D4114	0101000	010000	105	12		6.100000	0101000	001	
	100	15	40	18.101	31011	20011	00000	100	10 6		4 0	2101	0100	01010	10 to	2	2 54								0.00000			
	100		40	0.101	21011		11000	103	12 3		9.0	0101	2100	01010)O 10	22 1	2 59	3	.1010	0101000	100000	165	12	14 2	0.160000	0101000	UU I	
•	100	12	46	21.101	11010	00010	11000	100	12 3	11 2	7.1	וטוט	nion	Ainin	JU 16	5 !	2 54	15	. 1011	0.10.1000	Osobon	165	12 4	14 5	3.00000	0101000	1,00	
	105	12	48	24.001	01014	00011	10000	105	12 5	1 3	0.1	utul	0100	00110	n 16	5 1	2 54	. 18	. 1010	0101000	011000	165	12 4	14 5	4.100000	0101000	100	
	165	12	48	27.101	0101	00010	10000	165	12 5	1 3	3.1	0101	0100	0 1000	30 16	5 1	2 54	21	.1010	0100117	001000	165	12.4	14 5	6.000000	0.001.000	101	
	165	12	40	30.101	31010	00010	16000	165	12 5	1 3	6.10	0101	oipo	00110	30 16	15	2 54	24	.1010	0101000	100000	165	12 /	14 5	B.100000	10101000	00 t ~	
	165	12	48	33.101	01011	00011	00p11	165	12 5	i 1 3	9.1	0101	0100	01100	JO 16	i5 f	2 54	27	. 1010	0101000	010000	165	12	15	1.000601	0101000	301	
	t65	12	48	45,001	0101	00011	10000	165	12 5	il 4	2.1	1010	<u>0100</u>	01010	DD 16	55 1	2 54	30	. 1010	0101000	001000	165	12	15	2.100000	000101000	001	
	165	12	4B	51.101	01010	00010	00000	165	12 5	1 4	5.10	0101	0100	01110	00 16	5 1	2 54	33	.oot	0101000	100000	165	12	15	3.000000	00101000	nD 1 ···	
	165	12	48	54.101	01014	ពិធីជីធិត	10000	165	12 5	i 14	B. 1	0101	01n0	0 1000	<u> 16</u>	is 1	2 54	1 39	-1010	0101000	100000	155	19 4	45	4.100000			
	165	10	48	57.101	Dint	00010	00000	165	10 4	. 5	1 . 1	ntoi	o i aa	01100	00 16	5 1	2 54	42	0016	0101000	ուսոնն	155	12	15	5.000000			
	165	15	44	0.101	0101	00011	00001	166	12 5	5	4.1	nini	ninn	01110	00 16	is 1	2 54	AR	1011	0101000	011000	105		15	6.100000			
	165			2 101	0.01	00011	11000	186	12 6		7 0	0.0.	0100	00110	10 16		2 C	1 72	****	0101000	*******	100	10	10,				
	165			6 101	0.01		11000	166	16	i i u	7	0101	0100	00110	DO 10		2 24		. 1011	0101000	TODUNO	103	12.	10	9.000000	0000	201	
		_		0.101	01011		11000	100	12 6	2	2.1	0101	0100	01100	10 10	י בי	2 54	37	. 1011	0101000	011000	105	12	15 1	0.10000	0101600	וטו	
	165			9.101	nini	OCDIL	11000	100	12 :	2	D. 1	0101	nion	01100	90 10	ו בי	2 55	ט י							1.00000			
	165	12	49	12.101	5101	0001	10000	165	12 :	2	9.1	DIGI	0100	10000	UV 16	15 1	2 55	; 6	-1010	0101000	Ologod	165	12	15 2	3.100000	000101000	001	
	165	12	49	15.101	0101	00011	1000	165	12 5	12	2.1	0101	0100	01000	JO 16	55 1	2 55	; 9		0101000	100000	165	12	45 2	4.00000	00101000	001	
·	165	12	49	18.001	0101	000 I I	10000	165	12 5	i2 l	5.1	0101	0100	00110	00 16)5 I	2 55	12	. 101	0101000	100000	165	12	45 2	6.10000	701 0 1000	001-	
	165	12	49	21.101	0101	<u> 1</u> 000 1 1	10000	165	12 5	i2 1	8.1	otet	0100	00100	DO 16	i5 1	2 55	i 15	.0011	0101000	110000	165	12 /	45 2	9.000000	0001010	no i	
	165	12	49	30.101	0101	00010	000010	165	12 5	2 2	1.1	0101	0100	01100	00 16	iS 1	2 55	18	. 101	0101000	100000	165	12	45 3	11.100000	00010100	001	
	165	12	49	33.001	0101	00001	1000	165	12	2 .2	4.1	0101	0100	01010	00 16	is 1	2 59	21	Onti	010100	100000	165	12	45 3	7.00000	0101000	001	
	165	12	49	36.101	DIOL	00010	00010	165	12 5	2 2	7.1	0101	0010	00110	DD 16	iš 1	2 55	24	.1610	0101019	100000	165	12	15 3	B. 10000	0101000	001	
	165	12	49	39.101	0101	00011	0000	165	12 5	2 3	0.0	0101	0100	01010	00 16	5 1	2 5	27	101	0101100	010000	165	15	45 4	6.00000	10161100	001	
-	- 165	10	40	42 101	0 : 6 :	200 10	10000	166	12	2 3	13.0	0101	0100	01000	00 16	. i	2 50	. 20	101	0101100	0.0000	166	12	45 4	17.10000	0.00	001	٠.,
	165	12	40	45 101	Diai	00011	0000	165	10 6		6 1	010:	0100	0 1000	00 16	. i	2 60		161	0101100	001000	166	12	75 T	9.00000	30.00.000	001	
	166	12	70	48 101		000 i i	20000	166	13		10.1	0101	0.00	nniin	00 16	. i	7 50	, ,,	101	0101000	0110000	165	12	42 T	1.10000	0.00.000	001	
	. 466		40	61 001	0.01	00010	11000	166	10 5		10.0	0101	0100	04000	00 40		2 35	9 30		0101000	454600	105	12 '	43 2	11.10000	20101200	00 f	
	. 103	12	49	51.001		00011	1000	105	12 :	2 4	2.0	0101	0100	01000	90 16		2 2:	39	. 101	0101000	101000	165	12	95 5	4.00000	20101000	001.	-
	102	:2	49	54.001	u 1011	0001	10000	105	12 :	2 3	5.1	0101		0.1000	00 FE	15	2 5	42	.0010	0101010	001000	165	12	45 3	5.10000	10101000	001	
				57.101	0101	999 i 1	10000	105	12	2 4	H. f	0101	0100	01010	UU 18	15 I	2 55	45	.001	0101010	000000	155	12	45 5	7.00060	0101060	001	
	155		-																						i9.100GOI	20101000	COI	
	155	12	50	3.101	0101	000 10	1000	165	12 5	12 5	4.1	0101	0100	01010	OD 16	55 1	2 55	5 5 1	.101	0101000	001000	165	12	46	2.00000			
	165	12	50	6.101	0101	00011	11000	165	12 5	2 5	7.1	0101	0100	01000	00 16	i5 1	2 55	54	.101	0101000	100000	165	12	46	3.10000			
	165	12	50	9.101	0101	00010	1000	165	12 9	3.	0.0	0101	0100	00110	00 16	is 1	2 55	57	101	0101000	กดดดดดด	165	10	46	5.000000			
		-		15.101						3	3.0	0101	0100	0 1000	00 16	55 i	2 50	. "	101	0101000	011000	165	12	46	7.18090			
				18.101						3	6.1	0101	חמום	01010	oo '`		,	•		- , - , - , - ,			12		9.000000			
														01000												00101000		

1 141

			nite Bonnu		FLEX/GNFLEX					INTERFACE			PAG	E NO.	24	•
	•	* ** * * **** Preside *	DAIR FRODU		B VANWIE PRO					**************************************	PM 1 1		•		24	·
	E0019X		XP1003	_			100					003		•		
-	אא אא פסס		DDD HH MM		DATA	ממם				DATA	ו ספס				DATA	
		14.000000010100000														
		15.100000010100000		0.0000	10000101000001	165	12	49 3	30.1	000000101000001	165	2 5	31.0	000000	101000001	
		18.000000010100000								000000101000001						
		19.100000010100000								000000101000001						
		22.000000010100000								000000101000001						
H-111.		23.100000010100000		7.0000	0000101000001	155	12	49 3	38.1	0000001010000001	165	12 5	40.0	0000000	101000001	
		26.000000010100000		8.1000	100000101000001	165	12	49 4	11.0	000000101000001	165	2 5	41.1	000000	101000001	
		27.100000010100000														
		29.000000010100000														
		30.100000010100000														
		34.000000010100000														
		35.100000010100000														
		39.000000010100000														
		40.100000010100000														
		43.000000010100000														
	100 12 40	44.1600000010100000	100 12 40	32.000	10000101000001	160	12	ay :	וַ . טָי	0000001010100001	165	2 5	יי פיי	400000	101000001	
		47.060000010100000														
-		49.100000010100000													101000001	
		51.000000010100000							5.0	000000101000001	165	2 5	2 2.1		10100001	
	100 12 40	52.100000010100000	1 103 12 40	39.0000	700010101000001	103	12	5D	5.1	0000001010000001	105	12 5	2 3.0	0000000	101000001	
	165 12 46	55.000000010100000	165 12 48	41.1000	0000101000001	165	12	50	9.0	000000101000000	165	12 5:	2 4.1	000000	101000001	
	155 12 46	56.100000010100000	105 12 48	42,000	100010100001	165	12	50	10.1	0000001010000001	165	2 5:	7.0	1000000	101000001	
		57.000000010100000														
-		58.100000010100000														
		59.000000010100000														
	165 12 47		1 165 12 48	48.0000	10000101000001	165	12	50 1	19.1	000000101000001	165	12 5.	2 15.0	600000	10100001	
*****	· 165 12 47		155 12 48	49.1000	100001010100001	165	12	50	22.0	1 000000 1 U 1 000000 1	165	2 5	2 17.1	000000	101000001	
	165 12 47	4.100000010100000	105 12 48	50.000	70001010100001	105	12	50 2	23.1	0000001010100001	165	12 5	2 20.0	1005000	1010000111	•
	165 12 47		1 105 12 48	51.100)000 (D	105	12	50 2	20.0	00000010101000001	165	2 5	2 21.1	000000	101000001	•
•	165 12 47		165 2 48	52.500	70001010100001	105	.2	50 2	27,1	0000001010100001	165	12 5	2 24.0	1000000	101000001	
	103 12 47	10.000000010100000	105 12 40	53.100	,000404000001	105	12	50.	34.U		165	12 5	2 26.1	000000	10100001	
	105 12 47	11.100000010100000	165 12 48	58.000	10000101000001	105	1.5	50	35.!	000000101000000	165	12 5	2 28.0	1000000	101000001	
	165 12 47	15.000000010100000	165 12 48	29.100	1000010100001	105	12	50	37.0	000000101000001	165	72 5	2 29.1	000000	101000001	***************************************
		16.100000010100000														
		20.100000010100000		4 000	10000101000001	105	12	50 4	92.U	100000101000001 100000101000001	105	12 5	2 33.1	0000000	101000001	! •
******		23.00000001010000		6 1000	700010100001	160	12	50 7	93.1 46 0	100000101000000	105	12 5)	2 34 (1000000	10100000)
		24.100000010100000								0000001010000000						
		27.000000010100000		2 100	10000101000000	165	10	20 .	4/.; En n	000000101000001	100	12 5	7 30.0		10100000	
		28.100000010100000								00000101000000						
		31.000000010100000		0.1000	100000101000001	105	10	to t	91.) 54 n	000000101000001	105	ia pi	2 40.0	ՄԱՄԱՄԱՄ ՄԱՄԱՄԱՄ	10100001	
		32.100000010100000		12 000	10000101000001	166	12	50 t	53.U 55 t	ADBOODS 101000000	103	12 D.	2 71.1 2 42 t	1000000	10.00000	
-		39.00000010100000														
		40.100000010100000														
		43.000000010100000														
		45.100000010100000														
	165 12 47	47.000000010100000	1 165 12 49	18.100	0000101000001	165	15	51	10.0	100000101000000	166	17 5	2 57 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10100000	
	165 12 47	49.100000010100000	1 165 12 40	20.000	100010100000	165	15	51	11.1	0000000101000001	166	19 E	2 55 4	1000000	10100000	
	165 12 47	52.000000010100000	1 165 12 40	20.100	0000101000001	165	12	51	fa o	000000101000000	166	· & 3.	2 50 t		10100000	i
	165 12 47	.53.100000010100000	1 165 12 49	24.000	0000101000001	165	12	5	16.1	000000101000000	166	10 E	3 0 1	1066000	10160000	i
		56.000000010100000														

		**	r)	Season E	LEX/GNFLEX	,	e curc	ue.			PAGE N		
			DATA. PRODUK					LEX INTERFACE			FAUE N		
		. Annually makes and the first and the second in	many bet, a stractable.		ANWIE PRO.								
	XP1 003		RF1693				0005	150	- 22 to H	T3211			
	DOD HH MM		DOD HH MM		DATA		HH KM			HH MN		DATA -	إلم بسيسا
	165 12 53				1000001					12 59		23.17	
		10.10000001010000001			3101000001			48. 246		12 55	59.	23.18	
}		13.0000000101000001			10000001				.2				
é		15.1000000101000001			100000102			12. 246		V0316			
		23.0000000101000001 22.1000000101000001			101000001			27.	.7 165	HHIM		DATA 026913-24	
		25.0000000101000001			1000001				.8 165			.547000-02	
		26.1000000101000001							1 169			.545000-02	
-		29.0000000101000001							4165			546000-02 -	
1		32.1000000101000001						24. 259	.8 165	12 44	39.	.547000-02	
•	165 12 53	33.0000000101000001	165 12 55	15.1000000	101000001	165	12 54	35. 25	.1 165	12 44	1 45.	546000-02	
		35.1000000101000001						.48 250		12 45		.547000-02 -	
		37.0000000101000001								12 4		.545000-02	
		39.1000000101000001								12 49		.546000-02	
=		42.0000000101000001						18:26:		5 12 4		.548000-02 **	
		43.1000000101000001			101000001					5 12 4		.546000-02	
		45.0000000101000001								12 4		.548000.02	
		47.1000000101000001	165 12 55	30.000000	0101000001	165	12 55	5126		5 12 4		,544000-02 .547000-02	
		52.0000000101000001		31.100000		шī	3211			5 12 4! 5 12 4!		546000-02	
		54.1000000101000001 58.0000000101000001						CC	16:			540000-02 2540000-02	
		59.1000000101000001							00 16			.546000-02	
	165 12 54	1.000000101000001						59 92	34 16			545000-02	er i redice
	- 165 12 54								48 16:			-:546000-02	
	165 12 54									5 12 4	T	.547000-02	•
	165 12 54				100000101				58 16			.544000-02	
		10.000000101000001							61 16			546000-02	
		11.1000000101000001						49. 👸 22	64 16	5 12 4	6 42.	.548000-02	
	165 12 54	18.0000001010000001	165 12 55	50.100000	0101000001	165	12 51	59. 22	66 16	5 12 4	6 45.	.547000-02	Same Spira
		19.1000000101000001							69 15	5 12 4	8 · 51	546000-02	
	165 12 54	21.0000000101000001	165 12 55	56,100000	01010000001	155	12 52	19. 22	.72 16	5 12 4		.545000-02	
	165 12 54	22.1000000101000001	165 12 55	58.000000	0101000001	165	12 52			5 12 4		.543000-02	
		25.0000000101000001		59,100000	0101000001	165	12 52		.77 - 169			: 5×60:00-02	
•		271000000101000001					2 52			5 12 4		.545000-02	
		29.0000000101000001					12 52		.82 16			.544000-02	
		30.10006001016000001							.84 - 169			546000-02	
		34.0000000101000001		2. 00	*****				.86 16			544000-02	
		35.1000000101000001		_			12 53		89 16	_ ,	• .	.543000-02 :545000-02	
P		38.0000000101000000			DATA		12 53 12 53		. 90 16! . 93 16!	5 12 4 5 12 4		.544000-02	
÷		39.1000600101000001 42.0000000101000001			250.5		12 53			5 12 4		.547000-02	
		43.1000000101000001					12 54		.97 - 16		- v.t	546000-02	
		46.0000000101000001			248.3		12 54			5 12 4		.548000-02	f
		47.1000000101000001			247.2		12 54		.01 16			.545000-02	2 P
		50.0000000101000001			246.1		12 54		.04 -16			546000-02	
•		51.1000000101000001			244.9		12 54		.05 16			.549000-02	
		53.0000000101000001			243.7		12 54		.08 16			546000-02	
		55.1000000101000001			242.6				.09 ~16			.545000-02	
		56.0000000101000001					12 55		. 12 16			.544000-02	
		57.1000000101000001			242.5				. 13 16			.545000-02	
	165 - 12 - 54	58.00000000101000001	-165-12-52	15,- 	243.7-	-165	12 55	3923	:1516	5-12-4	836:	547000-02	
				•	-								

				•	DATAPRODU	F00442 CED DUBI	FLEX/GN? NG CHECKO	FLEX C	ROSS CH	ECKS	NTEBEAF	F		·	PAGE NO	. 26	
						HAROLD	B VANWIE	PROJE	CT NO.	4205		3 - 50					
	DOD HE		e c	DATE	ZV0316 - DDD HH MM	ce	. DATA					A en en e					
	165 12		54.	- DATA -544000-02	165 12 53		.544000		•				•				
	165 12		57.	.542000-02	165 12 53		542000										
	165 1:		. 0,	544000-02	165 12 53		- 544000								75 7.		
	165 13		3.	.546000-02	165 12 53		.546000				ta .						•
	165 1:		б.	-545000-02	165 12 53		.5480 ₀₀ . .545000										•
	165 1: 165 1:		12.	-,543000-02 -,545000-02			.547000										
	165 1		15.	.546000-02	165 12 53		546000										
	185 12		33	545000-02			545000				الم المالية						
	165 1:		42.	.546000-02	165 12 53		.542000						9				
	165 1:		45.	.544000-02			.543000				<u>.</u>						
	165 T		48 6.	.546000-02 .545000-02	165 12 54 165 12 54		.546000 .544000										
	165 1		9.	.547000-02	165 12 54		542000										
	165 12		12.	.545000-02			.543000										
	165 1		18.	.546000-02	· 165 92 54		.539000		• .	• ':		. 6				:	
	165 1		45.	.545000-02			.544000							N.			•
	165 1		48	.546000-02			542000·								· · · · · · · · · · · · · · · · · · ·		
	165 1: 165 1:		51. 54.	.544000-02 .545000-02			.541000 .544000									•	
	165 1:			546000-02			.543000										
	165 1		9.	.542000-02			.544000		•								
	165 1		12.	.545000-02			.551000	-02									
	165 1:			545000-02			562000								 	<u>.</u>	
	165 1:		21.	.546000-02			.561000										
	165 1: 165 1:		24.	.544000-02 .545000-02			.560000 549000										
	165 1		33.	.543000-02	165 12 55		.544000				2011						
•	165 1		36.	.544000-02			.540000		• :			•					
	165 1		39	543000-02	,,,,,,	· · · · · · · · · · · · · · · · · · ·											·····
	-165 T		42.	.546000-02													
	165 1		45.	.545000-02			-					•					
	165 1		48	547000-02													
	· 165 1 165 1		51. 54.	.544000-02 .546000-02													
	-165 1			543000-02				, 				<u> </u>	نستسيس	<u> </u>			<u> </u>
	165 1			.546000-02			•										
	165 1			.548000-02						•							
	165 1			544000-02							997.8 A.	277			1.5.1.11.23		
	165 1			.543000-02		يوان دورون دورون دورون		-1,			1.7	r (4	·	18 A			
	165 1 165 1			.542000-02 .546000-02⊶		STEAR STATE			A	~	- 197	. X. x	17	3, i . j ;	Ac mi	1. 3. 6.	
	165			.545000-02													
	165 1			.544000+02												*	•
	165 1	2 52	42	- ,543000-02					-		 			110 J. 18			
	165 1			.544000-02)		•			"我想"	7				
	165 1			.545000-02		(1) July 1							. ٠٠٠ : و٠٠		. K 6 6	the man	
	165 1 165 1			545000•02 545000•02.			<u></u>				****						
	165 1			.544000-02				•									
	165 1			545000-02					**		·						
			·	. . .	**************************************	4.4					3.4	, (t.)					
								-		• • •	7.0						

70 107 352 16. 29 .43 53 45 30 8 161 8 105 84 131 196 339 126 126 127 127 127 127 127 127 127 127 127 127	
	5 78 177 1 29 32
	-
	Sentes en la companya de la companya de la companya de la companya della companya
	e e e e e e e e e e e e e e e e e e e
	•
	-
•	

				•								
LOGICAL	UNIT 4	HAS BEEN	NO. 15 DYNAMICALLY FE									
DYNAMIC LOGICAL OFREE	UNIT 19	HAS BEEN	NO. 18 DYNAMICALLY FR	REED	2						·	
DYNAMIC LOGICAL OFREE	CONTROL UNIT 26	SEQUENCE HAS BEEN	NO. 17 DYNAMICALLY FF	REED			. Y		31 7712-32			•
DYNAMIC LOGICAL OFREE	CONTROL UNIT 27 27.	SEQUENCE HAS BEEN	NO. 18 DYNAMICALLY FE	REED						***************************************		
DYNAMIC LOGICAL OFREE	CONTROL UNIT 28	SEQUENCE HAS BEEN	HO: 19 DYNAMICALLY FI	REED	, , , , , , , , , , , , , , , , , , ,							
LOGICAL	UNIT 29	HAS BEEN	NO. 20 DYNAMICALLY F	REED							•	
LOGICAL	UNIT 20	HAS REEN	NO. 21 DYNAMICALLY F	REED				•			•	
LOGICAL	UNIT 23	I HAS BEEN	NO. 22 DYNAMICALLY F	HEED								
A- TOTA -	L OF	5004	LINES OF DATA	WAS PRINTED-IN	246 s	ECONDS.						
	•											

APPENDIX G
PROGRAM LISTING

Program listings are maintained in the Engineering Development Department. The major functional blocks include the following:


- a. <u>GNFLEX.-</u> GNFLEX operates as a driver program to provide linkage for the major functions. Information necessary to execute GNFLEX is supplied from lead cards.
- b. <u>READLC.-</u> READLC reads lead cards to determine what subsequent processing will be performed for the two general types of input tape records expected. Records used for initializing are data base records processed by IFLEX.
- c. <u>IFLEX.-</u> Data base records are used to establish initial conditions or to update all requested data channels. The other general type records contain periodic data.
- d. RFLEX. RFLEX retrieves periodic type data records. Measurement identifications (MIDs) are compared with the input and checked for tabulation or plot requirements.
- e. <u>TFLEX.-</u> Information stored in common blocks by IFLEX and RFLEX is encoded, stored in a buffer, band-passed if necessary. and output on file 3 of the tabulation tape for subsequent processing by the OUTLAW tabulation program.
- f. PFLEX. Required time and data for the plot tape are stored in a buffer, band-passed if necessary, and written with a record word length of time plus the number of channels.

APPENDIX H


FLOWCHART

The flowchart for program GNFLEX is presented on the following pages.

PRECEDING PAGE BLANK NOT FILMED



H-4



APPENDIX I
CORRESPONDENCE

- 1. NASA/LEC TASK AGREEMENT 1; Software Development for Data Processing of Thermal Vacuum Testing.
- 2. Software Change Request 83-33-15.
- 3. Software Change Request 83-33-21.

PRECEDING PAGE BLANK NOT FILMED